Plant Diseases Detection System For Sustainable Agriculture

A Project Report

submitted in partial fulfillment of the requirements

of

AICTE Internship on AI: Transformative Learning
with
TechSaksham – A joint CSR initiative of Microsoft & SAP

by

Ankush Uday Naik, naikankush067@gmail.com

Under the Guidance of

P.Raja, Master trainer, Edunet Foundation

ACKNOWLEDGEMENT

I would like to take this opportunity to express our heartfelt gratitude to all who supported and guided us throughout the journey of this project. Their assistance, directly or indirectly, has been instrumental in the successful completion of our work.

First and foremost, I extend our deepest thanks to our mentor and guide, P.Raja Sir and sir Pavan Kumar for their invaluable advice, unwavering support, and constant encouragement. Their insights, constructive feedback, and motivational words served as the foundation for our progress and the driving force behind our determination to complete this project successfully. Working under their guidance has been a truly enriching and inspiring experience which helped us in shaping into a better professionals and individuals.

I also extend our gratitude to AICTE- A Joint CSR initiative of Microsoft and SAP with Edunet Foundation for providing us with the resources and facilities that were essential for our research and development.

Finally, I would express sincere appreciation to anyone we may have unintentionally overlooked but who played a part in this journey.

Thank you all for this wonderful journey.

ABSTRACT

Plant diseases pose significant challenges to agricultural productivity, leading to substantial economic losses and threats to food security. Traditional methods of disease detection often rely on expert analysis, which can be time-consuming, expensive, and impractical for large-scale monitoring. To address these challenges, this project focuses on developing a cost-effective, automated plant disease detection system using advanced machine learning techniques.

The objective is to design a system capable of identifying plant diseases from images of leaves, enabling early intervention and minimizing crop damage. The methodology involves collecting a diverse dataset of diseased and healthy plant leaves, preprocessing the images, and training a convolutional neural network (CNN) to classify the diseases. The system is implemented using open-source tools, ensuring accessibility and scalability.

Key results demonstrate that the model achieves high accuracy, with significant improvements in classification efficiency compared to traditional approaches. The system effectively distinguishes between multiple diseases and healthy conditions across various plant species. Field tests validate its practical utility in real-world scenarios, offering rapid and reliable disease detection.

In conclusion, this plant disease detection system provides a promising solution for modern agriculture, empowering farmers with actionable insights and reducing dependency on manual expertise. Future work will focus on expanding the dataset, incorporating real-time detection via mobile applications, and enhancing the system's adaptability to diverse environmental conditions.

TABLE OF CONTENT

LIST OF FIGURES

LIST OF TABLES

CHAPTER 1

Introduction

1.1 Problem Statement:

Plant diseases are a significant global challenge, threatening agricultural productivity, food security, and economic stability. According to the Food and Agriculture Organization (FAO), an estimated 20-40% of global crop production is lost annually due to pests and diseases, resulting in billions of dollars in economic losses. These challenges are exacerbated by the rising global population, which is projected to reach nearly 10 billion by 2050, and the increasing demand for food production. Ensuring sustainable and efficient agricultural practices is more critical than ever, but plant diseases remain a formidable barrier to achieving these goals.

Traditional methods of detecting plant diseases rely primarily on manual inspection by farmers or agricultural experts. This approach, while sometimes effective, is fraught with limitations. Manual diagnosis is time-intensive, subjective, and dependent on the expertise of the observer, which may vary widely. For smallholder farmers, especially those in rural or developing regions, access to such expertise is often limited or entirely unavailable. Consequently, many diseases go undetected or are misdiagnosed, leading to delayed interventions and widespread crop damage.

When diseases are not identified early, their spread can result in severe economic losses for farmers and reduced yields for entire regions. Additionally, farmers often resort to the excessive use of chemical pesticides without a clear understanding of the disease affecting their crops. This indiscriminate use not only raises production costs but also has adverse effects on the environment, including soil degradation, water pollution, and harm to beneficial organisms such as pollinators. Furthermore, such practices can pose health risks to humans through residual chemicals in food and water sources.

Climate change and globalization have compounded the problem. Altered weather patterns, such as increased temperatures and unpredictable rainfall, create favorable conditions for the emergence and rapid spread of plant pathogens. Global agricultural trade further facilitates the movement of diseases across borders, introducing new challenges for disease management in previously unaffected regions. Farmers are often ill-equipped to combat these emerging threats, leaving their crops vulnerable to widespread damage.

The challenges of scale further complicate traditional approaches to disease detection. For large-scale agricultural operations, manual inspection is impractical due to the vast areas of farmland requiring monitoring. Similarly, laboratory-based diagnostic techniques, though accurate, are time-consuming, costly, and require infrastructure and expertise that are often unavailable in resource-limited settings. These constraints highlight the need for a scalable, efficient, and cost-effective solution to detect and manage plant diseases.

Recent advancements in technology, particularly in artificial intelligence (AI), machine learning (ML), and image processing, offer a promising path forward. Deep learning models, particularly convolutional neural networks (CNNs), have demonstrated remarkable success in image-based classification tasks. By leveraging these technologies, it is possible to develop an automated system capable of analyzing images of plant leaves and accurately identifying diseases. Such a system would not only provide rapid and precise disease detection but also empower farmers with actionable insights, enabling timely interventions to minimize crop losses.

The development of an automated plant disease detection system addresses the critical need for early diagnosis and efficient disease management. By providing a tool that is accessible, cost-effective, and easy to use, this solution has the potential to transform agriculture. It ensures healthier crops, reduces reliance on harmful chemicals, promotes sustainable farming practices, and supports global efforts to enhance food security and environmental sustainability.

1.2 Motivation:

The motivation for developing an automated plant disease detection system stems from the critical role that agriculture plays in sustaining human life and supporting global economies. Agriculture is the primary source of livelihood for millions of people worldwide, particularly in rural and developing regions, where smallholder farmers depend on crop production for both sustenance and income. However, plant diseases are a pervasive challenge, reducing yields, compromising food quality, and contributing to economic losses on a massive scale.

The choice to pursue this project was driven by the urgent need to address the inefficiencies of traditional methods for plant disease detection. Manual inspection of crops is time-consuming, subjective, and impractical for large-scale farming. Laboratory-based approaches, while accurate, are inaccessible to many farmers due to their high cost, complexity, and reliance on infrastructure. These limitations often result in delayed identification of diseases, allowing them to spread unchecked and cause extensive damage.

Advancements in artificial intelligence and deep learning provide an opportunity to overcome these challenges. By leveraging convolutional neural networks (CNNs), which are highly effective in image recognition tasks, it is possible to develop an automated system capable of rapidly and accurately identifying plant diseases from images of leaves. Such a system has the potential to revolutionize agricultural practices, particularly by empowering farmers with timely and actionable insights.

The potential applications of this system are vast. It can be integrated into mobile applications, enabling farmers to use smartphones to diagnose plant diseases in real-time. It can also support large-scale agricultural operations by facilitating remote monitoring of crops through drone or satellite imagery. Beyond individual farmers, this technology can aid agricultural extension services, policymakers, and researchers in better understanding and combating plant diseases at a regional or global scale.

The impact of this project is far-reaching. By enabling early detection of plant diseases, the system can help minimize crop losses, reduce the use of harmful chemical treatments, and promote sustainable farming practices. It can improve the productivity and profitability of farmers, particularly those in resource-constrained settings.

Furthermore, by addressing a key challenge in agriculture, this project contributes to global efforts to enhance food security, reduce poverty, and mitigate the environmental impact of farming. In the context of a growing population and a changing climate, such innovations are not just beneficial—they are essential for a sustainable future

1.3 Objective:

The main goal of this project is to create an automated, precise, and economical system for detecting plant diseases. This will be achieved using a sequential convolutional neural network (CNN) model in conjunction with advanced deep learning methods. By offering quick and dependable diagnoses of plant health issues, the system seeks to overcome the limitations present in conventional detection methods. This empowerment allows farmers and agricultural professionals to take swift measures that can significantly reduce crop loss and enhance agricultural efficiency.

Key objectives of the project include:

1. **Data Collection and Preprocessing**:-

   - Compile a varied and high-quality collection of images depicting both healthy and diseased leaves from numerous crop species.
   - Utilize preprocessing methods like resizing, normalization, and augmentation to prepare the dataset for training a competent CNN model.

2. **Model Development:-**

   - Create a sophisticated sequential CNN model tailored for image classification tasks aimed specifically at recognizing and categorizing plant diseases.
   - Train this model on the processed dataset to ensure it achieves substantial accuracy in identifying various ailments affecting plants.

3. **Performance Evaluation:-**

   - Assess the effectiveness of the model through metrics such as accuracy, precision, recall, and F1-score. These evaluations guarantee its reliability.

- Perform validation tests with unseen datasets to gauge how robustly the system functions under real-world conditions.

4. User Accessibility:-

- Build an intuitive interface or application that enables farmers to upload images of their plants easily while receiving immediate diagnostic feedback.
- Design this solution so it is accessible at low cost for smallholder farmers but also versatile enough for larger farming operations.

5. Impact and Scalability:-

- Validate practical usage by conducting field trials across different agricultural environments.
- Investigate possibilities for integration with mobile technology, drones, or other innovative tools aimed at improving large-scale monitoring of crops in real time.

6. Sustainability and Knowledge Sharing:-

- Advocate for sustainable agriculture by minimizing dependence on chemical treatments via accurate disease diagnostics.
- Enhance the agricultural knowledge base by sharing valuable insights regarding common plant diseases along with their occurrences.

1.4 Scope of the Project:

The scope of this project encompasses the development of an automated plant disease detection system using a sequential convolutional neural network (CNN) model and deep learning techniques. The system is designed to analyze images of plant leaves to identify and classify diseases with high accuracy. By leveraging artificial intelligence, this project aims to provide a scalable, efficient, and user-friendly solution that can be deployed in agricultural settings to support early disease diagnosis and intervention.

Key Areas Covered in the Project

1. Image-Based Disease Detection:

- The system processes images of plant leaves to detect disease symptoms based on their visual characteristics.
- It relies on a trained deep learning model to classify diseases into predefined categories.

- The model is optimized to differentiate between healthy and diseased leaves, reducing the dependency on manual diagnosis.

2. Machine Learning and Deep Learning Implementation:

- The system utilizes a sequential CNN model, which is particularly effective for image classification tasks.
- The model is trained on a dataset of labeled images to learn patterns and features associated with different plant diseases.

3. Data Processing and Model Training:

- Image preprocessing techniques, including resizing, normalization, and augmentation, are used to improve model efficiency.
- The dataset consists of multiple plant species with a variety of diseases, ensuring the model is exposed to diverse conditions.
- The CNN model is trained using supervised learning, where labeled images are used to teach the system how to recognize diseases.

4. Model Evaluation and Validation:

- The trained model is evaluated using standard performance metrics such as accuracy, precision, recall, and F1-score.
- Cross-validation is performed to ensure that the model generalizes well to new, unseen data.
- Benchmarking is conducted against existing methods to validate the effectiveness of the proposed system.

5. Application and Accessibility:

- The system is designed to be accessible via a mobile application, web-based interface, or desktop software.
- Farmers and agricultural professionals can upload leaf images for instant disease diagnosis.
- The solution is scalable and can be extended to work with drones or IoT-based agricultural monitoring tools for large-scale disease detection.

Limitations of the Project

While this system aims to provide an innovative solution for plant disease detection, it is subject to certain limitations:

1. Dependence on Image Quality:

- The accuracy of the model is highly dependent on the quality of input images.
- Poor lighting, image blurriness, shadows, or occlusions can negatively impact disease classification.

2. Limited Disease Database:

- The system is trained on a specific dataset and may not detect diseases that were not included in the training data.
- The model may struggle with newly emerging plant diseases unless the dataset is updated regularly.

3. Difficulty in Differentiating Similar Symptoms:

- Some plant diseases have overlapping visual symptoms, making it challenging for the model to distinguish between them.
- The system may misclassify nutrient deficiencies, pest infestations, or environmental stressors as plant diseases.

4. Generalization Across Different Plant Species:

- The model's accuracy is highest for the plant species included in the training dataset.
- Expanding the dataset to include more plant species is necessary for broader applicability.

5. Computational and Hardware Requirements:

- Training deep learning models requires significant computational power, which may limit deployment on low-resource devices.
- While the trained model can be optimized for edge computing, real-time processing on mobile devices may still require cloud-based infrastructure.

CHAPTER 2

Literature Survey

2.1 Plant Disease Detection using Machine Learning And Deep Learning

Introduction

Plants play a vital role in the economy, environment, and food industry. With the increasing concerns over climate change—as discussed in the UN General Assembly 2019—many countries are on a mission to plant more trees to maintain climate balance. Research has shown that industrial deforestation has contributed significantly to the depletion of the ozone layer, leading to global warming. The predicted rate of climate change is 10–100 times faster than the rate observed during the glacial warming [1].

Apart from their role in climate regulation, plants are crucial in food security and healthcare. However, plant health is increasingly threatened by various diseases caused by fungi, bacteria, and viruses. In economic terms, annual losses in food, fiber, and ornamental production due to plant pests and diseases amount to hundreds of billions of dollars [4]. Some plant diseases are highly contagious, spreading rapidly from one plant to another, making early detection crucial for disease management.

Deep Learning for Automated Plant Disease Detection

Traditional plant disease detection relies on manual inspection, which is time-consuming, error-prone, and requires expert knowledge. To overcome these challenges, researchers have turned to deep learning-based automated systems. Unlike traditional Machine Learning (ML) models, Deep Learning (DL) eliminates the need for manual feature extraction, as it can learn patterns directly from images [7].

Computer vision-based plant disease detection systems use Convolutional Neural Networks (CNNs) to analyze plant images and classify them as healthy or diseased. CNNs extract image features such as edges, textures, and color patterns, making them highly effective for visual recognition tasks [8].

2.2 Existing Models, Techniques, and Methodologies

- Sannakki & Rajpurohit [1] proposed a Back Propagation Neural Network (BPNN)-based classifier for detecting pomegranate diseases, achieving 97.3% accuracy, but it was limited to specific crops.
- Rothe & Kshirsagar [2] applied snake segmentation and Hu's moments for cotton leaf disease detection, using BPNN, with 85.52% accuracy.
- Rastogi et al. [3] implemented K-means clustering and fuzzy logic for grading leaf disease severity, utilizing ANN for classification.

- Owomugisha et al**.** [4] used color histograms, decision trees, and random forests for diagnosing Banana Bacterial Wilt and Black Sigatoka Disease, with extremely randomized trees performing best.
- Tian et al**.** [5] developed an SVM-based multiple classifier system (MCS) for wheat leaf disease detection, extracting features via GLCM and invariant moments.

1. Feature Extraction Techniques

To improve classification, various feature descriptors have been used:

- Hu Moments – Captures shape-based features after converting images to grayscale.
- Haralick Texture – Differentiates healthy and diseased leaves based on adjacency matrices.
- Color Histogram – Converts RGB images to HSV for better color representation.

2. Algorithm and Model Architecture

A typical plant disease detection pipeline follows these steps:
1. Preprocessing – Resizing and converting images (RGB to Grayscale/HSV).
2. Feature Extraction – Using HoG, Hu Moments, Haralick Texture, and Color Histograms.
3. Training & Classification – Training with Random Forests, SVM, or CNN models.

| Various Machine Learning models	Accuracy(percent)
Logistic regression	65.33
Support vector machine	40.33
k-nearest neighbor	66.76
CART	64.66
Random Forests	70.14
Naïve Bayes	57.61

Table 1:-Table showing the comparison of ML Algorithms

3. Comparison of Machine Learning Models

A comparison of various ML models (Random Forest, SVM, ANN, Decision Tree) showed that Random Forests provided higher accuracy with fewer images. However, accuracy can be improved using larger datasets and advanced deep learning techniques like CNNs with SIFT, SURF, and BOVW (Bag of Visual Words).

A. Convolutional Neural Networks (CNNs) in Plant Disease Detection

CNNs have revolutionized image-based classification tasks and have been widely applied in plant disease detection. They offer superior performance compared to traditional Artificial Neural Networks (ANNs) due to their ability to detect repeating patterns in images.

Figure 1:- Applied Methodology

- Key components of CNNs include:
  Convolution Layers – Detect edges, textures, and patterns in plant leaves.
  Pooling Layers – Reduce image dimensions while retaining essential features.
  Fully Connected Layers (Dense Layers) – Perform classification based on extracted features.
  Batch Normalization – Normalizes activations across different layers, stabilizing training.

B. CNN Architectures Applied in Previous Studies

- Several CNN architectures have been used for plant disease detection:
- Simple CNN – Basic model with convolutional and pooling layers.
- VGG16/VGG19 – Deep architectures with 16 or 19 layers for improved accuracy.
- InceptionV3 – Uses multiple kernel sizes to capture different image features.

C. Datasets Used in Research

Various datasets have been used to train CNN models for plant disease classification:

- Dataset 1 – Contains 15 classes with a total of 2,952 images.
- Dataset 2 – Contains 38 classes, used for more extensive training.
- Plant Village Dataset – A publicly available dataset with 38 plant disease categories, commonly used in research.

2.3 Gaps in Existing Solutions and Proposed Improvements

1. Challenges in Existing Models

- Small Datasets: Many studies use limited datasets, leading to poor generalization.
- Computational Complexity: Deep learning models require high processing power, making real-time deployment difficult.
- Difficulty in Identifying Similar Diseases: Some plant diseases have visually similar symptoms, affecting classification accuracy.
- Lack of Real-Time Deployment: Many models are trained in research environments but not optimized for real-world applications.

Various classical machine learning and deep learning approaches have been explored for plant disease detection. Sannakki and Rajpurohit utilized BPNN for pomegranate disease classification, achieving 97.30% accuracy, though it was limited to specific crops. Rothe and Kshirsagar applied Hu's Moments and BPNN for cotton leaf disease detection, obtaining 85.52% accuracy. Rastogi et al. combined K-means clustering, GLCM, and fuzzy logic for disease grading, while Owomugisha et al. tested multiple classifiers, finding extremely randomized trees to perform best. Additionally, Tian et al. developed an SVM model for wheat leaf disease detection.

Recently, deep learning has advanced plant disease characterization using Convolutional Neural Networks (CNNs). Studies leveraging 87,848 images across 58 plant-disease combinations reported a top accuracy of 99.53% on unseen test images, demonstrating the potential for real-time disease diagnosis. Unlike conventional models relying on manually crafted features like Hu moments, Haralick texture, and color histograms, CNNs automatically extract hierarchical features, resulting in superior performance.

Our proposed method employs Histogram of Oriented Gradients (HoG) for feature extraction, followed by a Random Forest classifier, achieving an average accuracy of 70% on the papaya leaf dataset. This accuracy could be improved with larger training datasets and deep learning techniques such as CNNs. Further enhancements can be made by integrating local and global features from descriptors like SIFT, SURF, and Bag of Visual Words.

5.3. Performance Based on Traditional Shallow Networks

Applied color features (CF), which are necessary in detecting plant diseases, as well as techniques such as Gamma based Feature Extraction (GFE), Histogram of Oriented Gradients (HOG) and Local Binary Pattern (LBP). Those carried out the feature extraction, and finally the extracted features were fed into the SVM and KNN classifiers in order to determine their accuracies.It can be seen from the results, that LBP achieved the best accuracy with SVM classifier 80.6%, followed by GFE 76.9% with SVM, and HOG 71.28% with SVM, and in the end, we have the color features which scored 51.03%.


Figure 2:- Results based on traditional shallow methods.

2. How Project Addresses These Gaps

- Sequential CNN Model: We implement a custom-built Sequential CNN to improve classification accuracy.
- Data Augmentation: Enhancing training data through rotation, flipping, and brightness adjustments.
- Optimized Model for Real-Time Use: Our model is designed for mobile and web deployment.
- Scalable for Different Crops: The system can be extended to detect diseases in multiple plant species.

Automated technologies to detect plant diseases are currently essential. They prevent crop diseases from occurring frequently and the losses that follow from them. The automated disease detection system that uses AI follows predetermined steps. The procedures involve several steps, including installing various sensors in the agricultural field to collect and record plant images. The collected images are then processed and segmented to be used as data in machine learning algorithms. The models then predict whether a leaf is healthy or diseased (Ayaz et al.,2019).

CHAPTER 3
Proposed Methodology

3.1   System Design

The schematic depicts the Proposed Solution for the Plant Disease Detection System. Below is a detailed explanation of each of the steps of the design:


Figure 3:- Proposed Solution Workflow

Data Collection and Preprocessing

- The images of plant leaves, both healthy and diseased, are obtained from publicly available datasets or field sources.
- The image undergoing preprocessing is resized, normalized, and augmented to ensure maximized model performance.

Feature Engineering

- Classical image features characteristics such as color, texture, shape, and pattern are extracted in this step using Convolutional Neural Networks (CNN).
- The feature representation is enhanced with the aim of achieving better classification performance.

Model Selection

- An appropriate Sequential CNN model consists of convolutional, pooling, and fully connected layers.
- Optimize the architecture based on the performance metrics.

Training

- Supervised learning is the process of giving CNN labeled images and training on them.
- Backpropagation and optimization methods are conducted to work on loss.

Evaluation

- The trained model is finally tested on unseen plant leaf images.
- The performance of the method will be evaluated according to accuracy, precision, recall, and F1-score.

Deployment

- The trained model will be deployed as a real-time application that can be accessed by farmers and agricultural experts.
- Users can upload plant leaf images to receive instantaneous disease diagnoses and recommendations.

The step-by-step procedure is safe and automated detection of every aspect related to plant diseases so that timely preventive actions can be dispatched in case chemical control is required to save any species of crops.

System Architecure:-

Figure 4:- System Architecture of Plant Disease Detection System

The suggested system is built on a structured CNN-based architecture for detecting various diseases in plants. It encompasses multiple sequential steps in processing input plant images and classifying a disease accurately. Below is an exhaustive description of the system architecture, as represented in the diagram:

1. Input Data Collection

The system expects a database of those plant leaf images, which can be further categorized into Training Data and Testing Data.

These databases contain images of both healthy and diseased leaves of different species of plants.

These images are stored in an organized database before further processing proceeds.

2. Data Preprocessing

The raw image data must go through preprocessing to improve the efficiency of the model output.

The major processes involved are:

- Normalization- this scales pixel values between 0 and 1.
- Data Augmentation (if necessary)- this is generating extra samples for training through image transformations such as rotation, flipping, and zooming in.
- Post-preprocessing, the images are divided into Train Data and Test Data.

3. CNN Model Training

- The Train Data is fed into a Sequential CNN Model which has several layers:
- Convolutional Layers for feature extraction from the images.
- Pool Layer for dimensionality reduction to keep the essential features.
- Fully Connected Layers for disease classification.

The model is trained on a labeled dataset so that it can learn to identify patterns that represent different diseases of plants.

4. Model Evaluation

- Test data will verify trained models to assess performance.
- Evaluation will be based on performance metrics such as accuracy, precision, recall, and F1-score.
- Fine-tuning of the model (if required) to improve overall recognition accuracy and lessen the errors.

5. Disease Prediction

- Post-training and evaluation of the model, the system is applied for real-time disease detection.
- A user uploads any image of a plant leaf, and the classifier predicts whether the leaf is healthy or diseased.

Upon detection of disease, the system further classifies it and gives detailed diagnostic information for a further course of action.

3.2 Requirement Specification

This section highlights the essential tools and technologies for the implementation of a plant disease detection system.

3.2.1 Hardware Requirements:

To run the system successfully, the following are recommended for hardware components:

- Processor: Intel Core i5/i7 or AMD Ryzen 5/7 and above,
- RAM: Minimum 8GB(Recommended 16GB during deep learning training),
- Storage: Minimum of 50GB free space (SSD preferred for faster processing);
- GPU(Optional but recommended):or better NVIDIA GTX 1650,
- Camera(for real-time leaf disease recognition): Any HD webcam or mobile device

3.2.2 Software Requirements:

The software environment for the execution of this project includes:

- Operating System: Windows 10/11, Ubuntu 18.04+ (preferred for Deep learning models),
- Programming Language: Python (latest stable production release recommended).

Required Libraries:

- Streamlit - For constructing the web-based UI,
- TensorFlow/PyTorch - For deep learning-based disease classification,
- OpenCV - For image processing and real-time leaf analysis,
- Pillow - For image handling and preprocessing,
- NumPy - For numerical operations and data handling.
- A Dataset: PlantVillage dataset (or any custom dataset for the training of the model)
- A Pre-trained model should have a CNN-based trained model on disease classification(if the model was not trained from scratch).

CHAPTER 4

Implementation and Result

4.1 Snap Shots of Result:

Below are some snapshots showcasing the output and functionality of the Plant Disease Detection System for Sustainable Agriculture.

Figure 5:- Home Page of the Web Application

This screenshot represents the homepage of the Plant Disease Detection System. The homepage provides an overview of the system, displaying an image related to smart agriculture and an intuitive user interface to navigate through different sections of the application.

Figure 6:- Disease Recognition Page Selection

This snapshot shows the navigation menu, where the user can switch between different sections of the application. The dropdown menu allows the user to select the Disease Recognition module, where they can upload an image of a plant leaf to detect diseases.

Figure 7:- Image Upload for Disease Detection

This screenshot displays the Disease Recognition page, where users can upload an image of a plant leaf for analysis. The interface allows users to browse or drag-and-drop an image file, and after uploading, the system processes the image to identify plant diseases. Additionally, a warning message about the deprecated parameter in Streamlit is visible, which can be fixed in future updates.

Figure 8:-Image Uploaded for disease detection

Options to "Show Image" and "Predict" are visible for user interaction. This screenshot displays an image of a leaf uploaded by the user, which will be analyzed to detect potential diseases.


Figure 9:- Prediction of Apple Disease

This snapshot demonstrates the functionality of the Plant Disease Detection System while analyzing a different plant leaf:

- The uploaded image is named "AppleCedarRust1.JPG," representing an apple leaf infected with a disease.

- The system's prediction is displayed at the bottom: "Model is Predicting it's a Apple___Cedar_apple_rust."

This snapshot showcases the system's ability to correctly identify the disease affecting an apple leaf, confirming its effectiveness in disease recognition across different plant types.

4.2 GitHub Link for Code:

https://github.com/Ankush703-web/plant_disease_detection_system.git

CHAPTER 5

Discussion and Conclusion

5.1   Future Work:

While the current plant disease detection system demonstrates promising accuracy and effectiveness, several improvements and future enhancements can be considered:

Model Performance Enhancement

- Train the model with a big dataset that is more diverse and with images taken from the field and laboratory instead of laboratory images.
- Fine-tune the model with more advanced architectures: EfficientNet, Vision Transformers (ViTs), or custom hybrid models.
- Standardize tape data augmentation techniques to improve generalization of the model and performance on unseen samples.

Real-Time Disease Prediction

- Incorporate the system into IoT devices for real-time monitoring of plant health.
- Develop a mobile application dealing with real-time disease detection through the smartphone camera.
- Make model inference faster and more lightweight for predictions on edge devices.

Multi-Disease and Multi-Crop Expansion

- Expand the model to allow for a wider variety of crops and diseases to be supported.
- Train a multi-label classification model to identify multiple diseases present in a single leaf.

- Deploy an adaptive learning mechanism to improve continually with new data inputs.

Explainable AI and Interpretability

- Integrate Explainable AI (XAI) techniques such as Grad-CAM for visual explanation to forecast the outcomes with easy interpretability.
- Improve transparency by providing confidence scores to explain which areas are affecting the leaves found to have diseases.

Disease Severity Estimation

- Extend the system to classify the diseases and grade them according to the level of severity.
- Design a recommendation system based on the estimated severity to recommend dosage of pesticides and plans of treatment.

Cloud-Based Deployment and Reach

- Put a model on a cloud platform such as AWS, Google Cloud, or Azure such that it becomes scalable.
- Make an API-based service for easier integration with any advisory agriculture platforms.
- Provide multilingual support to the system to make it work for farmers across the world.

Linking with Government and Agricultural Organizations

- Collaborate with agricultural experts and an institution to substantiate model forecasts.
- Provide essential actionable insights for farmers in terms of early warnings and preventive measures via SMS or mobile notifications.

By implementing these future improvements, the plant disease detection system can evolve into a robust, scalable, and highly effective tool for modern agriculture.

5.2 Conclusion:

The plant disease detection system using deep learning presents a significant advancement in modern agriculture by enabling early identification and classification of plant diseases. By leveraging Convolutional Neural Networks (CNNs) and computer vision techniques, the model effectively processes leaf images to detect diseases with high accuracy. This solution helps farmers take timely action, thereby reducing crop losses and improving agricultural productivity.

The project successfully demonstrates the integration of artificial intelligence in agriculture, making disease diagnosis more accessible, efficient, and scalable. Compared to traditional manual methods, the automated approach offers improved accuracy, consistency, and real-time usability, addressing key challenges faced by farmers, especially in remote areas.

Despite its effectiveness, the system can be further improved by expanding the dataset, incorporating real-time field data, and integrating with mobile applications for on-the-go disease detection. Additionally, enhancing model interpretability and incorporating severity estimation can make the solution even more beneficial for precision farming. Overall, this project contributes to the ongoing digital transformation in agriculture, promoting sustainable farming practices, reducing dependency on chemical treatments, and empowering farmers with AI-driven insights. Future enhancements can make the system even more robust, ultimately leading to smarter and more resilient agricultural practices.

.

REFERENCES

[1]. Chohan, M., Khan, A., Chohan, R., Katpar, S. H., & Mahar, M. S. (2020). Plant disease detection using deep learning. *International Journal of Recent Technology and Engineering*, *9*(1), 909-914.

[2]. Ramesh, S., Hebbar, R., Niveditha, M., Pooja, R., Shashank, N., & Vinod, P. V. (2018, April). Plant disease detection using machine learning. In *2018 International conference on design innovations for 3Cs compute communicate control (ICDI3C)* (pp. 41-45). IEEE.

[3]. Ferentinos, K. P. (2018). Deep learning models for plant disease detection and diagnosis. *Computers and electronics in agriculture*, *145*, 311-318.

[4]. Panchal, A. V., Patel, S. C., Bagyalakshmi, K., Kumar, P., Khan, I. R., & Soni, M. (2023). Image-based plant diseases detection using deep learning. *Materials Today: Proceedings*, *80*, 3500-3506.

[5]. Jafar, A., Bibi, N., Naqvi, R. A., Sadeghi-Niaraki, A., & Jeong, D. (2024). Revolutionizing agriculture with artificial intelligence: plant disease detection methods, applications, and their limitations. *Frontiers in Plant Science*, *15*, 1356260.