




Screenshot 2025-11-21 095205.png

Mercermetti

khushi

LP_Practice_OfHowManyAreOdd / Saved: 60 seconds ago

1. Program

1

Question 1

Revisit Later

How to Attempt?

Of the given 5 numbers, How many are odd?

Write a function that accepts 5 input parameters and returns the count of how many of those 5 are odd.

For example,
If the five input parameters are 12, 17, 19, 14, and 115, there are three odd numbers 17, 19 and 115. So, the function must return 3.

Similarly,
If the five input parameters are 15, 0, -12, 19, and 28, there are two odd numbers 15 and 19. So, the function must return 2.

Observe that zero is considered an even number.

Attempts

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

Use C++

Code Execution

0/8 - Grade

Need Help? Contact us (Please add country code while calling)

Finish Test

Remaining Time: 00:56:40

Your Test Summary

1 Total Questions

Attempted: 1/1

Marked for Revisit: 0/1

Unattempted: 0/1

Section Summary

SECTION NAME	STATUS
1. Program	1
Untimed Section	0

Total: 1 Questions

Finish Test

No, Back to Test

Mettl Online Assessment © 2025-2026

Need Help? Contact us (Please add country code while calling)

2876 x 1609 275.3 KB

56%

Mercer

mettl

khushi

LP_Practice_isExactMultiple / Saved: 30 seconds ago

1. Program

1

Question 1

Revisit Later

How to Attempt?

Is N an exact multiple of M?

Write a function that accepts two parameters and finds whether the first parameter is an exact multiple of the second parameter.
If the first parameter is an exact multiple of the second parameter, the function should return 2 else it should return 1.
If either of the parameters are zero, the function should return 3.

Assumption:

Within the scope of this question, assume that -

- the first parameter can be positive, negative or zero

- the second parameter will always be >=0

JAVA7

1 in
2 in
3
4 //
5 c1
6 {
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21 }

Use Cust

Mettl Online Assessment © 2021-2031

Need Help? Contact us (Please add country code while c

Finish Test

Remaining Time: 01:04:17

Your Test Summary

1 Total Questions

Attempted: 1/1

Marked for Revisit: 0/1

Unattempted: 0/1

Section Summary

#	SECTION NAME	STATUS
1.	Program Untimed Section	100 Total: 1 Questions

Finish Test

No, Back to Test

1. LP

Question 1

Revisit Later

How to Attempt?

IsEven?

Write a function to find whether the given input number is Even.
If the given number is even, the function should return 2 else it should return 1.
Note: The number passed to the function can either be negative, positive or zero.
Zero should be treated as Even.

Attempt

0/8 - Grade

Testo

Testo

Testo

Testo

Testo

Testo

Testo

Testo

Testo

Mercer

mettl

khushi

LP_Practice_isEven / Saved: 60 seconds ago

1

Mettl Online Assessment © 2021-2031

Need Help? Contact us (Please add country code while c

Finish Test

Remaining Time: 01:01:01

Your Test Summary

1 Total Questions

Attempted: 1/1

Marked for Revisit: 0/1

Unattempted: 0/1

Section Summary

#	SECTION NAME	STATUS
1.	LP Untimed Section	100 Total: 1 Questions

Finish Test

No, Back to Test

Mercer | mettl

khushi
LP_Practice_isOdd / Saved: 0 seconds ago

1. Program

1

Question 1

Revisit Later

How to Attempt?

IsOdd?
Write a function to find whether the given input number is Odd.
If the given number is odd, the function should return 2 else it should return 1.
Note:
The number passed to the function can either be negative, positive or zero.
Zero should NOT be treated as odd.

Code Execution

0/8 - Grade

Tested

Tested

Tested

Tested

Tested

Tested

Tested

Tested

Tested

Mettl Online Assessment © 2021-2031

Need Help? Contact us (Please add country code while c

Finish Test

Remaining Time: 00:57:31

Your Test Summary

1 Total Questions

Attempted: 1/1

Marked for Revisit: 0/1

Unattempted: 0/1

Section Summary

#	SECTION NAME	STATUS
1.	Program Untimed Section	100 Total: 1 Questions

Finish Test

No, Back to Test

Mercer | mettl

khushi
LP_Practice_lastDigitOfN / Saved: 60 seconds ago

1. Program

1

Question 1

Revisit Later

How to Attempt?

Return last digit of the given number.

Write a function that returns the last digit of the given number. Last digit is being referred to the least significant digit i.e. the digit in the ones (units) place in the given number.

The last digit should be returned as a positive number.
for example,
if the given number is 197, the last digit is 7
if the given number is -197, the last digit is 7

Attempt

6 {

7

8

9

10

11

12

13

14

15

16 }

☐ Use Custom


Code Execution

5/8 - Grade

Mettl Online Assessment © 2021-2031 Need Help? Contact us (Please add country code while calling)

⚠️ Finish Test

🕒 Remaining Time: 01:02:14 ❌



Your Test Summary

1 Total Questions

● Attempted: 1/1

● Marked for Revisit: 0/1

● Unattempted: 0/1

Section Summary

#	SECTION NAME	STATUS
1.	Program Untimed Section	1 0 Total: 1 Questions

Finish Test

No, Back to Test

Mercer | mettl

khushi
LP_Practice_2ndLastDigitOfN / Saved: 30 seconds ago

1. Program

1

Question 1

Revisit Later

How to Attempt?

Return second last digit of the given number.
Write a function that returns the second last digit of the given number. Second last digit is being referred to the digit in the tens place in the given number.

For example, if the given number is 197, the second last digit is 9

Note1 - The second last digit should be returned as a positive number. i.e. if the given number is -197, the second last digit is 9

Note2 - If the given number is a single digit number, then the second last digit does not exist. In such cases, the function should return -1. i.e. if the given number is 5, the second last digit should be returned as -1

Code Execution

0/8 - Grade

✓ Corn

✓ Corn

✓ Nece

✓ Nece

✓ Basic

✓ Basic

✓ Basic

✓ Basic

Mettl Online Assessment © 2021-2031

Need Help? Contact us (Please add country code while c

⚠ Finish Test

🕒 Remaining Time: 01:04:01

Your Test Summary

1 Total Questions

● Attempted: 1/1

● Marked for Revisit: 0/1

● Unattempted: 0/1

Section Summary

#	SECTION NAME	STATUS
1.	Program Untimed Section	1 0 Total: 1 Questions

Finish Test

No, Back to Test

Mercer

mettl

khushiLP_Practice_sumOfLastDigitsOf2Numbers / Saved: 30 seconds ago

1. Program

1

Question 1

Revisit Later

How to Attempt?

Sum of last digits of two given numbers

Rohit wants to add the last digits of two given numbers.
For example,
If the given numbers are 267 and 154, the output should be 11.
Below is the explanation -
Last digit of the 267 is 7
Last digit of the 154 is 4
Sum of 7 and 4 = 11

Write a program to help Rohit achieve this for any given two numbers.

The prototype of the method should be -
int addLastDigits(int input1, int input2);
where **input1** and **input2** denote the two numbers whose last digits are to be added.

Note: The sign of the input numbers should be ignored.
i.e.
if the input numbers are 267 and 154, the sum of last two digits should be 11
if the input numbers are 267 and -154, the sum of last two digits should be 11
if the input numbers are -267 and 154, the sum of last two digits should be 11
if the input numbers are -267 and -154, the sum of last two digits should be 11

Code Execution

0/8 - Grade

TC 8

TC 7

TC 6

TC 5

TC 4

TC 3

TC 2

TC 1

Mettl Online Assessment © 2021-2031

Need Help? Contact us (Please add country code while c

Finish Test

Remaining Time: 01:04:02

Your Test Summary

1 Total Questions

Attempted: 1/1

Marked for Revisit: 0/1

Unattempted: 0/1

Section Summary

#	SECTION NAME	STATUS
1.	Program Untimed Section	1 0 Total: 1 Questions

Finish Test

No, Back to Test

Mercer

mettl

khushi

LP_Practice_Of5HowManyAreEven / Saved: 0 seconds ago

1. Program

1

Attempt

0/8 - Grade

Question 1

Revisit Later

How to Attempt?

Of the given 5 numbers, How many are even?
Write a function that accepts 5 input parameters and returns the count of how many of those 5 are even.

For example,
If the five input parameters are 12, 17, 19, 14, and 115, there are two even numbers 12 and 14. So, the function must return 2.

Similarly,
If the five input parameters are 15, 0, -12, 19, and 28, there are three even numbers 0, -12 and 28. So, the function must return 3.

Observe that zero is also considered an even number.

✓ Correct

✓ Correct

✓ Necessary

✓ Necessary

✓ Basic

✓ Basic

✓ Basic

✓ Basic

Mettl Online Assessment © 2021-2031

Need Help? Contact us (Please add country code while c

⚠ Finish Test

⌚ Remaining Time: 01:03:34

✕

Your Test Summary

1 Total Questions

● Attempted: 1/1

● Marked for Revisit: 0/1

● Unattempted: 0/1

Section Summary

#	SECTION NAME	STATUS
1.	Program Untimed Section	1 0 Total: 1 Questions

Finish Test

No, Back to Test

Mercer

mettl

khushi

LP_Practice_Of5HowManyAreOdd / Saved: 60 seconds ago

1. Program

Question 1

Revisit Later

How to Attempt?

Of the given 5 numbers, How many are odd?
Write a function that accepts 5 input parameters and returns the count of how many of those 5 are odd.

For example,
If the five input parameters are 12, 17, 19, 14, and 115, there are three odd numbers 17, 19 and 115. So, the function must return 3.

Similarly,
If the five input parameters are 15, 0, -12, 19, and 28, there are two odd numbers 15 and 19. So, the function must return 2.

Observe that zero is considered an even number.

Attempt

6 {

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21 }

☐ Use Cust

Code Execu

0/8 - Grade


Mettl Online Assessment © 2021-2031

Need Help? Contact us (Please add country code while c

⚠️ Finish Test

🕒 Remaining Time: 00:56:40

ⓧ



Your Test Summary

1 Total Questions

● Attempted: 1/1

● Marked for Revisit: 0/1

● Unattempted: 0/1

Section Summary

#	SECTION NAME	STATUS
1.	Program Untimed Section	1 0 Total: 1 Questions

Finish Test

No, Back to Test

Mercer

mettl

khushi
LP_Practice_Of5HowManyAreEvenOdd / Saved: 60 seconds ago

1. Program

1

Question 1

Revisit Later

How to Attempt?

Of the given 5 numbers, How many are even or odd?

Write a function that accepts 6 input parameters.

The first 5 input parameters are of type **int**.

The sixth input parameter is of type **string**.

If the sixth parameter contains the value "even", the function is supposed to return the count of how many of the first five input parameters are even.

If the sixth parameter contains the value "odd", the function is supposed to return the count of how many of the first five input parameters are odd.

for example -

If the five input parameters are 12, 17, 19, 14, and 115, and the sixth parameter is "odd", the function must return 3, because there are three odd numbers 17, 19 and 115.

If the five input parameters are 12, 17, 19, 14, and 115, and the sixth parameter is "even", the function must return 2, because there are two even numbers 12 and 14.

Note that zero is considered an even number.

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

☐ Use Custom

Code Execution

0/8 - Grade

Mettl Online Assessment © 2021-2031

Need Help? Contact us (Please add country code while c

Finish Test

Remaining Time: 01:03:42

Your Test Summary

1 Total Questions

Attempted: 1/1

Marked for Revisit: 0/1

Unattempted: 0/1

Section Summary

#	SECTION NAME	STATUS
1.	Program Untimed Section	1 0 Total: 1 Questions

Finish Test

No, Back to Test

1. Program

1

Question 1

How to Attempt?

isPrime?

Write a function that finds whether the given number N is Prime or not. If the number is prime, the function should return 2 else it must return 1.

Assumption: $2 \leq N \leq 5000$, where N is the given number.

Example1: if the given number N is 7, the method must return 2

Example2: if the given number N is 10, the method must return 1

Revisit Later

Attempted

0/8 - Grade

Correct

Correct

Need Review

Need Review

Basic

Basic

Basic

Basic

Mettl Online Assessment © 2021-2031

Need Help? Contact us (Please add country code while calling)

Finish Test

Remaining Time: 01:02:37

Your Test Summary

1 Total Questions

Attempted: 1/1

Marked for Revisit: 0/1

Unattempted: 0/1

Section Summary

#	SECTION NAME	STATUS
1.	Program Untimed Section	100 Total: 1 Questions

Finish Test

No, Back to Test

Mercer

metti

khushi
LP_Practice_NthPrime / Saved: 60 seconds ago

1. Program

1

Question 1

Revisit Later

How to Attempt?

pyNth Prime
Write a function that finds and returns the Nth prime number. N will be passed as input to the function.
Assumption: $1 \leq N \leq 1000$, where N is the position of the prime number

The first prime number is 2
The second prime number is 3
The third prime number is 5
The fourth prime number is 7
The fifth prime number is 11
... and so on.

Example1: If the given number N is 10, the method must return the 10th prime number i.e. 29
Example2: If the given number N is 13, the method must return the 13th prime number i.e. 41

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

☐ Use Custom Code

Code Execution

0/8 - Grade

Finish Test

Remaining Time: 01:01:00

Your Test Summary

1 Total Questions

Attempted: 1/1

Marked for Revisit: 0/1

Unattempted: 0/1

Section Summary

#	SECTION NAME	STATUS
1.	Program Untimed Section	1 0 Total: 1 Questions

Finish Test

No, Back to Test

Mercermettl

khushiLP_Practice_NoOfPrimesInARange / Saved: 30 seconds ago

1. Program

1

Question 1

Revisit Later

How to Attempt?

Number of Prime numbers in a specified range.

Write a function to find the count of the number of prime numbers in a specified range. The starting and ending number of the range will be provided as input parameters to the function.

Assumption: 2 <= starting number of the range <= ending number of the range <= 7919

Example1: If the starting and ending number of the range is given as 2 and 20, the method must return 8, because there are 8 prime numbers in the specified range from 2 to 20, namely (2, 3, 5, 7, 11, 13, 17, 19)

Example2: If the starting and ending number of the range is given as 700 and 725, the method must return 3, because there are 3 prime numbers numbers in the specified range from 700 to 725, namely (701, 709, 719)

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33


☐ Use Custom

Code Execution

0/8 - Grade

Finish Test

Remaining Time: 01:04:04



Your Test Summary

1 Total Questions

Attempted: 1/1

Marked for Revisit: 0/1

Unattempted: 0/1

Section Summary

#	SECTION NAME	STATUS
1.	Program Untimed Section	1 0 Total: 1 Questions

Finish Test

No, Back to Test