Master Data

Master data refers to the core data entities that are essential to the operations of a Business. It ensures to keep the business records Up to date in the salesforce.

MST is performed by the L-2 agent on every last working day of the month. Data Loading will be done after the Japanese working hours (7 PM JST to 2 AM JST)

Here, we have two team types.

- Zakka
- Electro

Business shares the files with L2 team. It contains both Zakka and Electro files.

Data Loading procedure for both Zakka & Electro are same.

Zakka :

For Zakka, L2 team receives data in different objects from business and team takes action on those objects accordingly.

L2 team receives the objects from below list:

SN	Object	Team Type
1	User	Zakka
2	Account (Store MST)	Zakka
3	User Mapping (CHQ)	Zakka
4	Account Trax photo Status	Zakka
5	USTM	Zakka
6	Remaind Rounder Request	Zakka
7	Territory Master	Zakka

User Object :

*Create new file named **Zakka-User object**

*Create sheets: **To Delete, To Create, To Update, Ref-All Users, Ref-All Roles, Ref-All Profiles**



*From the **MST Format templates**, copy the necessary fields on the sheets To Delete, To Create, and To Update.

*Export the records needed as references using the queries below and transfer the data into "Ref" sheets.

Ref - All Users with managers:

SELECT id, ebMobile__UserCode__c, ManagerId, Manager.ebMobile__UserCode__c from User where TeamType__c = 'Zakka'

Ref - All Users

SELECT ebMobile__UserCode__c, Id, Alias from User where TeamType__c = 'Zakka'

Ref-All Roles

SELECT Name, Id from UserRole

Ref-All Profiles
SELECT Name, Id from Profile

Copy the data from the raw file into the new file. Segregate the records; put them into sheets (To Delete, To Create, To Update) that correspond to their request marks; and match the columns to their corresponding API name columns.

For records tagged as DELETE and UPDATE, there are usually 15-character IDs provided in the raw business file. After copying them into the new file, check if the IDs are correct by **VLOOK UP** the 18-character IDs from the Ref-All Users sheet. In a separate column, turn the **18-character IDs** into **15** (using **LEFT formula**) and see if they match (using the **EXACT formula**) with the Id from the business file.



B3 =VLOOKUP(Q3,'Ref-All Users'!A:B,2,FALSE)

	A	B	C	D	E	
1	Id (from business file)	VLOOKUP (ebMobile__UserCode__c , 'Ref-All Users' !, A:B,2,FALSE)	LEFT (ID , 15)	EXACT(A , C)	UserName	Pr
2	00541000004PCD2	00541000004PCD2AAO	00541000004PCD2	TRUE	h-wachi@fiks.co.jp	00
3	005410000034u9S	005410000034u9SAAQ	005410000034u9S	TRUE	m-igarashi@fiks.co.jp	00
4	0054N000003dw15	0054N000003dw15QAA	0054N000003dw15	TRUE	y-nagata@fiks.co.jp	00
5	0054N0000065Yi7	0054N0000065Yi7QAE	0054N0000065Yi7	TRUE	c-yanagawa@fiks.co.jp	00
6	00541000002Yo0f	00541000002Yo0fAAC	00541000002Yo0f	TRUE	a-kondo@fiks.co.jp	00

Now, data is ready to be Insert/Deactivate/Update. So, Start performing the DML actions using **<u>"Data Loader".</u>**

<u>User Deactivate :</u>

Object	API Name	Action
User	User	Update

Copy the data from 'To Delete' sheet and click on '**Import'**



After deactivation successful, transfer all the data into log file.

<u>User Create :</u>

Object	API Name	Action
User	User	Insert

Field from Raw file	Mandatory API name	Action
UserName	UserName	Copy data from Raw file

Profile	ProfileID	Insert column B/w profile to get the ID & vlook Profile & Ref- All profile
Role	UserroleID	Insert column B/w role to get the ID & vlook Profile & Ref- All role
Time Zone	TimeZoneSidKey	Asia/Tokyo (Default Value)
Language	LanguageLocaleKey	ja (Default Value)
Locale	LocaleSidKey	ja_JP (Default Value)
Alias	Alias	Copy data from Raw file
Company Name	CompanyName	Copy data from Raw file
Email	Email	Copy data from Raw file
Email Encoding	EmailEncodingKey	UTF-8 (Default Value)
Name	_Name	Copy data from Raw file
Nickname	CommunityNickname	Copy data from Raw file
	ebMobile__UserCode__c	Enter the username
SAML Federation ID	FederationIdentifier	Copy data from Raw file
Local Time GMT	ebMobile__LocalTimeGMT__c	(GMT+09:00) Japan Standard Time (Asia/Tokyo) (Default Value)
Country Code	ebMobile__CountryCode__c	JPN(Default Value)
Last Name	LastName	Copy data from Raw file
First Name	FirstName	Copy data from Raw file
Area Manager Name		
Area Manager ID	AreaManager__c	Get the ID by vlookup area manager ID & Ref- All user
Manager Name		
Manager ID	ManagerId	Get the ID by vlookup Manager ID & Ref- All user
Team	Team__c	Copy data from Raw file
	TransportationMethod__c	If no data leave the field empty
	UserGeo__Latitude__s	If no data leave the field empty
	UserGeo__Longitude__s	If no data leave the field empty
	TeamType__c	Copy data from Raw file
	PG_LicTrack__LicenseSKUMapping__c	121 (Default Value)
	PG_LicTrack__Country__c	Japan (Default Value)
	Country	Japan(Default Value)
	IsActive	TRUE (Default Value)

Copy the data from 'To Create' sheet and click on '**Import'**



After insertion is successful, transfer all the data into log file.

User Update :

Object	API Name	Action
User	User	Update

Copy the data from 'To Update' sheet and click on '**Import'**



After Update is successful, transfer all the data into log file.

Account Object:

Business will share the Raw file in the name of Store MST. Action will be mentioned in column A in the Raw file.

Create new file named Account Object
Create sheets: To Delete, To Create, To-update, Ref-All Store, Ref-All Users.

To Delete | To Create | **To Update** | Ref-All Store | Ref-All User | ⊕

Use the below query to export the data from the salesforce

Ref-All stores
SELECT AccountNumber, id from Account where TeamType__c ='Zakka'

Ref-All users
SELECT ebMobile__UserCode__c, Id from User where TeamType__c ='Zakka'

Open Raw file apply filter to “Delete”. Copy the ID from the business file and paste it in the ID column in the new file.

For the delete action we need only the 15-character ID from the business file.

Mandatory API Fields to upload in salesforce:

- ID
- ebMobile__IsActive__c

Check if the IDs are correct by **VLOOK UP** the 18-character IDs from the Ref-All Stores sheet. In a separate column, turn the 18-character IDs into 15 (using **LEFT formula**) and see if they match (using the **EXACT formula**) with the Id from the business file.

Once get the 18 -character ID, Enter the value “False” in the ebMobile__IsActive__c field to make the accounts “Inactive”.

	A	B	C	D	E	F
1	ID from business file	18 by vlook Account No&Ref all store	Left Turn 18 into 15	Exact for 18 &15 from Raw file	Account number	ebMobile__IsActive_
2	0014100000aXO1B	0014100000aXO1BAAW	0014100000aXO1B	TRUE	2000616688	FALSE
3	0014N00002vRfvn	0014N00002vRfvnQAC	0014N00002vRfvn	TRUE	2003222469	FALSE
4	0014100001x2DDB	0014100001x2DDBAA2	0014100001x2DDB	TRUE	2002921641	FALSE
5	0014100000aWre4	0014100000aWre4AAC	0014100000aWre4	TRUE	2000615748	FALSE
6	0014100000NLR14	0014100000NLR14AAH	0014100000NLR14	TRUE	2002796078	FALSE
7	0014100000aX0Vk	0014100000aX0VkAAK	0014100000aX0Vk	TRUE	2002376043	FALSE
8	0014100000NLTi1	0014100000NLTi1AAH	0014100000NLTi1	TRUE	2000638201	FALSE
9	0014100000NLRSL	0014100000NLRSLAA5	0014100000NLRSL	TRUE	2000640711	FALSE
10	0014100000aXBdd	0014100000aXBddAAG	0014100000aXBdd	TRUE	2002209809	FALSE

Account Create:

Open the Raw file, clear the filter and apply filter for the action “Create”.

Copy the data from the business file and paste it in the “To Create” Sheet.

Raw File (Field Names)	API Names	Action
Account Number	AccountNumber	Transfer Account Numbers from Business file
	ebMobile__ERPAccountNumber__c	Same as Account Number field
	ebMobile__MEPCustomerNumber__c	Same as Account Number field
	ebMobile__UniqueKey__c	Same as Account Number field
Account Name	Name	Copy the Account Name from business file
CHQ ID	CHQID__c	Copy the data from the business file
CHQ Name	CHQName__c	Copy the data from the business file
RHQ ID	RHQID__c	Copy the data from the business file
RHQ Name	RHQName__c	Copy the data from the business file
	OwnerId	Get the ID by vlooking up for ebMobile__SalesRoute__c & Ref All user (Data comes from User object)
Account Owner	ebMobile__SalesRoute__c	Copy the data from the Account Owner file from business file
Monthly Call Target	CallTarget__c	Copy the data from the business file
Team	Team__c	Copy the data from the business file
Trade Channel	ebMobile__TradeChannel__c	Copy the data from the business file
Sub channel	ebMobile__SubTradeChannel__c	Copy the data from the business file

Global channel	GlobalChannel__c	Copy the data from the business file
Billing State	BillingState	Copy the data from the business file
Region	ebMobile__Region__c	Copy the data from the business file
Billing PostalCode	BillingPostalCode	Copy the data from the business file
Billing City	BillingCity	Copy the data from the business file
Phone	Phone	Copy the data from the business file
Coverage	Coverage__c	Copy the data from the business file
Other coverage	Othercoverage__c	Copy the data from the business file
Rounder	Rounder__c	Copy the data from the business file
LEGO Cluster	LEGO_Cluster__c (Store Type)	Copy the data from the business file
LEGO	LEGO__c	Copy the data from the business file
LEGO channel	LEGOchannel__c	Copy the data from the business file
SDO Area	SDOArea__c	Copy the data from the business file
MDS Mgr	MDSMgr__c	Copy the data from the business file
	ebMobile__GeoCode__Latitude__s	Copy the data from the business file/ If no data leave the field empty
	ebMobile__GeoCode__Longitude__s	Copy the data from the business file/ If no data leave the field empty
Country Code	ebMobile__CountryCode__c	JPN
Billing Country	BillingCountry	JAPAN
Active	ebMobile__IsActive__c	TRUE
Trax Enable	TraxEnable__c	Copy the data from the business file
Sectorize	IsSectorized__c	Copy the data from the business file
MDS Agency	MDSAgency__c	Copy the data from the business file
Team Type	TeamType__c	Copy the data from the business file



Account Update:

For update, Open the Raw file and restricted with “Update” filter.

Then Copy all the data and paste it into the “To Update” Sheet.

Update action are similar to Create. Additionally, In the update action there is 15-character ID will be provided by the business. Check if the IDs are correct by **VLOOK UP** the 18-character IDs from the Ref-All Stores sheet. In a separate column, turn the 18-character IDs into 15 (using **LEFT formula**) and see if they match (using the **EXACT formula**) with the Id from the business file.

	A	B	C	D	E	F
1	ID from business file	18 by vlook Account No&Ref all store	Left Turn 18 into 15	Exact for 18 &15 from Raw file	Account number	ebMobile__IsActive_
2	0014100000aXO1B	0014100000aXO1BAAW	0014100000aXO1B	TRUE	2000616688	FALSE
3	0014N00002vRfvn	0014N00002vRfvnQAC	0014N00002vRfvn	TRUE	2003222469	FALSE
4	0014100001x2DDB	0014100001x2DDBAA2	0014100001x2DDB	TRUE	2002921641	FALSE
5	0014100000aWre4	0014100000aWre4AAC	0014100000aWre4	TRUE	2000615748	FALSE
6	0014100000NLR14	0014100000NLR14AAH	0014100000NLR14	TRUE	2002796078	FALSE
7	0014100000aX0Vk	0014100000aX0VkAAK	0014100000aX0Vk	TRUE	2002376043	FALSE
8	0014100000NLTi1	0014100000NLTi1AAH	0014100000NLTi1	TRUE	2000638201	FALSE
9	0014100000NLRSL	0014100000NLRSLAA5	0014100000NLRSL	TRUE	2000640711	FALSE
10	0014100000aXBdd	0014100000aXBddAAG	0014100000aXBdd	TRUE	2002209809	FALSE

Now, data is ready to be Insert/Deactivate/Update. So, Start performing the DML actions using **“Data loader”.**

It is similar process for Account Object to perform insert, delete and update actions.

Object should be Account and Action will be changes accordingly.

Object	**API Name**	**Action**
Account	Account	It changes based on activity

User Mapping Object:

L2 team performs only deleting the existing records and inserting the updated file provided by Business.

Please take the backup using below query.

<u>Query :</u>

Salesforce Inpector → Export

select CHQID__c, CHQNAME__c, Id, KAMID__c, KAMName__c, MDSID__c, MasterKAM__c, MasterSV__c, SVID__c, SVName__c, TeamType__c from ebMobile__UserMapping__c where TeamType__c = 'Zakka'

Export the data into excel file. Once backup done, take the Id's from the file and do action as Delete (Import→Action : Delete →Object : ebMobile__UserMapping__c).

After deleting the data, please re-run the query again and make sure it doesn't return the any data.

Copy all the data from User Mapping Object and start upload the data.

Inserting CHQ records:

Object	API Name	Action
User Mapping	ebMobile__UserMapping__c	Insert



After insertion, transfer the data into log file.

UST Object :

Business will share the Raw file in the name of UST Master. Action will be mentioned in the Raw file.

Create new file named **UST object**

Create sheets: **To Delete**, **To Create**, **To Update**, **Ref-All USTs**, **Ref-All Stores**, **Ref-Territories**, **Ref-All Users**

Use the below query to export the data and paste it in the corresponding sheets from the salesforce

Ref-All USTs
SELECT AccountNumber__c, UserCode__c, Id from UserStoreTerritoryMaster__c where UserId__r.TeamType__c = 'Zakka' and IsActive__c =true

Ref-All Stores
SELECT AccountNumber, id from Account where TeamType__c ='Zakka'

Ref-All Users
SELECT ebMobile__UserCode__c, Id from User where TeamType__c ='Zakka'

Ref- All territories
SELECT TerritoryName__c, Id from TerritoryMaster__c

Steps to create the 'To Deletion' sheet :

- Open Raw file and restrict with "Delete" action.
- Copy the ID's in the **UST object** file from RAW data (Business File).
- For the delete action raw file is having only 15-character ID.
- Now need to get the 18-Character ID for the records, In the Ref-All UST sheet
- Now we need to get the 18-Character ID for deleting the records.

A	B
ID	IsActive__c
a1dKY000000Cab6YAC	FALSE
a1dKY000000CaZFYA0	FALSE
a1dKY000000CaYgYAK	FALSE
a1d4N000003h3VyQAI	FALSE

Steps to create the 'To Create' sheet :

- Open the Raw file, clear the filter and apply filter for the action "Create".
- Copy the data from the business file and transfer the data into the "To Create" Sheet.
- To ensure that data should be match with API names.

Raw File Field	API Name	Action
Team Type	TeamType__c	Copy the data from the business file
User Code	UserCode__c	Copy the data from the business file
Account Number	AccountNumber__c	Copy the data from the business file
Territory Name	TerritoryName__c	Copy the data from the business file
monthly call target	MonthlyCallTarget__c	Copy the data from the business file
Is Sectorized	IsSectorized__c	Copy the data from the business file
Isactive	IsActive__c	Copy the data from the business file
	AccountId__c	Vlook Account Number & Ref- All Store
	TerritoryMaster__c	Vlook Account Number & Ref- Ref- All territories
	UserId__c	Vlook user code & Ref- All user

Steps to create the 'To Update' sheet :

Open the Raw file, clear the filter and apply filter for the action "Update".

Copy the data from the business file and paste it in the "To Update" Sheet.

Raw File Field	API Name	Action
ID	ID	Get the 18 ID by Vlook up & Ref- All UST
Team Type	TeamType__c	Copy the data from the business file
User Code	UserCode__c	Copy the data from the business file
Account Number	AccountNumber__c	Copy the data from the business file
Territory Name	TerritoryName__c	Copy the data from the business file
monthly call target	MonthlyCallTarget__c	Copy the data from the business file
Is Sectorized	IsSectorized__c	Copy the data from the business file
Isactive	IsActive__c	Copy the data from the business file
	AccountId__c	Vlook Account Number & Ref- All Store
	TerritoryMaster__c	Vlook Account Number & Ref- Ref- All territories
	UserId__c	Vlook user code & Ref- All user

For the records that tagged as a Update usually 15 character ID will be provide by the business, for converting into 18 character In the Ref-All UST sheet, temporarily concatenate the Account Numbers and UserCodes in order to have unique values and to be able to extract via VLOOKUP the 18-character IDs from the Ref-All UST.

B	C	D	E
AccountNumber__c	UserCode__c	Con	Id
2000598770	za649md@icloud.com	za649md@icloud.com2000598770	a1dKY000000Cav2YAC
2000638520	za955md@icloud.com	za955md@icloud.com2000638520	a1dKY000000CakCYAS
2002923020	za955md@icloud.com	za955md@icloud.com2002923020	a1dKY000000CakDYAS
2002912089	za955md@icloud.com	za955md@icloud.com2002912089	a1dKY000000CakEYAS
2002105852	za955md@icloud.com	za955md@icloud.com2002105852	a1dKY000000CakEYAS

File received from business with different sheets like To Delete, To Create, To Create – NA UserID, To Update.

For Delete/Create/Update, we follow the same steps as similar as User Object.

To Create – NA UserID : This sheet doesn't have the user Id's. For this ID's we need to look up from User Object Inserted sheet.

UST object takes more time to be uploaded because it contains more data.

Prepare Notes :

- Kindly check the count of records which are Inserted, Deleted and Updated for all objects. To ensure that count should be match with RAW file.

Refer the screenshot below:



*MST March 2024.txt - Notepad

File Edit Format View Help

```
ZAKKA - RITM5538476 (old ticket RITM5447633)

1. User Object
•4 records to delete
•3 records to create
•1,076 records to update

2. Account Object
IMPORTANT: Regarding "Delete" records on Store MST, business requested to do th
• 12,719 records to update
• 9 records to delete

3. UST Object
•151 records to delete
•94 records to create
•14,958 records to update

4. User Mapping Object
IMPORTANT: Don't forget to save a backup for this object.
•23,793 records to re-create

5. Account Trax Photo Target Object
•2,209 records to update
```

Creating the Log file :

- Here most important is that logs file, it needs to be created and Separated each sheets with different actions (User deactivate, User Create, User Update and etc).
- This is important to track, what actions were taken during the month end and this is useful reference.
- If Incident may happen regarding master data, we can refer through this file.

Please refer the screenshot for more clarification.



ID	IsActive	__Status	__Id	__Action	__Errors
0054N000004glFtQAI	FALSE	Succeeded	0054N000004glFtQAI	Updated	
0054N0000067875QAQ	FALSE	Succeeded	0054N0000067875QAQ	Updated	
0054N0000060CJMQAU	FALSE	Succeeded	0054N0000060CJMQAU	Updated	
0054N000005dgYrQAI	FALSE	Succeeded	0054N000005dgYrQAI	Updated	

Notes:

- As per business file, '**Delete'** means '**Deactivate**' the user. Please don't use the Delete action.
- Only use Delete action for CHQ, because here we are deleting the complete data and inserting new records.