Standard Operating Procedure

Ad-hoc Survey

Preliminary Checks:

- Download all the files provided in the Request mail and check whether the file provided is correct or not, make sure the Category and questions matchif confused try to translate it into English and make sure it is correct.
- For ex: If the category is “Shavers” try to translate the questions and see whether the questions is of shavers or not.
- **RT list Tab** contains the Store list **(RT ID)** where we need to add the surveys to.

Survey Creation Steps:

Open a file and Create new tabs namely:

1. **Others**
2. **Question**
3. **Answer**
4. **UAT**
5. **Production**
6. **Nested**

OTHERS TAB

Points to remember:

1. While creating survey, only Survey Profile & Survey profile assign can be active in the UAT. In PRODUCTION, it should only be active on the last day of the business, or 12 hour before the start of the survey.
2. The Start date can be the date of the survey creation in UAT & the start date should be the date provided by the market in the Source file.

Steps:

- Copy the sample template and Paste it in the tab.
- Create new Survey Profile by either cloning the existing or creating new in the Salesforce, get the id and paste next to the name for both UAT & Production. Ensure the surveyprofile is only active in UAT.



- Create new survey profile assign by either cloning the existing or creating new in the salesforce, get the id and paste next to the name for both UAT & Production. Ensure the survey profile assign is only active in UAT and the start date should be the date provided by the market in Production. As we have not created account group yet you can leave Account group field empty and add it later after adding all the survey templates.

Survey Profile Assign Detail Edit Clone Sharing

Name	Adhoc Survey 20240416 RITM5700651-3
Survey Profile	Adhoc Survey 20240416 RITM5700651-3
Start Date	2024/05/01
End Date	2024/05/31
Target Type	AccountGroup
Account Group	
Calculation Type	
Frequency	
Survey Group	写真撮影店舗
SurveyGroupSequence	10
Created By	SupportL2, 2024/04/19 11:10

Edit Clone Sharing

- Create N number of survey profile assign for the N number of Survey Group provided or N number of Dates provided in the main source file.
- Copy the Survey Group from the source file, paste in the sheet and get the Id from the salesforce.

  Steps to get Id : Salesforce -> Survey Management Tab -> Search in the Search bar in Survey Group section.

- Copy the Survey item from the source file, paste in the sheet and get the Id from the salesforce.

  Steps to get Id : Salesforce -> Survey Management Tab -> Search in the Search bar in Survey item section.

- Final appearance,

UAT			Prod	
Survey Profile	ID		Survey Profile	ID
Adhoc Survey 20240425 RITM5713820_LEGO	a14DI0000004tYH		Adhoc Survey 20240425 RITM5713820_LEGO	a14KY00000004Wr
Survey Profile Assign	ID		Survey Profile Assign	ID
Adhoc Survey 20240425 RITM5713820_LEGO	a13DI0000004SdV		Adhoc Survey 20240425 RITM5713820_LEGO	a13KY00000000EK
Survey Group	ID		Survey Group	ID
【LEGO】VGP＋Lucky8アクション	a11DI0000004Zze		【LEGO】VGP＋Lucky8アクション	a114N000008bJdJ
Survey Item	ID		Survey Item	ID
ランドリー	a1241000000e3VLAAY		ランドリー	a1241000000e3VLAAY
ランドリー	a1241000000e3VLAAY		ランドリー	a1241000000e3VLAAY
ランドリー	a1241000000e3VLAAY		ランドリー	a1241000000e3VLAAY
ランドリー	a1241000000e3VLAAY		ランドリー	a1241000000e3VLAAY
柔軟剤	a1241000000fNVJAA2		柔軟剤	a1241000000fNVJAA2
柔軟剤	a1241000000fNVJAA2		柔軟剤	a1241000000fNVJAA2

QUESTIONS TAB

Points to remember:

1. Ensure to use correct Answer type. For

   Yes/No – Use Yes/No in Answer Type
   Multiple Choice (Single Answer) – Use SimpleCheckbox_block
   Multiple Choice (Multiple Answer)– Use MultipleCheckbox_block
   Free Comment – Use TextArea

Steps:

- Copy the sample template and Paste it in the tab.
- Copy all the questions from the source tab and paste in the first three columns namely
  - ebMobile__QuestionName__c
  - ebMobile__Description__c
  - ebMobile__ShortQuestion__c
- Use the Answer type accordingly in the fourth column.
- Insert in both UAT & Production,
  Action – Insert
  Object – ebMobile_SurveyQuestion__c
  Get the Ids and paste in the sheet.
- Final appearance,

UAT								
ebMobile__QuestionNa	ebMobile__Description	ebMobile__ShortQuest	ebMobile__AnswerTyp	__Status	__Id	__Action	__Errors	Answer types:
アリエール非濃縮液	アリエール非濃縮液	アリエール非濃縮液	Yes/No	Succeeded	a15DI000008mSXYAY	Inserted		TextArea
NOだった場合の理由	NOだった場合の理由	NOだった場合の理由	SimpleCheckbox_block	Succeeded	a15DI000008mSYYAY	Inserted		SimpleCheckbox_inline
アリエールジェルボ	アリエールジェルボ	アリエールジェルボ	Yes/No	Succeeded	a15DI000008mSZYAY	Inserted		Yes/No
NOだった場合の理由	NOだった場合の理由	NOだった場合の理由	SimpleCheckbox_block	Succeeded	a15DI000008mSaYAI	Inserted		MultipleCheckbox_inline
レノア抗菌ビーズま	レノア抗菌ビーズま	レノア抗菌ビーズま	Yes/No	Succeeded	a15DI000008mSbYAI	Inserted		Number
NOだった場合の理由	NOだった場合の理由	NOだった場合の理由	SimpleCheckbox_block	Succeeded	a15DI000008mScYAI	Inserted		SimpleCheckbox_block
レノア超消臭(フレッ	レノア超消臭(フレッ	レノア超消臭(フレッ	Yes/No	Succeeded	a15DI000008mSdYAI	Inserted		MultipleCheckbox_block
NOだった場合の理由	NOだった場合の理由	NOだった場合の理由	SimpleCheckbox_block	Succeeded	a15DI000008mSeYAI	Inserted		
布用ファブリーズの	布用ファブリーズの	布用ファブリーズの	Yes/No	Succeeded	a15DI000008mSfYAI	Inserted		
NOだった場合の理由	NOだった場合の理由	NOだった場合の理由	SimpleCheckbox_block	Succeeded	a15DI000008mSgYAI	Inserted		

ANSWERS TAB

Points to remember:

1. For Yes/No, the options will be Yes and No.
2. For free comment, leave the cell empty (No need to get Ids from SFDC).

Steps:

- Copy the sample template and Paste it in the tab.
- Copy the answer options available and paste it vertically (Use paste transpose).
- If needed, add column to remember the question number of answers.
- Use the filter, as there will be repeated answer options, Get the Ids from the Salesforce and paste accordingly.
- Final appearance,

UAT			Prod		
Id	AnswerName		Id	Name	
a0zDI000000ITFwYAO	Yes	1	a0zKY00000007fBYAQ	Yes	
a0zDI000000ITFxYAO	No	1	a0zKY00000007fCYAQ	No	
a0zDI000000ITFyYAO	対象SKUが全て定番採用無し	2	a0zKY00000007fDYAQ	対象SKUが全て定番採用無し	
a0zDI000000ITFzYAO	競合の在庫過多を理由に断	2	a0zKY00000007fEYAQ	競合の在庫過多を理由に断られた	
a0zDI000000ITG0YAO	P&Gの在庫過多で断られ	2	a0zKY00000007fFYAQ	P&Gの在庫過多で断られた	
a0zDI000000ITG1YAO	展開に必要なMDが無く断	2	a0zKY00000007fGYAQ	展開に必要なMDが無く断られた（含	
a0zDI000000ITG2YAO	競合と比較し、MDが弱く	2	a0zKY00000007fHYAQ	競合と比較し、MDが弱く断られた	

UAT/PRODUCTION TAB

Points to remember:

1. In the Answer sequence column, for the Free comment, leave the cell empty. No need to add the answer sequence for it.
2. Start with Question sequence & Answer sequence column.
3. Use the UAT IDs in UAT tab and Production IDs in Production.
4. No need to create survey template for the questions which is supposed to be a nested question. For instance, if the Remarks column of the source file has **Only display if the answer for the question above is "NO"**, then No need to create survey template.

Steps:

- Copy the sample template and Paste it in the tab.
- For the Column,
  I. ebMobile__SurveyProfile__c
     - Copy the Id of survey profile from the others tab, paste here and drag till the end.

  II. SurveyProfileAssignId__c
     - Copy the Id of survey profile Assign from the others tab, paste here.
     - If there are more than one survey profile assign, use them for the N number of questions based on the file provided by the market.

  III. ebMobile__QuestionSequence__c
     - Insert the number sequence based on the number of answer options provided for each question.
     - For instance, if the 1st questions contains 3 options available, use the sequence like 1,1,1.

ebMobile__QuestionSequen	ebMobile__AnswerSequence__c
1	1
1	2

  IV. ebMobile__AnswerSequence__c
     - Insert the number sequence based on the number of answer options

ebMobile__QuestionSequen	ebMobile__AnswerSequence__c
1	1
1	2

  V. ebMobile__SurveyGroup__c
     - Copy the survey group IDs from the others tab and use them based on the number of survey groups provided for the corresponding number of questions.

  VI. ebMobile__SurveyItem__c
     - Copy the survey Item IDs from the others tab and Use them based on the number of survey items provided for the corresponding number of questions.

  VII. ebMobile__SurveyQuestion__c
     - Copy the questions Id from the questions tab and paste it in the new sheet.
     - Use Vlookup with column C to map the question id.

- For instance, if the 1st question has two answer options, then those two cells will have same IDs.

	Id
1	a15DI0000008mSXYAY
2	a15DI0000008mSYYAY
3	a15DI0000008mSZYAY
4	a15DI0000008mSaYAI
5	a15DI0000008mSbYAI

C	D	E	F	G
ebMobile__Questi	ebMobile__Answe	ebMobile__Survey	ebMobile__SurveyItem	ebMobile__SurveyQuestion__c
1	1	a11DI0000004Zze	a1241000000e3VLAAY	=VLOOKUP(C2,Sheet2!A:B,2,FALSE)
1	2	a11DI0000004Zze	a1241000000e3VLAAY	

VIII. ebMobile__SurveyAnswer__c
- Copy the IDs from the Others tab and paste it here in the same sequence.
- If there are free comment option, ensure that there is no IDs for that question.

IX. ebMobile__QuestionPhotoRequired__c
- If the photo required column in source tab has yes value, use 1 here.
- If it has No value, use 0 here.

X. ebMobile__IsActive__c
- Use TRUE here so that the survey will be available in the iPad.

- Copy all the columns, insert into Salesforce and get the IDs.
  Action – Insert
  Object - ebMobile_SurveyTemplate_c
- Final appearance,

	A	B	C	D	E	F	G	H	I	J
1	ebMobile__Surv	SurveyProfileAss	ebMobile__Ques	ebMobile__Answ	ebMobile__Surv	ebMobile__Surv	ebMobile__Surv	ebMobile__Surv	ebMobile__Ques	ebMobile__IsAct
2	a14DI0000004tY7	a13DI0000004Scm	1	1	a114N000005vuet	a1241000000e3XC	a15DI0000008mS	a0zDI000000ISvgY	0	TRUE
3	a14DI0000004tY7	a13DI0000004Scm	1	2	a114N000005vuet	a1241000000e3XC	a15DI0000008mS	a0zDI000000ITFcY	0	TRUE
4	a14DI0000004tY7	a13DI0000004Scm	3	1	a114N000005vuet	a1241000000e3XC	a15DI0000008mS	a0zDI000000ISvgY	0	TRUE
5	a14DI0000004tY7	a13DI0000004Scm	3	2	a114N000005vuet	a1241000000e3XC	a15DI0000008mS	a0zDI000000ITFcY	0	TRUE
6	a14DI0000004tY7	a13DI0000004Scm	5	1	a114N000005vuet	a12410000011eES	a15DI0000008mS	a0zDI000000ISvgY	0	TRUE
7	a14DI0000004tY7	a13DI0000004Scm	5	2	a114N000005vuet	a12410000011eES	a15DI0000008mS	a0zDI000000ITFcY	0	TRUE
8	a14DI0000004tY7	a13DI0000004Scm	7	1	a114N000005vuet	a1241000000fNVi	a15DI0000008mS	a0zDI000000ISvgY	0	TRUE
9	a14DI0000004tY7	a13DI0000004Scm	7	2	a114N000005vuet	a1241000000fNVi	a15DI0000008mS	a0zDI000000ITFcY	0	TRUE
10	a14DI0000004tY7	a13DI0000004Scm	7	3	a114N000005vuet	a1241000000fNVi	a15DI0000008mS	a0zDI000000ISyIY	0	TRUE
11	a14DI0000004tY7	a13DI0000004Scm	8	1	a114N000005vuet	a1241000000fNVi	a15DI0000008mS	a0zDI000000ITFrY	0	TRUE
12	a14DI0000004tY7	a13DI0000004Scm	8	2	a114N000005vuet	a1241000000fNVi	a15DI0000008mS	a0zDI000000ISyKY	0	TRUE
13	a14DI0000004tY7	a13DI0000004Scm	8	3	a114N000005vuet	a1241000000fNVi	a15DI0000008mS	a0zDI000000ISyLY	0	TRUE
14	a14DI0000004tY7	a13DI0000004Scm	8	4	a114N000005vuet	a1241000000fNVi	a15DI0000008mS	a0zDI000000ISyMY	0	TRUE
15	a14DI0000004tY7	a13DI0000004Scm	8	5	a114N000005vuet	a1241000000fNVi	a15DI0000008mS	a0zDI000000ISyNY	0	TRUE
16	a14DI0000004tY7	a13DI0000004Scm	8	6	a114N000005vuet	a1241000000fNVi	a15DI0000008mS	a0zDI000000ISyOY	0	TRUE
17	a14DI0000004tY7	a13DI0000004Scm	9	1	a114N000005vuet	a1241000000fNVi	a15DI0000008mS	a0zDI000000ISvgY	0	TRUE
18	a14DI0000004tY7	a13DI0000004Scm	9	2	a114N000005vuet	a1241000000fNVi	a15DI0000008mS	a0zDI000000ITFcY	0	TRUE
19	a14DI0000004tY7	a13DI0000004Scm	11	1	a114N000005vuet	a1241000000fNVi	a15DI0000008mS	a0zDI000000ISvgY	0	TRUE
20	a14DI0000004tY7	a13DI0000004Scm	11	2	a114N000005vuet	a1241000000fNVi	a15DI0000008mS	a0zDI000000ITFcY	0	TRUE

NESTED TAB

Points to remember:

1. Mostly will be using the question IDs which is meant to be the nested question.
2. Make sure that there is semi-colon between each options in Nested Question answer.

Steps:

- Copy the sample template and Paste it in the tab.
- For the column ID, need to take particular survey template ID, if the upcoming question is meant to be nested. For instance, if the Remarks column of the source file has **Only display if the answer for the question above is "NO"(i.e. Nested)** , then need to use No's Survey template ID.
- For the NestedQuestion_c column, need to take Question Id from Question tab which is meant to be nested.
- For Instance, if the question number 4 is having **Only display if the answer for the question above is "NO"(i.e. Nested)** in the Remarks column of the source file, then we need to take 3rd questions Survey Template ID of NO's in ID Column and Question Id of 4th in NestedQuestion_c column.
- For column NestedQuestionAnswer_c, take the options available for QuestionID taken. The values should be in the same line separated by **";"**. Example : Yes;No;対象SKUが全て定番採用無し
- Take ID, NestedQuestion_c , NestedQuestionAnswer_c Columns and update in Salesforce.

  Action : Update

  Object : ebMobile_SurveyTemplate_c
- Final appearance,

	Template ID						
	ID	NestedQuestion__c	NestedQuestionAnswer__c				
No	a16DI000000DiydYAC	a15DI0000008mSYYAY	と;本部指示以外の展開スペースが無く、展開場所が創出出来ない;該当カ				
No	a16DI000000DiywYAC	a15DI0000008mSaYAI	と;本部指示以外の展開スペースが無く、展開場所が創出出来ない;該当カ				
No	a16DI000000DizFYAS	a15DI0000008mScYAI	と;本部指示以外の展開スペースが無く、展開場所が創出出来ない;該当カ				
No	a16DI000000DizYYAS	a15DI0000008mSeYAI	と;本部指示以外の展開スペースが無く、展開場所が創出出来ない;該当カ				
No	a16DI000000DizrYAC	a15DI0000008mSgYAI	が開けなかった;本部指示以外の展開スペースが無く、展開場所が創出出来				
No	a16DI000000Dj0AYAS	a15DI0000008mSiYAI	が開けなかった;本部指示以外の展開スペースが無く、展開場所が創出出来				
No	a16DI000000Dj0TYAS	a15DI0000008mSkYAI	が開けなかった;本部指示以外の展開スペースが無く、展開場所が創出出来				
No	a16DI000000Dj0mYAC	a15DI0000008mSmYAI	が開けなかった;本部指示以外の展開スペースが無く、展開場所が創出出来				
No	a16DI000000Dj15YAC	a15DI0000008mSoYAI	と;本部指示以外の展開スペースが無く、展開場所が創出出来ない;該当カ				
No	a16DI000000Dj1OYAS	a15DI0000008mSqYAI	と;本部指示以外の展開スペースが無く、展開場所が創出出来ない;該当カ				
No	a16DI000000Dj1hYAC	a15DI0000008mSsYAI	と;本部指示以外の展開スペースが無く、展開場所が創出出来ない;該当カ				
No	a16DI000000Dj2HYAS	a15DI0000008mSwYAI	と;本部指示以外の展開スペースが無く、展開場所が創出出来ない;該当カ				
No	a16DI000000Dj2aYAC	a15DI0000008mSyYAI	と;本部指示以外の展開スペースが無く、展開場所が創出出来ない;該当カ				
No	a16DI000000Dj2tYAC	a15DI0000008mT0YAI	と;本部指示以外の展開スペースが無く、展開場所が創出出来ない;該当カ				
No	a16DI000000Dj3CYAS	a15DI0000008mT2YAI	と;本部指示以外の展開スペースが無く、展開場所が創出出来ない;該当カ				
No	a16DI000000Dj3VYAS	a15DI0000008mT4YAI	と;本部指示以外の展開スペースが無く、展開場所が創出出来ない;該当カ				
No	a16DI000000Dj3oYAC	a15DI0000008mT6YAI	と;本部指示以外の展開スペースが無く、展開場所が創出出来ない;該当カ				
No	a16DI000000Dj47YAC	a15DI0000008mT8YAI	と;本部指示以外の展開スペースが無く、展開場所が創出出来ない;該当カ				
No	a16DI000000Dj4QYAS	a15DI0000008mTAYAY	と;本部指示以外の展開スペースが無く、展開場所が創出出来ない;該当カ				
No	a16DI000000Dj4iYAC	a15DI0000008mTCYAY	と;本部指示以外の展開スペースが無く、展開場所が創出出来ない;該当カ				

CREATING ACCOUNT GROUP

1. Clone any of the old account group and name it according to the Adhoc Request number or according to the Request name and save it

2. Open RTLIST TAB AND PASTE THESE COLOUMN NAMES,



3. Copy the Account number given in RT list and open Dev Console and paste the given query which will give you Target group , ID and Team type
SELECT Id, AccountNumber, ebMobile__TargetGroup__c FROM Account where AccountNumber in (AccountNumber)

4. After exporting copy the logs in yours excel file RTLIST TAB



5. Paste the Account number, Target group and ID number in the column names.



6. In “Add” column add your account group name,” ; PShootingMay-2”, make sure you add semicolon before the account group name. ,”; PShootingMay-2”.

OLD Data	Add	ID
Baby Tracking;FIKS_MDS; RITM4416496; RITM4480	;PShootingMay-2	0014100000NLTxQAAX
Baby Tracking; RITM4480518_LEGO; Photoshooting	;PShootingMay-2	0014100000NLTzbAAH
FIKS_MDS; RITM4480518_LEGO;RITM4559791;RITM	;PShootingMay-2	0014100000NLTzyAAH
Baby Tracking;FIKS_MDS; RITM4416496; RITM4480	;PShootingMay-2	0014100000NLU05AAH

7. In “ebMobile__TargetGroup__c” column concatenate the “OLD Data and “Add” column.

OLD Data	Add	ID	ebMobile__TargetGroup__c
Baby Tracking;FIKS_MDS; RITM4416496; RITM4480	;PShootingMay-2	0014100000NLTxQAAX	=CONCATENATE(F4,G4
Baby Tracking; RITM4480518_LEGO; Photoshooting	;PShootingMay-2	0014100000NLTzbAAH	CONCATENATE(text1, [text2], [text3], ...)
FIKS_MDS; RITM4480518_LEGO;RITM4559791;RITM	;PShootingMay-2	0014100000NLTzyAAH	
Baby Tracking;FIKS_MDS; RITM4416496; RITM4480	;PShootingMay-2	0014100000NLU05AAH	

8. Copy all values and paste them as values.

AccountNumber__c	OLD Data	Add	ID	ebMobile__TargetGroup__c
2000632044	Baby Tracking;FIKS_MDS; RITM4416496; RITM4480	;PShootingMay-2	0014100000NLTxQAAX	Baby Tracking;FIKS_MDS; RITM4416496; RITM4480518_
2001229007	Baby Tracking; RITM4480518_LEGO; Photoshooting	;PShootingMay-2	0014100000NLTzbAAH	Baby Tracking; RITM4480518_LEGO; PhotoshootingApr2
2001440500	FIKS_MDS; RITM4480518_LEGO;RITM4559791;RITM	;PShootingMay-2	0014100000NLTzyAAH	FIKS_MDS; RITM4480518_LEGO;RITM4559791;RITM485
2001457269	Baby Tracking;FIKS_MDS; RITM4416496; RITM4480	;PShootingMay-2	0014100000NLU05AAH	Baby Tracking;FIKS_MDS; RITM4416496; RITM4480518_

9. Double check whether the account group is added in target group of the account.

Baby Tracking;FIKS_MDS; RITM4416496; RITM4480518_LEGO; RITM4495852;RITM4559791;RITM4776946 - Zakka;RITM4854500_0729SOS;RITM4896276;PShootingSep23-3;RITM4976379;RITM5137841_BigBang;RITM5352999_Shave;PShootingMay-2

10. Copy “ID” and “ebMobile_TargetGroup_c” data and paste it in salesforce import
    Action – Update
    Object – Account

11. Copy the logs after exporting it successfully and paste it in the RTLIST TAB

UAT								
AccountNumber__c	OLD Data	Add	ID	ebMobile__TargetGroup__c	__Status	__Id	__Action	__Errors
2000632044	Baby Tracking;FIKS_MDS; RITM4416496; RITM4480	;PShootingMay-2	0014100000NLTxQAAX	Baby Tracking;FIKS_MDS; RITM4416496; RITM4480518_L	Succeeded	0014100	Updated	
2001229007	Baby Tracking; RITM4480518_LEGO; Photoshooting	;PShootingMay-2	0014100000NLTzbAAH	Baby Tracking; RITM4480518_LEGO; PhotoshootingApr2	Succeeded	0014100	Updated	
2001440500	FIKS_MDS; RITM4480518_LEGO;RITM4559791;RITM	;PShootingMay-2	0014100000NLTzyAAH	FIKS_MDS; RITM4480518_LEGO;RITM4559791;RITM4854	Succeeded	0014100	Updated	
2001457269	Baby Tracking;FIKS_MDS; RITM4416496; RITM4480	;PShootingMay-2	0014100000NLU05AAH	Baby Tracking;FIKS_MDS; RITM4416496; RITM4480518_L	Succeeded	0014100	Updated	

12. After successfully updating Target group now change the where clause and team type of the Account Group we created.
13. Now go to the Account Group and Copy the ID

14. Go to Developer console and paste the query below for changing the where clause and team type of the Account group.
15. SELECT Id, Name, ebMobile__WhereClause__c, ebMobile__IsActive_c, TeamType_c FROM ebMobile_AccountGroup_c where Id ='Your accountgroup ID'
16. Add this in where clause:
17. where ebMobile_TargetGroup_c like '%PShootingMay-2%' AND TeamType_c INCLUDES ('Zakka')
18. Enter = "Zakka" or "Electro" According to the team type of the accounts in your excel file

19. And save the rows.

After changing the Where clause and TeamType check in SFDC whether the changes are reflected or not.

- After Batch job run check the Accountgroup, All the accounts which were added in RTLIST TAB must be visible under the Account group items.

Creating Account group in VGP Survey's.

All the steps for VGP surveys are same apart from "Nested Question Tab and Account group creation".

As we can see in VGP survey's in certain question there is a nested question which means, if the user selects option "NO" then one more question will appear under the same question.



AC	AD	AE	AF
Photo Required	Remarks		
No			
No	Only display if the above question's answer is "No"		
No			
No	Only display if the above question's answer is "No"		
No			
No	Only display if the above question's answer is "No"		
No			
No	Only display if the above question's answer is "No"		
No			
No	Only display if the above question's answer is "No"		
No			
No	Only display if the above question's answer is "No"		
No			
No	Only display if the above question's answer is "No"		
No			

We will have to create a nested question template, which will be different from the normal question

Testing the Survey

1. Open the SS app and Login into Sandbox/Production
    - For Sandbox, reset the password of the Account owner in Developer Console and use the same username and new password for logging in.
    - For Production, go to the Account owner's user account, Change the federation ID with yours and use your P&G credential to login. Make sure to change the federation ID as it was and turn off your Wi-Fi/internet after logging in.
2. Click on the route plan icon available on the left side of the screen, will be taken to another screen having Day/Week/Month plan.
3. Add the store which ever you want to test using the Account number.
4. Change the view to Day's plan, Select the store if more than one store available already and select Start Call.
5. You will be taken into new screen where you can able to see the surveys created.
6. Make sure you are not submitting any surveys.

Mistakes made previously

List given below are the mistakes, which L2 team made while creating survey's please go through each of the INC and make sure we won't repeat the same mistake.

INC12739822- RTIR Shelf Action"「RTIRシェルフアクション」is not displayed at the target store.
INC12677553- RTIR Shelf Action"「RTIRシェルフアクション」is not displayed at Non-target store.
INC12539264- Duplo tab appears for LEGO – wrong account group
INC12692012- DUPLO survey tab appears for LEGO store

Here we can see the mistake is repeated, of having wrong account in account group. So while adding the accounts in account group, we need to double check the USTM whether the store is LEGO, HAYATE or PC. For RTIR VGP survey the RT LIST is given in the Raw excel file so we could create our own account group and add it in the survey profile assign. After assigning the account group, double check in IPAD whether the survey is visible only for target store and not for non-target store

INC12692496- "VGP + Lucky8 Action" survey questions settings.
This incident took place because of the wrong nested questions settings and the questions which were meant to appear after selecting "NO" option, Those questions appeared as normal question After checking in the backend, we realized it was a mistake from L2 while setting up the VGP survey nested question.

INC12421160- Only some of the April survey appears in the list of survey items_Electro
This incident happened because while creating survey profile assign we added wrong survey group and while creating survey template some different survey template was update due to which only some survey appeared in the list of survey items.

INC12446723- Wrong answer type

Query Results - Total Rows: 8

Id	ebMobile_QuestionS	ebMobil	ebMobile_SurveyQu	ebMobile_SurveyQuestion_c	ebMobile_AnswerType_	ebMobile_IsActive_	ebMobile_SurveyAn	ebMobile_SurveyAn	SurveyProfileAssignI
a16KY00000003K...	1	1	Q1.ファブリーズ...	Yes/No		true	a0z41000002F3FC...	Yes	2024-04-01
a16KY00000003Kt...	1	2	Q1.ファブリーズ...	Yes/No		true	a0z1K00000AhlgI...	No	2024-04-01
a16KY00000003K...	2	1	Q2.トイレットペ...	Mutiple Choice(Multiple Answers)		true	a0zKY00000006h...	棚置き什器使用	2024-04-01
a16KY00000003K...	2	2	Q2.トイレットペ...	Mutiple Choice(Multiple Answers)		true	a0zKY00000006h...	ディバイダー什器...	2024-04-01
a16KY00000003K...	2	3	Q2.トイレットペ...	Mutiple Choice(Multiple Answers)		true	a0zKY00000006h...	ハンガー使用	2024-04-01
a16KY00000003K...	2	4	Q2.トイレットペ...	Mutiple Choice(Multiple Answers)		true	a0zKY00000006h...	フック使用	2024-04-01
a16KY00000003K...	2	5	Q2.トイレットペ...	Mutiple Choice(Multiple Answers)		true	a0zKY00000006h...	その他	2024-04-01
a16KY00000003Kz...	3		Q3.Q2でその他と...	Free Comment		true		(null ebMobile_S...	2024-04-01

This issue occurred due to wrong answer type in the backend Instead of (Multiple Choice(Multiple Answers) and Free comment – It should be "MutipleCheckbox_inline" and "Text" instead.

INC12450616- April ad hoc [KBD12 Survey 1) Shavers][KBD12調査①シェーバー]Answer field missing_Electro.
While adding answers duplicate answers were added in survey template.

INC12420468- Survey group not being active
After creating Survey's L2 should activate the survey's one day before and after business hours to make sure the Survey's are visible to the user from the start day.

Under INC12477428-> The file provided by business had wrong data in Survey Group and Category , after analysis we found that The questions were of “Toothbrush” but the file provided had the questions category as “Shaver” and Group as “Shavers” too , this caused a confusion and we got an incident where The toothbrush question was shown in Shavers tab to the users.

サーベイ名(Survey Group)	カテゴリー		Category	質問内容(Survey Question)
KBD12調査①シェーバー	1		電動シェーバー	定番外で、サステナキャンペーンワゴン のPOPの設置がある
KBD12調査①シェーバー	2		電動シェーバー	定番外で、新生活キャンペーンスタン ある
KBD12調査②電動歯ブラシ	3		電動歯ブラシ	シェーバーS7/8/9とCCR５または替刃の ある
KBD12調査②電動歯ブラシ	4		電動歯ブラシ	シェーバーS7/8/9とCCR５または替刃の ある