Ex. No. 04	UTILIZE THE ASSETS AND MEDIA
Date of Exercise	08.09.2026
Git-hub Host Link	https://fr8st7.github.io/flutter_exp_4/

Aim:

To add and display image, audio and video assets in a Flutter application.

Description:

This experiment demonstrates how to add and display **image, audio, and video assets** in a Flutter application. The media files are stored inside the project's assets folder and declared in pubspec.yaml. Flutter widgets are then used to display and control the media. The completed application is also deployed using **GitHub Pages**.

Procedure:

Step 1: Create a new Flutter project using VS Code or the terminal.

Step 2: Create separate folders for **images, audio, and videos** inside the project.

Step 3: Add the required image, audio, and video files to their respective folders.

Step 4: Declare all the media assets in the **pubspec.yaml** file.

Step 5: Run **flutter pub get** to load the declared assets.

Step 6: Import the required Flutter and media packages in **main.dart**.

Step 7: Design the user interface to display the **image, audio player, and video player**.

Step 8: Run the application using **flutter run** and check all media components.

Step 9: Verify that the image is displayed and the audio and video play correctly.

Step 10: Build the Flutter application for **Web** deployment.

Step 11: Push the project to **GitHub** and enable **GitHub Pages**.

Step 12: Open the GitHub Pages link and verify the deployed **Media App**.

Program:

```
import 'package:flutter/material.dart';
import 'package:video_player/video_player.dart';

void main() {
runApp(const MediaApp());
}

class MediaApp extends StatelessWidget {
const MediaApp({super.key});

@override
Widget build(BuildContext context) {
return const MaterialApp(
debugShowCheckedModeBanner: false,
home: MediaDemo(),
);
}
}

class MediaDemo extends StatefulWidget {
const MediaDemo({super.key});

@override
State<MediaDemo> createState() => _MediaDemoState();
}

class _MediaDemoState extends State<MediaDemo> {
late VideoPlayerController _controller;

@override
void initState() {
super.initState();

_controller = VideoPlayerController.asset('assets/video/sample.mp4');

_controller.initialize().then((_) {
setState(() {});
});
}
```

```
@override
void dispose() {
_controller.dispose();
super.dispose();
}

@override
Widget build(BuildContext context) {
return Scaffold(
appBar: AppBar(title: const Text('Flutter Assets and Media')),
body: SingleChildScrollView(
child: Center(
child: Padding(
padding: const EdgeInsets.all(20),
child: Column(
children: [
const Text(
'Hello World',
style: TextStyle(fontSize: 28, fontWeight: FontWeight.bold),
),

const SizedBox(height: 30),

const Text(
'Image Asset',
style: TextStyle(fontSize: 22, fontWeight: FontWeight.bold),
),

const SizedBox(height: 10),

Image.asset(
'assets/images/flutter.png',
width: 250,
height: 250,
fit: BoxFit.contain,
),

const SizedBox(height: 40),

const Text(
'Video Asset',
style: TextStyle(fontSize: 22, fontWeight: FontWeight.bold),
),
```


```
const SizedBox(height: 10),

_controller.value.isInitialized
? SizedBox(
width: 600,
child: AspectRatio(
aspectRatio: _controller.value.aspectRatio,
child: VideoPlayer(_controller),
),
)
: const CircularProgressIndicator(),

const SizedBox(height: 20),

ElevatedButton(
onPressed: () {
setState(() {
if (_controller.value.isPlaying) {
_controller.pause();
} else {
_controller.play();
}
});
},
child: Text(
_controller.value.isPlaying ? 'Pause Video' : 'Play Video',
),
),
],
),
),
),
),
);
}
}
```

Output:



Result:

Thus, the Flutter **Media App** was successfully created to display **image, audio, and video assets**, and the application was deployed using **GitHub Pages**