


Nano Kids Onboarding — Spec Sheet

Oct 6, 2026 · @Anmol

Overview

The kids onboarding is eight steps on a 375×812 stage. Every step pushes to the next on one spring; the only exception is the skins intro, which fades out to white and lets the skin picker fade in.

Every step pushes to the next; only the skins intro fades



Push = slide a full width + fade, spring stiffness 320, damping 28. Back buttons push the other way.

Kids onboarding · 8 steps

Avatar and Interests have a back button that pushes back one step (Interests → Avatar → Skin select). Splash → Email is a crossfade because the email screen's backdrop is the splash clip's last frame.

Foundations

Every step is laid out at **375 × 812pt** and scaled to fill the device (scale = max(width / 375, height / 812), centred, clipped). All positions in this sheet are in those stage points. Type is Noontree throughout, at fixed sizes (no Dynamic Type).

Colour tokens

Token	Hex	Used for
primary	#1D2539	headings, field text
secondary	#475067	field labels
tertiary	#666D85	subtitles, prompts
grey100	#F9F9FB	OTP boxes, interest tiles
grey500	#989FB3	muted text, "Skip for now"
grey800	#343D54	step rail, tile labels
grey1000	#101628	OTP digits
surfaceTert / borderSubtle	#F2F3F7	chips, hairlines, back-button border
actionBold	#0F61FF	focus, selected avatar ring
brandBlue100	#EBF4FF	shake chip, Done background
successBold	#0F8857	valid tick, success toast
errorBold	#D92626	required asterisk, error toast

Type ramp

Token	Weight	Size	Tracking (as used)
Kid title	ExtraBold	36 on a 48 line	−0.25
H32	ExtraBold	32	−0.25
H40	Bold	40	−0.25 (OTP digits)
H18	Bold	18 on a 24 line	−0.15 (interest tiles)
B16	Medium	16	−0.15
B14 / B14s	Medium / SemiBold	14	−0.1
B12	Medium	12	−0.1
A17	SemiBold	17	−0.25 (56pt CTAs)
A16	SemiBold	16 on a 24 line	0 (52pt CTAs)
A14	SemiBold	14	0

Shared components

Component	Spec	Used on
Kid title	Two lines, each ExtraBold 36/48, -0.25. Gradient through the glyphs: black at 52.8% → #6F21EA at 100% along the line's CSS angle (line 2 on Interests ends #571AB8). White outline 4.3pt, shadow black 15%, radius 3.5, y 1. White bars sit under the type.	Avatar, Interests
Grid backdrop	375 × 188, #EAECF0 hairlines 0.755pt every 27.87pt, masked by a soft ellipse (431 × 360 at 188.5, 8, black 48%, blur 50).	Avatar, Interests
Back button	40 × 40 at (16, 64): white circle, 1pt #F2F3F7 border, 20pt chevron. Press: scale 0.96 + light tap.	Avatar, Interests
Step rail	112 × 16 at (132, 76). Done step: #343D54 disc with a white tick. Current: 1pt #343D54 ring round an 8pt dot. Ahead: #EAECF0. Bars 24 × 4, dark up to the current step, spacing 4.	Avatar (step 2), Interests (step 3)
Action bar (52)	At y 712, 100 tall: 12 padding, 52pt button, 12, 24pt home strip. White, 20pt top corners, four soft upward #E0E0E0 shadows.	Avatar
CTA bar (56)	16 sides, 16 top, 24 bottom, 56pt button; 24pt top corners. Solid = white + 1pt #F2F3F7 hairline; none = transparent.	Email (none), Done (solid)
Primary button	Button v3 dark — see the Button v3 handoff for faces, motion and haptics. 52pt (A16) or 56pt (A17), radius 16. Disabled: muted text on a flat surface, no press.	every CTA

Screen transitions

One push for every page change, the parent flow's own: the incoming page slides in a full stage width while fading in, the outgoing page slides out the other way while fading out, both on one spring.

Transition	Incoming	Outgoing	Curve	Settles in
Push (default)	translateX +375 → 0, opacity 0 → 1	translateX 0 → -375, opacity 1 → 0	spring stiffness 320, damping 28, mass 1 (damping ratio 0.78)	~330 ms
Push back (back buttons)	translateX -375 → 0, opacity 0 → 1	translateX 0 → +375, opacity 1 → 0	same spring	~330 ms
Splash → Email	opacity 0 → 1 (no slide)	opacity 1 → 0	same spring	~330 ms
Skins intro → Skin select	opacity 0 → 1 from white, after the intro has gone	intro fades itself out to white first	out: ease-in 350 ms; in: ease-out 450 ms	800 ms total

Rules

- Work out the direction before either page starts moving: forward is set one frame before the step changes, so the leaving page slides out the correct side.
- Each page's own entrance (below) starts on mount, at the same moment as the push.
- Reanimated: `withSpring(v, { mass: 1, stiffness: 320, damping: 28 })`; the fades are `withTiming` with `Easing.in(Easing.ease)` / `Easing.out(Easing.ease)`.

Timed hand-offs

Hand-off	When
Splash → Email	when the 1.93 s clip ends, or on tap
OTP keypad auto-focus	680 ms after the OTP page mounts
OTP correct → Skins intro	950 ms after the 4th digit
Skins intro → Skin select	when the 2.7 s clip ends, or on tap; then the 0.35 s + 0.45 s fades
Skin select deal-in	350 ms after the page mounts
Skin gesture coaching	first hand 450 ms after mount; the two gestures back to back, every 5 s

Step specs

1· Splash

- **Shows:** `splash_burst.mp4` full-bleed (aspect fill), muted, once; it holds its last frame. Base colour #6423C8 behind it so the first frame never flashes white. The copy ("welcome back to nano") is baked into the clip.
- **Leaves:** when the 1.93 s clip ends, or on a tap anywhere → crossfades to Email.
- **Haptics:** none.

2· Email — "Let's get started"

Redesign pending (see Open items); this is what ships today.

- **Backdrop:** `splash_hold` — the splash clip's last frame — so the crossfade reads as one shot. Tapping it dismisses the keyboard.
- **Card:** 343 wide, bottom-aligned 96pt up (on the CTA bar). Padding 24 top, 16 sides and bottom; white at 86% over a thin blur, radius 24, 1pt white border. Contents 24 apart: title group, field, agreement row.
- **Field:** 56 tall, white, radius 12, 1pt border (#0F61FF focused, #F2F3F7 otherwise), padding 12 × 8. Valid entry shows a 20pt #0F8857 tick on the right.
- **CTA:** "Send OTP" in a transparent 56pt CTA bar. Enabled once the field is not empty (no format check). Return also sends.

Text	Style	Colour
Let's get started	ExtraBold 32, -0.25	#1D2539
Let's first verify your email ID	Medium 16, -0.15	#989FB3
Email ID *	Medium 12, -0.1	#475067, asterisk #D92626
name@email.com (placeholder) / value	SemiBold 14, -0.1	#1D2539
By continuing I agree to the Terms & Conditions	Medium 12, -0.1	#666D85, with a 20pt info icon
Send OTP	SemiBold 17, -0.25	white; disabled #989FB3

Motion	Values
Entrance	card y +40 → 0 and fade in; CTA bar y +120 → 0; spring response 0.52 s, damping ratio 0.82, delay 80 ms
Keyboard	card and CTA rise by the keyboard height, ease-out over the keyboard's duration (fallback 250 ms)
Valid tick	fade in + scale 0.6 → 1, spring 0.3 s / 0.6
Field border	ease-out 150 ms

3 · OTP — "Check your mail"

- **Layout:** white. Column 308 wide from y 77, 32 between the header and the code boxes.
- **Art:** `otp_email_pop.lottie` (480 × 280, 2.5 s), played once. Keyboard down: 500 wide (band 235 tall, bleeds off both sides). Keyboard up: 290 wide (band 137), spring 0.46 s / 0.86, so the boxes clear the keypad.
- **Boxes:** 4 × (68 × 80), 12 apart, radius 16, #F9F9FB. Border: #0F61FF on the next empty box, #D92626 while shaking, #0F8857 once accepted, white otherwise.
- **Input:** a hidden number-pad field with one-time-code autofill; focuses itself 680 ms after the page appears.

Text	Style	Colour
Check your mail	ExtraBold 32, -0.25	#1D2539
We have sent a 4 digit code to	Medium 16, -0.15	#666D85
email chip + edit icon	Medium 14, -0.1	#1D2539 on #F2F3F7 capsule
digits	Bold 40, -0.25	#101628
Didn't get it? · Resend	Medium 14 · SemiBold 14	#666D85 · #1D2539
Toasts: OTP Verified, you're through! · That code didn't match · New code on its way	SemiBold 14, white	on #0F8857 / #D92626 / #0F8857

Motion	Values
Digit appears	scale 0.55 → 1 + fade, spring 0.26 s / 0.7
Wrong code	boxes x -10, spring 0.28 s / 0.32; after 240 ms snap back and clear, ease-out 200 ms
Toast	from the top (53 down), spring 0.42 s / 0.82; stays 2.2 s, out ease-in-out 250 ms
Accepted	keyboard drops, success toast, 950 ms later → Skins intro

- **Rules:** any 4 digits are accepted in the prototype. Resend clears the code and shows a toast.

4 · Skins intro

- **Shows:** `skins_intro.mov` (HEVC with alpha, 2.7 s) on white: the skins burst on and settle into "Introducing nano wallet — this one's yours!" (copy is in the clip). WebM for web: `Nano Wallet / Skins Intro.webm` (VP9 + alpha, 498 KB).
- **Leaves:** at the clip's end, or on tap: the clip fades out to white (ease-in 350 ms), then Skin select fades in (ease-out 450 ms).
- **Haptics:** none.

5 · Skin select — "Pick your wallet skin"

A deck of 22 wallet skins on the current skin's full-screen backdrop. **Swipe up** to cycle to the next skin; **pull down** into the pocket to choose one, which opens the confirm state.

- **Backdrop:** `bg_XX` for the front card, aspect fill; the next skin's backdrop crossfades in as you swipe.
- **Deck:** front card 290 wide, centred at y 444. Card behind at slot s: scale $1 - 0.065s$, y $-17 \cdot \min(s, 3)$, tilt $[0, -3.2, 2.6, -1.8]^\circ$; 3 cards visible.
- **Header:** step rail at (131.6, 76), first step active. Title block 217 wide at y 112. Text colour flips white ↔ #101628 per backdrop for contrast.
- **Hint line:** y 579 at rest; moves to the subtitle's line (y 200) during a pull. Hidden once a card is confirmed.
- **Pocket:** white sheet with a 20pt notch, top edge 830 at rest rising to 470 at full pull (ease-out). Shadow black 16%, radius 12, y -20.
- **Drop tray (Grid):** 235 wide, height from the skin's art, centred y ≈ 637. Skin colour: 5% fill, 1pt edge at 50%, layer at 50%; 0.5pt grid every 18pt at 12.5%.

Text	Style	Colour
Pick your wallet skin	ExtraBold 32, -0.25	white or #101628 by backdrop
Make your card uniquely yours	Medium 16, -0.15	same, at 75–85%
Swipe up to change · Release to change · Drag down to confirm · Release to confirm	Medium 17, -0.2 (SemiBold when armed)	same, 92% (100% armed)
Confirm state title	ExtraBold 40, gradient black → #7924FF	on white
Swipe up or go back to try another	Medium 16, -0.15	black
Keep this skin?	ExtraBold 32, -0.3125, 50 line	black
You can't change it once confirmed.	Medium 14, -0.1875, 27.5 line, 4 under	black 80%
Confirm skin	SemiBold 16	white, button at (16, 732) 343 × 56

Entrance: 350 ms of backdrop, then the deck deals in on a spring (0.55 s / 0.74): each card from scale $\times 0.9$, y +34, opacity 0, 120 ms apart (max 3); header y -14 → 0 with a fade.

Gesture coaching (until the first touch): a hand Lottie, 1.3× its 120 × 290 size, shown on the card. First hand 450 ms after mount; "swipe up" then "drag down" back to back (each 1.5 s, finger down at 0.35 s, lifts at 1.05 s, the card nudging 16% / 13% of a real gesture on a 0.7 s ease-in-out); repeats every 5 s.

Gesture	Threshold	While dragging	Release past threshold	Release short
Swipe up (cycle)	117pt (78% of 150)	card follows up to 250; 5 detent ticks; next backdrop shows 12%; header dims	card arcs to the back of the deck (spring 0.42 s / 0.80), backdrop crossfades (ease-out 550 ms)	spring back 0.42 s / 0.78

Gesture	Threshold	While dragging	Release past threshold	Release short
Pull down (confirm)	257pt (78% of 330)	pocket rises; card shrinks to 0.81× and drops into the tray; deck lifts 112 and fades; haptic ramp; tray grid reveals and runs	confirm state (below)	spring back
Drag up (from confirm)	77pt (55% of 140), rubber band past 140	sheet sinks toward 332, card $\times(1 - 0.06 \cdot \text{progress})$	back to the deck (spring 320 / 28)	spring back

Drop tray motion: grid uncovered from the centre as the pull reaches 70%; trim-path runners (28% of each line, 1.6 s lap, lines 70 ms apart; edge runner 22%, 2.4 s lap); a ripple ring when the pull arms (ease-out 550 ms) with the edge brightening; on settle it grows 4% and fades (ease-out 250 ms).

Confirm state: the sheet covers the screen (top -32) on a spring (0.42 s / 0.88); after 200 ms the confirm backdrop, rays Lottie and stickers fade in (ease-out 280 ms); the card bounces from 0.81× to full 315.66 wide (spring 0.5 s / 0.58, 120 ms delay); the title grows 1 → 1.25 into the dark confirm header; Confirm skin and the back button fade in (ease-out 220 ms). Back un-confirms.

6 · Avatar — "Choose an avatar for yourself"

- **Layout:** grid backdrop, back button, step rail (step 2). Kid title: "Choose an avatar" box (45, 118.5, 286 × 48), angle 35.6°; "for yourself" (90.5, 149.7, 194 × 48), angle 46.5°.
- **Hero:** centred (187.5, 400). 269pt disc with a white → tint gradient turned -15° and a 5.8pt white rim; the 3D render masked to a 272pt circle.
- **Swoosh + stars:** `avatar_stroke_stars` Lottie (made in After Effects, 375 × 812, 1.6 s, plays once). The stroke draws on behind the hero over 0.9 s; the small star pops in at 0.4 s and the big one at 0.55 s, in front.
- **Shake chip:** centred (187.5, 580): SemiBold 14 "Shake to shuffle" ("Shuffling..." while running), #0F61FF on #EBF4FF capsule, 1pt #0F61FF 22% border, padding 14 × 8.
- **Row:** y 607, scrolls; 72pt chips 12 apart from x 16; selected = 84pt ring, 2pt #0F61FF.
- **CTA:** Continue in the 52 action bar (always enabled).

Avatar	Disc tint	Swoosh colour
1	#4ED7DE	#A477FF
2	#5759E3	#FF7A8A
3	#A9DE4E	#4E8BFF
4	#4ED7DE	#FFB23F
5	#3598D2	#FF7AD9

Interaction	Values
Change avatar	cross-blur: outgoing blur 20 + scale 0.96 + fade, spring 0.38 s / 0.85; wraps round
Swoosh colour	eases to the new avatar's colour, ease-in-out 350 ms
Stars	small: +8% and -8°, big: +6% and +6° (60 ms later); out spring 0.22 s / 0.7, back after 140 ms on spring 0.34 s / 0.55
Swipe the hero	follows at 0.35x, tilt 0.02°/pt, blur up to 12; ±50pt changes avatar; snap back spring 0.38 s / 0.78
Row	scrolls the selection to centre, spring 0.42 s / 0.86
Shake	2 jolts over 0.9g within 0.6 s (tunable), then 1 s rest; walks 6-9 avatars, 95 ms apart; chip pulses to 1.08

7 · Interests — "What are your interests?"

- **Layout:** grid backdrop, back button, step rail (step 3). Kid title: "What are your" (69.5, 112.3, 236 × 48), 40.9°; "interests?" (104.5, 143.5, 166 × 48), 51.7°, ending #571AB8. Prompt 278 × 22 at (48.5, 200.8).
- **Grid:** at (16, 246.8), 2 × 5, tiles 165 × 75 with 13 gaps, radius 20.
- **Tile:** #F9F9FB; label at (16, 16); 60pt render at (103, 27), clipped by the tile. Selected: white, `int3d_selected_bg` sheen (214 × 120 at -49, -29), 1pt #D6E9FF border, label gradient #A73BF3 → #6CC3FC (top to bottom). Press: scale 0.97.
- **Bar:** at y 682, 130 tall, white, 24pt top corners, no shadow: Continue (52, enabled at 3+), then "Skip for now" (28 tall), then a 24pt strip.

Text	Style	Colour
Pick at least 3 interests · n more to go · Nice — that's enough to start	Medium 16, -0.15, numbers roll	#666D85
Art, Gadgets, STEM, Science, Beauty, Gaming, Fashion, Pets, Anime, Toys	Bold 18/24, -0.15	#343D54 (selected: gradient)
Continue	SemiBold 16	white; disabled #666D85 on #F5F7FA
Skip for now	SemiBold 14	#989FB3

- **Motion:** selection changes on a spring (0.3 s / 0.85).

8 · Done — "You're all set"

- **Layout:** #EBF4FF → white gradient; centred 56pt #0F8857 tick, "You're all set" (ExtraBold 32, -0.25, #1D2539) and "That's the whole onboarding flow" (Medium 16, -0.15, #666D85), 14 apart; "Run it again" in a solid 56 CTA bar.
- **Motion:** content scale 0.9 → 1 + fade, spring 0.5 s / 0.66 (6% overshoot).
- **Leaves:** Run it again → Splash.

Haptics

Every haptic is an iOS impact (or notification) generator; all respect the app-wide haptics switch. Android equivalents follow the Button v3 handoff's mapping.

Name	iOS generator, intensity	Fires on
Button press / release	heavy 1.0 / light 0.4	every CTA: Send OTP, Confirm skin, Continue, Run it again
keyTick	light 0.55	OTP digit typed; interest selected
success	notification success	OTP accepted; 3rd interest selected; shuffle lands; Done appears
failure	notification error	OTP rejected
tap	medium 0.75	Resend; shake detected

Name	iOS generator, intensity	Fires on
lightTap	light 0.6	back buttons (press)
selectionTick	light 0.35	interest deselected; Skip for now; skin coaching "drag down"; dropping back under the lift threshold
cycleTick	rigid 0.6	every avatar change
detent(p)	light, $0.25 + 0.55 \times \text{progress}$	5 ticks through a skin swipe-up
armed	rigid 1.0	a skin swipe, pull or lift passes its commit point
aborted	light 0.28	a skin gesture released short
swipe	light 0.7	skin cycles; un-confirm
settle	rigid 1.0, then medium 0.55 after 85 ms	skin confirmed
pull ramp	a pulse every 60 ms, strength 0.44 $\rightarrow 0.90 (\times \text{progress}^{1.4})$; light below 34%, medium below 72%, then heavy	while pulling a skin into the pocket

No haptics on Splash, the Skins intro, or the Email field.

Assets

About 54 MB in all, almost all of it the 22 skins and their backdrops.

Asset	Step	Format	Size
splash_burst.mp4	Splash	HEVC, 750 × 1624, 60 fps, 1.93 s	510 KB
splash_hold	Email	JPEG, last frame of the splash, 750 × 1624	154 KB
otp_email_pop.lottie	OTP	dotLottie, 480 × 280, 60 fps, 2.5 s, WebP images	32 KB
skins_intro.mov	Skins intro	HEVC with alpha, 750 × 1624, 60 fps, 2.7 s	1.2 MB

Asset	Step	Format	Size
Nano Wallet / Skins Intro.webm	Skins intro (web)	VP9 with alpha, 2-pass	498 KB
skin_01 ... skin_22	Skin select	PNG, e.g. 1100 × 762	32 MB total
bg_01 ... bg_22	Skin select	JPEG, 1460 × 2424	14 MB total
hint_hand_swipe_up / hint_hand_pull_down	Skin select	dotLottie, 240 × 580, 2.0 s (played to 1.5 s)	24 KB each
skin_confirm_rays.lottie	Skin confirm	dotLottie, loops, 375 × 259	67 KB
confirm_sticker_squiggle / star / heart	Skin confirm (skins 09, 14)	PNG @3x	15–20 KB each
onb3d_av_1 ... onb3d_av_5	Avatar	PNG, 1024 × 1536 (av_3 887 × 1774)	0.9–1.2 MB each
avatar_stroke_stars.json	Avatar	Lottie JSON from After Effects (comp AVATAR_STROKE_STARS), 375 × 812, 60 fps, 1.6 s, star PNGs embedded	109 KB
int3d_art ... int3d_toys (10)	Interests	PNG @3x, ~180pt short side	28–55 KB each
int3d_selected_bg	Interests	PNG, 655 × 366	112 KB
ic_chevron_left, ic_check_circle, ic_info_circle, ic_verified, ic_edit	several	SVG	< 2 KB each

Open items

- ☐ **Email screen redesign:** a new design was requested but not attached yet; section 2 describes what ships today.
- ☐ **Email validation:** the prototype accepts any non-empty entry; production needs a format check.
- ☐ **OTP:** any 4 digits pass in the prototype; wire to the real verify call and its error state.

- ☐ **Choices are not saved:** the chosen skin, avatar and interests are not passed on from their steps.
- ☐ **No back from Skin select** to the Skins intro or OTP; confirm whether that is intended.
- ☐ **Swoosh colours** for avatars 2-5 were picked in the prototype, not in Figma; confirm or replace.
- ☐ **Reduce Motion:** not handled anywhere in the flow yet.