

```
Anmol_Upadhyay@Anmol MINGW64 ~  
$ git clone https://github.com/SwayattDrishtigochar/devops-task.git  
Cloning into 'devops-task'...  
remote: Enumerating objects: 8, done.  
remote: Counting objects: 100% (8/8), done.  
remote: Compressing objects: 100% (7/7), done.  
remote: Total 8 (delta 0), reused 8 (delta 0), pack-reused 0 (from 0)  
Receiving objects: 100% (8/8), 71.93 KiB | 1.33 MiB/s, done.
```

```
Anmol_Upadhyay@Anmol MINGW64 ~  
$ cd devops-task
```

```
Anmol_Upadhyay@Anmol MINGW64 ~/devops-task (main)  
$ git remote add origin https://github.com/Anmolrock/devops-nodejs-ci-cd.git  
error: remote origin already exists.
```

```
Anmol_Upadhyay@Anmol MINGW64 ~/devops-task (main)  
$ git remote set origin https://github.com/Anmolrock/devops-nodejs-ci-cd.git  
error: unknown subcommand: 'set'  
usage: git remote [-v | --verbose]  
or: git remote add [-t <branch>] [-m <master>] [-f] [--tags | --no-tags] [--mirror=<fetch|push>] <name> <url>  
or: git remote rename [--[no-]progress] <old> <new>  
or: git remote remove <name>  
or: git remote set-head <name> (-a | --auto | -d | --delete | <branch>)  
or: git remote [-v | --verbose] show [-n] <name>  
or: git remote prune [-n | --dry-run] <name>  
or: git remote [-v | --verbose] update [-p | --prune] [(<group> | <remote>)...]  
or: git remote set-branches [--add] <name> <branch>...  
or: git remote get-url [--push] [--all] <name>  
or: git remote set-url [--push] <name> <newurl> [<oldurl>]  
or: git remote set-url --add <name> <newurl>
```

MINGW64/c:/Users/Anmol Upadhyay/devops-task

```
or: git remote remove <name>
or: git remote set-head <name> (-a | --auto | -d | --delete | <branch>)
or: git remote [-v | --verbose] show [-n] <name>
or: git remote prune [-n | --dry-run] <name>
or: git remote [-v | --verbose] update [-p | --prune] [(<group> | <remote>)...]
or: git remote set-branches [--add] <name> <branch>...
or: git remote get-url [--push] [--all] <name>
or: git remote set-url [--push] <name> <newurl> [<oldurl>]
or: git remote set-url --add <name> <newurl>
or: git remote set-url --delete <name> <url>
```

-v, --[no-]verbose be verbose; must be placed before a subcommand

```
Anmol_Upadhyay@Anmol MINGW64 ~/devops-task (main)
$ git remote set-url origin https://github.com/Anmolrock/devops-nodejs-ci-cd.git
```

```
Anmol_Upadhyay@Anmol MINGW64 ~/devops-task (main)
$ git checkout -b dev
Switched to a new branch 'dev'
```

```
Anmol_Upadhyay@Anmol MINGW64 ~/devops-task (dev)
$ git push -u origin dev
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 16 threads
Compressing objects: 100% (7/7), done.
Writing objects: 100% (8/8), 71.93 KiB | 71.93 MiB/s, done.
Total 8 (delta 0), reused 8 (delta 0), pack-reused 0 (from 0)
To https://github.com/Anmolrock/devops-nodejs-ci-cd.git
 * [new branch]      dev -> dev
branch 'dev' set up to track 'origin/dev'.
```

```
Anmol_Upadhyay@Anmol MINGW64 ~/devops-task (dev)
$
```



Anmolrock/devops-nodejs-ci-cd

github.com/Anmolrock/devops-nodejs-ci-cd

Chrome Web Store...WhatsAppStar Agile LMS: Log...Amazon Web Servic...Webminal - Learn a...Anmolrock/testrepo...Linux-Practise-Hack...Linux Free LabsPython AssignmentsAll Bookmarks

Anmolrock / devops-nodejs-ci-cd

Type [7] to search

<> CodeIssuesPull requestsActionsProjectsWikiSecurityInsightsSettings

devops-nodejs-ci-cdPublic

PinWatch 0Fork 0Star 0

dev1 Branch0 Tags

Go to fileAdd fileCode

patel-deepanshu chore: initialize package.json for logo-server with express dependency79cc310 · 3 hours ago1 Commit

.gitignore	chore: initialize package.json for logo-server with express de...	3 hours ago
README.md	chore: initialize package.json for logo-server with express de...	3 hours ago
app.js	chore: initialize package.json for logo-server with express de...	3 hours ago
logoswayatt.png	chore: initialize package.json for logo-server with express de...	3 hours ago
package-lock.json	chore: initialize package.json for logo-server with express de...	3 hours ago
package.json	chore: initialize package.json for logo-server with express de...	3 hours ago

README

Logo Server

About

NodeJs CI-CD Project

ReadmeActivity0 stars0 watching0 forks

Releases

No releases published
[Create a new release](#)

Packages

No packages published
[Publish your first package](#)

Languages

11:09 19:26 11-09-2025

ENG IN

Launch an instance | EC2 | us-east-1

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

Chrome Web Store...WhatsAppStar Agile LMS: Log...Amazon Web Service...Webminal - Learn a...Anmolrock/testrepo...Linux-Practise-Hack...Linux Free LabsPython AssignmentsAll Bookmarks

awsSearch[Alt+S]

United States (N. Virginia)Account ID: 8160-6916-5151Anmol Upadhiyay

EC2 > Instances > Launch an instance

Launch an instance

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

Name and tags

Name

Jenkins-Server

Add additional tags

Application and OS Images (Amazon Machine Image)

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose [Browse more AMIs](#).

Search our full catalog including 1000s of application and OS images

RecentsQuick Start

Amazon Linux

macOS

Ubuntu

Windows

Red Hat

SUSE Linux

Debian

Browse more AMIs

Including AMIs from AWS, Marketplace and the Community

Summary

Number of instances

1

Software Image (AMI)

Canonical, Ubuntu, 22.04, amd64...[read more](#)

ami-0bbdd8c17ed981ef9

Virtual server type (instance type)

t2.micro

Firewall (security group)

New security group

Storage (volumes)

1 volume(s) - 8 GiB

Free tier: In your first year of opening an AWS

Cancel

Launch instance

[Preview code](#)

CloudShellFeedback

© 2025, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

ENG IN19:3211-09-2025

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

aws

Search

[Alt+S]

United States (N. Virginia)

Account ID: 8160-6916-5151

Anmol Upadhyay

EC2 > Instances > Launch an instance

Recents

Quick Start

Amazon Linux

ubuntu

macOS

Windows

Red Hat

SUSE Linux

Debian

Browse more AMIs

Including AMIs from AWS, Marketplace and the Community

Amazon Machine Image (AMI)

Ubuntu Server 22.04 LTS (HVM), SSD Volume Type

ami-0bbdd8c17ed981ef9 (64-bit (x86)) / ami-01b2110eef525172b (64-bit (Arm))

Virtualization: hvm ENA enabled: true Root device type: ebs

Free tier eligible

Description

Ubuntu Server 22.04 LTS (HVM),EBS General Purpose (SSD) Volume Type. Support available from Canonical (<http://www.ubuntu.com/cloud/services>).

Canonical, Ubuntu, 22.04, amd64 jammy image

Architecture

AMI ID

Publish Date

Username

64-bit (x86)

ami-0bbdd8c17ed981ef9

2025-08-22

ubuntu

Verified provider

Summary

Number of instances [Info](#)

1

Software Image (AMI)

Canonical, Ubuntu, 22.04, amd64...[read more](#)

ami-0bbdd8c17ed981ef9

Virtual server type (instance type)

t2.micro

Firewall (security group)

New security group

Storage (volumes)

1 volume(s) - 8 GiB

Free tier: In your first year of opening an AWS

Cancel

Launch instance

[Preview code](#)

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

ENG IN 19:32 11-09-2025

Launch an instance | EC2 | us-east-1

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

Chrome Web Store...WhatsAppStar Agile LMS: Log...Amazon Web Servic...Webminal - Learn a...Anmolrock/testrepo...Linux-Practise-Hack...Linux Free LabsPython AssignmentsAll Bookmarks

awsSearch[Alt+S]

United States (N. Virginia)Account ID: 8160-6916-5151Anmol Upadhiyay

EC2>Instances>Launch an instance

Success

Successfully initiated launch of instance (i-0acd215ab5ea69995)

Launch log

Next Steps

What would you like to do next with this instance, for example "create alarm" or "create backup"

< 1 2 3 4 5 6 >

Create billing and free tier usage alerts

To manage costs and avoid surprise bills, set up email notifications for billing and free tier usage thresholds.

Create billing alerts

Connect to your instance

Once your instance is running, log into it from your local computer.

Connect to instance

Learn more

Connect an RDS database

Configure the connection between an EC2 instance and a database to allow traffic flow between them.

Connect an RDS database

Create a new RDS database

Learn more

Create EBS snapshot policy

Create a policy that automates the creation, retention, and deletion of EBS snapshots

Create EBS snapshot policy

CloudShellFeedback

© 2025, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

ENG IN19:3411-09-2025

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#Instances:

aws

Search

[Alt+S]

United States (N. Virginia)

Account ID: 8160-6916-5151

Anmol Upadhiyay

EC2 > Instances

Instances (1) Info

Last updated less than a minute ago

Connect

Instance state

Actions

Launch instances

Find Instance by attribute or tag (case-sensitive)

All states

< 1 >

☐	Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IPv4
☐	Jenkins-Server	i-0acd215ab5ea69995	Running	t2.micro	Initializing	View alarms +	us-east-1c	ec2-44-212

Select an instance

EC2

Dashboard

EC2 Global View

Events

Instances

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Images

AMIs

AMI Catalog

Elastic Block Store

Volumes

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

ENG IN 19:35 11-09-2025

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0acd215ab5ea69995&osUser=ubuntu®ion=us-east-1

Chrome Web Store... WhatsApp Star Agile LMS: Log... Amazon Web Servic... Webminal - Learn a... Anmolrock/testrepo... Linux-Practise-Hack... Linux Free Labs Python Assignments All Bookmarks

aws Search [Alt+S] United States (N. Virginia) Account ID: 8160-6916-5151 Anmol Upadhiyay

```
sudo apt-get update -y

# Install Java (Jenkins requires Java to run)
sudo apt-get install -y openjdk-17-jdk

sudo wget -O /etc/apt/keyrings/jenkins-keyring.asc https://pkg.jenkins.io/debian-stable/jenkins.io-2023.key
echo "deb [signed-by=/etc/apt/keyrings/jenkins-keyring.asc] https://pkg.jenkins.io/debian-stable binary/" | sudo tee /etc/apt/sources.list.d/jenkins.list > /dev/null

# Update package lists to include Jenkins repository
sudo apt-get update -y

# Install Jenkins
sudo apt-get install -y jenkins

# Start Jenkins
sudo systemctl start jenkins

# Enable Jenkins to start at boot
sudo systemctl enable jenkins

# Print the initial Jenkins admin password
echo "Jenkins installed successfully!"
echo "You can access Jenkins at http://<your-server-ip>:8080"
echo "Use the following command to retrieve your initial Jenkins admin password:"
echo "sudo cat /var/lib/jenkins/secrets/initialAdminPassword"

"jenkins.sh" 28L, 950B
```

i-0acd215ab5ea69995 (Jenkins-Server)

PublicIPs: 44.212.13.200 PrivateIPs: 172.31.92.191

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Windows Taskbar

ENG IN 19:38 11-09-2025


```
Scanning linux images... [
Scanning linux images... [=====
Scanning linux images... [=====
Scanning linux images... [=====
Scanning linux images... [=====
Scanning linux images... [=====

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
Synchronizing state of jenkins.service with SysV service script with /lib/systemd/systemd-sysv-install.
Executing: /lib/systemd/systemd-sysv-install enable jenkins
Jenkins installed successfully!
You can access Jenkins at http://<your-server-ip>:8080
Use the following command to retrieve your initial Jenkins admin password:
sudo cat /var/lib/jenkins/secrets/initialAdminPassword
root@ip-172-31-92-191:~# ls
jenkins.sh  snap
root@ip-172-31-92-191:~# vi jenkins.sh
root@ip-172-31-92-191:~#
```

i-0acd215ab5ea69995 (Jenkins-Server)

Public IPs: 44.212.13.200 Private IPs: 172.31.92.191

Getting Started

Unlock Jenkins

To ensure Jenkins is securely set up by the administrator, a password has been written to the log ([not sure where to find it?](#)) and this file on the server:

```
/var/lib/jenkins/secrets/initialAdminPassword
```

Please copy the password from either location and paste it below.

Administrator password

.....

Continue

←

→

↻

🏠

⚠️ Not secure

44.212.13.200:8080/manage/pluginManager/installed

☆

🔒

🔧

⋮

Chrome Web Store...WhatsAppStar Agile LMS: Log...Amazon Web Servic...Webminal - Learn a...Anmolrock/testrepo...Linux-Practise-Hack...Linux Free LabsPython Assignments»All Bookmarks

Jenkins

Manage Jenkins / Plugins

🔍🔧👤

Plugins

🔄 Updates

📦 Available plugins

🔧 Installed plugins

⚙️ Advanced settings

🔍 Search installed plugins

Name ↓	Health	Enabled	
Amazon Web Services SDK 2 :: Core 2.33.4-62.vc1a_8df64b_4c9 Core modules for the AWS SDK for Java. Report an issue with this plugin	100	☒	☐
Amazon Web Services SDK 2 :: EC2 2.33.4-62.vc1a_8df64b_4c9 EC2 module for the AWS SDK for Java. Report an issue with this plugin	100	☒	☐
Amazon Web Services SDK :: Autoscaling 1.12.780-480.v4a_0819121a_9e Autoscaling module for the AWS SDK for Java. Report an issue with this plugin	100	☒	☐
Amazon Web Services SDK :: CloudFormation 1.12.780-480.v4a_0819121a_9e CloudFormation module for the AWS SDK for Java. Report an issue with this plugin	100	☒	☐
Amazon Web Services SDK :: CloudWatch 1.12.780-480.v4a_0819121a_9e CloudWatch module for the AWS SDK for Java. Report an issue with this plugin	100	☒	☐
Amazon Web Services SDK :: EC2 1.12.780-480.v4a_0819121a_9e EC2 module for the AWS SDK for Java. Report an issue with this plugin	100	☒	☐



ENG IN 🔊 19:48 11-09-2025

▼

Anmolrock/devops-nodejs-ci-cd

Instance details | EC2 | us-east-

EC2 Instance Connect | us-east-

New Item - Jenkins

+

←

→

↺

🏠

Not secure 44.212.13.200:8080/view/all/newJob

☆

🔒

🔧

⋮

📦

Chrome Web Store...

WhatsApp

Star Agile LMS: Log...

Amazon Web Servic...

Webminal - Learn a...

Anmolrock/testrepo...

Linux-Practise-Hack...

Linux Free Labs

Python Assignments

»

📁 All Bookmarks

 Jenkins

/ All / New Item

🔍

⚙️

👤

New Item

Enter an item name

devops-nodejs-ci-cd

Select an item type

 **Freestyle project**
Classic, general-purpose job type that checks out from up to one SCM, executes build steps serially, followed by post-build steps like archiving artifacts and sending email notifications.

 **Pipeline**
Orchestrates long-running activities that can span multiple build agents. Suitable for building pipelines (formerly known as workflows) and/or organizing complex activities that do not easily fit in free-style job type.

 **Multi-configuration project**
Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.

 **Folder**
Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.

OK



ENG
IN

🔊

19:49
11-09-2025

Anmolrock/devops-nodejs x Instance details | EC2 | us-c EC2 Instance Connect | us- devops-nodejs-ci-cd Confi x anmol upadhayay | Docker x hub.docker.com/repositor x

hub.docker.com/repository/create?namespace=anmol792

Chrome Web Store... WhatsApp Star Agile LMS: Log... Amazon Web Servic... Webminal - Learn a... Anmolrock/testrepo... Linux-Practise-Hack... Linux Free Labs Python Assignments All Bookmarks

hub Explore My Hub

Search Docker Hub CtrlK

anmol792 Docker Personal

Repositories Collaborations Settings Default privacy Notifications Billing Usage Pulls Storage

Repositories / Create

Using 0 of 1 private repositories. [Get more](#)

Create repository

Repository Name *
devops-nodejs

Short description
devops-nodejs

A short description to identify your repository. If the repository is public, this description is used to index your content on Docker Hub and in search engines, and is visible to users in search results.

Visibility

Using 0 of 1 private repositories. [Get more](#)

☒ Public 
Appears in Docker Hub search results

☐ Private 
Only visible to you

Cancel Create

Pushing images

You can push a new image to this repository using the CLI:

```
docker tag local-image:tagname new-repo:tagname
docker push new-repo:tagname
```

Make sure to replace `tagname` with your desired image repository tag.

19:51 11-09-2025

```
No services need to be restarted.
No containers need to be restarted.
No user sessions are running outdated binaries.
No VM guests are running outdated hypervisor (qemu) binaries on this host.
root@ip-172-31-92-191:~# sudo usermod -aG docker jenkins
root@ip-172-31-92-191:~# vi deploy.sh
root@ip-172-31-92-191:~# ^C
root@ip-172-31-92-191:~# systemctl restart jenkins
root@ip-172-31-92-191:~# ls
deploy.sh  jenkins.sh  snap
root@ip-172-31-92-191:~# rm deploy.sh
root@ip-172-31-92-191:~# ls
jenkins.sh  snap
root@ip-172-31-92-191:~# vi deploy.sh
root@ip-172-31-92-191:~# vi deploy.sh
root@ip-172-31-92-191:~# apt update
Hit:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu jammy InRelease
Hit:2 http://us-east-1.ec2.archive.ubuntu.com/ubuntu jammy-updates InRelease
Hit:3 http://us-east-1.ec2.archive.ubuntu.com/ubuntu jammy-backports InRelease
Ign:4 https://pkg.jenkins.io/debian-stable binary/ InRelease
Hit:5 https://pkg.jenkins.io/debian-stable binary/ Release
Hit:6 http://security.ubuntu.com/ubuntu jammy-security InRelease
Reading package lists... Done
```

i-0acd215ab5ea69995 (Jenkins-Server)

Public IPs: 44.212.13.200 Private IPs: 172.31.92.191


```
-----Scanning processes... [=====
-----Scanning processes... [=====
-----Scanning processes... [=====
-----Scanning processes... [=====
Scanning linux images... [=====
ing linux images... [=====
inux images... [=====
images... [=====
S...
Running kernel seems to be up-to-date.
No services need to be restarted.
No containers need to be restarted.
No user sessions are running outdated binaries.
No VM guests are running outdated hypervisor (qemu) binaries on this host.
root@ip-172-31-92-191:~# aws configure
AWS Access Key ID [None]: AKIA34AMDIBP67UUBRWF
AWS Secret Access Key [None]: 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
Default region name [None]: us-east-1
Default output format [None]: json
root@ip-172-31-92-191:~#
```

i-0acd215ab5ea69995 (Jenkins-Server)

PublicIPs: 44.212.13.200 PrivateIPs: 172.31.92.191

us-east-1.console.aws.amazon.com/iam/home?region=us-east-1#/users/details/ANMOL?section=permissions

Chrome Web Store... WhatsApp Star Agile LMS: Log... Amazon Web Servic... Webminal - Learn a... Anmolrock/testrepo... Linux-Practise-Hack... Linux Free Labs Python Assignments All Bookmarks

aws Search [Alt+S]

Global Account ID: 8160-6916-5151 Anmol Upadhyay

IAM > Users > ANMOL

Identity and Access Management (IAM)

Search IAM

Dashboard

Access management

User groups

Users

Roles

Policies

Identity providers

Account settings

Root access management

Access reports

Access Analyzer

Resource analysis

Unused access

Analyzer settings

2 policies added to ANMOL

Permissions are defined by policies attached to the user directly or through groups.

Search

Filter by Type

All types

< 1 >

☐	Policy name	Type	Attached via
☐	AdministratorAccess	AWS managed ...	Directly
☐	AmazonEC2FullAcc...	AWS managed	Directly
☐	AmazonECS_FullAc...	AWS managed	Directly
☐	AmazonS3FullAccess	AWS managed	Directly
☐	AmazonVPCFullAc...	AWS managed	Directly
☐	CloudWatchLogsF...	AWS managed	Directly
☐	IAMFullAccess	AWS managed	Directly

Permissions boundary (not set)

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

ENG IN 20:42 11-09-2025

Create role | IAM | Global

us-east-1.console.aws.amazon.com/iam/home?region=us-east-1#/roles/create

Chrome Web Store...WhatsAppStar Agile LMS: Log...Amazon Web Servic...Webminal - Learn a...Anmolrock/testrepo...Linux-Practise-Hack...Linux Free LabsPython AssignmentsAll Bookmarks

awsSearch[Alt+S]

GlobalAccount ID: 8160-6916-5151Anmol Upadhyay

IAM > Roles > Create role

Add permissions

Step 3

Name, review, and create

Trusted entity type

☒ AWS service
Allow AWS services like EC2, Lambda, or others to perform actions in this account.

☐ AWS account
Allow entities in other AWS accounts belonging to you or a 3rd party to perform actions in this account.

☐ Web identity
Allows users federated by the specified external web identity provider to assume this role to perform actions in this account.

☐ SAML 2.0 federation
Allow users federated with SAML 2.0 from a corporate directory to perform actions in this account.

☐ Custom trust policy
Create a custom trust policy to enable others to perform actions in this account.

Use case

Allow an AWS service like EC2, Lambda, or others to perform actions in this account.

Service or use case

Elastic Container Service

Choose a use case for the specified service.

Use case

☒ Elastic Container Service
Allows ECS to create and manage AWS resources on your behalf.

☐ Elastic Container Service Autoscale
Allows Auto Scaling to access and update ECS services.

CloudShellFeedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

ENG IN21:0911-09-2025

```
After this operation, 187 MB of additional disk space will be used.
Get:1 https://deb.nodesource.com/node_18.x nodistro/main amd64 nodejs amd64 18.20.8-1nodesource1 [29.7 MB]
Fetched 29.7 MB in 0s (64.1 MB/s)
Selecting previously unselected package nodejs.
(Reading database ... 93628 files and directories currently installed.)
Preparing to unpack .../nodejs_18.20.8-1nodesource1_amd64.deb ...
Unpacking nodejs (18.20.8-1nodesource1) ...
Setting up nodejs (18.20.8-1nodesource1) ...
Processing triggers for man-db (2.10.2-1) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
root@ip-172-31-92-191:~# node -v
v18.20.8
root@ip-172-31-92-191:~# npm -v
10.8.2
root@ip-172-31-92-191:~#
```

i-0acd215ab5ea69995 (Jenkins-Server)

Public IPs: 52.55.12.20 Private IPs: 172.31.92.191

Cluster services | Elastic Contain... Instance details | EC2 | us-east-... 3.235.225.61 (4500x4500) devops-nodejs-ci-cd Config -

Not secure 52.23.173.117:8080/job/devops-nodejs-ci-cd/configure

Chrome Web Store... WhatsApp Star Agile LMS: Log... Amazon Web Servic... Webminal - Learn a... Anmolrock/testrepo... Linux-Practise-Hack... Linux Free Labs Python Assignments All Bookmarks

Jenkins / devops-nodejs-ci-cd / Configuration

Configure

- General
- Triggers
- Pipeline
- Advanced

Pipeline script

Script ?

```
1 pipeline{
2   agent any
3
4   environment{
5     REGISTRY = 'anmol792/devops-nodejs'
6     IMAGE_TAG = "${env.BUILD_NUMBER}"
7   }
8
9   stages{
10    stage('Code-Checkout'){
11      steps{
12        git branch: 'dev', url: 'https://github.com/Anmolrock/devops-nodejs-ci-cd.git'
13      }
14    }
15  }
```

☒ Use Groovy Sandbox ?

Pipeline Syntax

Save Apply

01:17 12-09-2025

Cluster services | Elastic Contain... | Instance details | EC2 | us-east-... | 3.235.225.61 (4500x4500) | devops-nodejs-ci-cd Config - ...

Not secure 52.23.173.117:8080/job/devops-nodejs-ci-cd/configure

Chrome Web Store... WhatsApp Star Agile LMS: Log... Amazon Web Servic... Webminal - Learn a... Anmolrock/testrepo... Linux-Practise-Hack... Linux Free Labs Python Assignments All Bookmarks

 Jenkins / devops-nodejs-ci-cd / Configuration

Configure

- General
- Triggers
- Pipeline
- Advanced

Pipeline

Define your Pipeline using Groovy directly or pull it from source control.

Definition

Pipeline script

Script ?

```
35     docker.withRegistry('https://index.docker.io/v1/', 'dockerhub-credentials') {
36         docker.image("${REGISTRY}:${IMAGE_TAG}").push()
37     }
38 }
39 }
40 }
41
42 stage('Deploy to AWS ECS'){
43     steps{
44         sh 'chmod +x deploy.sh'
45         sh './deploy.sh'
46     }
47 }
48 }
49 }
```

Save

Apply



ENG IN 01:17 12-09-2025

Cluster services | Elastic Contain...

Instance details | EC2 | us-east-...

3.235.225.61 (4500x4500)

devops-nodejs-ci-cd - Jenkins

Not secure 52.23.173.117:8080/job/devops-nodejs-ci-cd/

Chrome Web Store... WhatsApp Star Agile LMS: Log... Amazon Web Servic... Webminal - Learn a... Anmolrock/testrepo... Linux-Practise-Hack... Linux Free Labs Python Assignments All Bookmarks

Jenkins

devops-nodejs-ci-cd

Status

Changes

Build Now

Configure

Delete Pipeline

Full Stage View

Stages

Rename

Pipeline Syntax

Credentials

devops-nodejs-ci-cd

Add description

Stage View

Average stage times:
(full run time: ~22s)

	Code-Checkout	Build the Code	Dockerize an Application	Push to DockerHub Registry	Deploy to AWS ECS
#8 Sep 12 00:48 1 commit	867ms	3s	3s	5s	2s
#7 Sep 12 00:23 No Changes	1s	3s	4s	6s	2s

Builds

Filter /

Today

#8 7:18 PM

#7 6:53 PM

Permalinks

- Last build (#8), 29 min ago
- Last stable build (#8), 29 min ago
- Last successful build (#8), 29 min ago
- Last completed build (#8), 29 min ago

01:18

ENG IN

12-09-2025

```
root@ip-172-31-92-191:~# docker ps
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS    PORTS   NAMES
root@ip-172-31-92-191:~# docker images
REPOSITORY    TAG       IMAGE ID       CREATED        SIZE
anmol792/devops-nodejs   8         6cd293f8bcdd   30 minutes ago   1.09GB
anmol792/devops-nodejs   7         ed443d210728   36 minutes ago   1.09GB
anmol792/devops-nodejs   <none>    f8754050e3cc   55 minutes ago   1.09GB
anmol792/devops-nodejs   6         775f7c81cald   3 hours ago     1.09GB
anmol792/devops-nodejs   5         a1290b13842b   3 hours ago     1.09GB
node            18        b50082bc3670   5 months ago     1.09GB
root@ip-172-31-92-191:~#
```

i-0acd215ab5ea69995 (Jenkins-Server)

Public IPs: 52.23.173.117 Private IPs: 172.31.92.191

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences



ENG IN 01:19 12-09-2025

Cluster services | Bl...Instance details | EC2...EC2 Instance Connect...3.235.225.61 (4500...devops-nodejs-ci-cd...anmol upadhyay |...anmol792/devops-n...

hub.docker.com/repository/docker/anmol792/devops-nodejs/general

Chrome Web Store...WhatsAppStar Agile LMS: Log...Amazon Web Servic...Webminal - Learn a...Anmolrock/testrepo...Linux-Practise-Hack...Linux Free LabsPython AssignmentsAll Bookmarks

hubExploreMy Hub

Search Docker HubCtrlK

anmol792Docker Personal

RepositoriesCollaborationsSettingsDefault privacyNotificationsBillingUsagePullsStorage

Repositories / devops-nodejs / General

anmol792/devops-nodejs

Last pushed 32 minutes ago · Repository size: 381.5 MB

devops-nodejs

Add a category

Using 0 of 1 private repositories. [Get more](#)

Docker commands

To push a new tag to this repository:

```
docker push anmol792/devops-nodejs:tagname
```

Public view

GeneralTagsImage ManagementBETACollaboratorsWebhooksSettings

Tags

DOCKERSOULT INACTIVE

Activate

This repository contains 2 tag(s).

Tag	OS	Type	Pulled	Pushed
8		Image	less than 1 day	32 minutes
7		Image	less than 1 day	about 1 hour

[See all](#)

buildcloud

Build with Docker Build Cloud

Accelerate image build times with access to cloud-based builders and shared cache.

Docker Build Cloud executes builds on optimally-dimensioned cloud infrastructure with dedicated per-organization isolation.

Get faster builds through shared caching across your team, native multi-platform support, and encrypted data transfer - all without managing infrastructure.

Windows Taskbar

ENG IN

01:2012-09-2025

Task definition containers | Elastic Container Service

Instance details | EC2 | us-east-1

EC2 Instance Connect | us-east-1

3.235.225.61 (4500x4500)

devops-nodejs-ci-cd - Jenkins

us-east-1.console.aws.amazon.com/ecs/v2/task-definitions/devops-task/4/containers

Chrome Web Store...WhatsAppStar Agile LMS: Log...Amazon Web Service...Webminal - Learn a...Anmolrock/testrepo...Linux-Practise-Hack...Linux Free LabsPython AssignmentsAll Bookmarks

awsSearch[Alt+S]

United States (N. Virginia)Account ID: 8160-6916-5151Anmol Upadhyay

Amazon Elastic Container Service

ClustersNamespacesTask definitionsAccount settings

Amazon ECRRepositoriesAWS BatchDocumentationDiscover productsSubscriptionsTell us what you think

devops-task:4

Last updatedSeptember 12, 2025, 01:20 (UTC+5:30)

DeployActionsCreate new revision

OverviewInfo

ARN
arn:aws:ecs:us-east-1:816069165151:task-definition/devops-task:4

Status
ACTIVE

Time created
September 12, 2025, 00:52 (UTC+5:30)

App environment
Fargate

Task role
-

Task execution role
ecsTaskExecutionRole

Operating system/Architecture
Linux/X86_64

Network mode
awsvpc

Fault injection
Turned off

ContainersJSONTask placementVolumes (0)Requires attributesTags

Task size

Task CPU
256 units (0.25 vCPU)

Task CPU maximum allocation for containers

Task memory
512 MiB (0.5 GB)

Task memory maximum allocation for container memory reservation

CPU (unit)Memory (MiB)

© 2025, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

ENG IN01:21 12-09-2025

Service health and metrics | Ela

Instance details | EC2 | us-east-

EC2 Instance Connect | us-east-

3.235.225.61 (4500x4500)

devops-nodejs-ci-cd - Jenkins

us-east-1.console.aws.amazon.com/ecs/v2/clusters/devops-cluster/services/devops-service/health?region=us-east-1

Chrome Web Store...WhatsAppStar Agile LMS: Log...Amazon Web Servic...Webminal - Learn a...Anmolrock/testrepo...Linux-Practise-Hack...Linux Free LabsPython AssignmentsAll Bookmarks

awsSearch[Alt+S]

United States (N. Virginia)Account ID: 8160-6916-5151Anmol Upadhyay

Amazon Elastic Container Service

Clusters

Namespaces

Task definitions

Account settings

Amazon ECR

Repositories

AWS Batch

Documentation

Discover products

Subscriptions

Tell us what you think

devops-service

Info

Last updatedSeptember 12, 2025, 01:21 (UTC+5:30)

Delete service

Update service

Service overview

Info

StatusActive

Tasks (1 Desired)0 Pending | 1 Running

Task definition: revisiondevops-task:4

Deployment statusSuccess

Health and metrics

Tasks

Logs

Deployments

Events

Configuration and networking

Service auto scaling

Tags

Status

Info

Service namedevops-service

Service ARNarn:aws:ecs:us-east-1:816069165151:service/devops-cluster/devops-service

Deployments current state1 Completed task

Created atSeptember 12, 2025, 00:23 (UTC+5:30)

Health check grace period0 seconds

Health

Alarm

Investigate with AI - new

3h

1d

1w

UTC timezone

Explore related

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

ENG

IN

01:21

12-09-2025

Task definition containers | ElasCloudWatch | us-east-1Instance details | EC2 | us-east-

us-east-1.console.aws.amazon.com/cloudwatch/home?region=us-east-1#logsV2:log-groups/log-group/\$252Fecs\$252Fdevops-task/log-events/ecs\$252Fdevops-nodejs\$252F8539a...

Chrome Web Store...WhatsAppStar Agile LMS: Log...Amazon Web Servic...Webminal - Learn a...Anmolrock/testrepo...Linux-Practise-Hack...Linux Free LabsPython AssignmentsAll Bookmarks

awsSearch[Alt+S]

United States (N. Virginia)Account ID: 8160-6916-5151Anmol Upadhiyay

CloudWatchLog groups/devops-taskecs/devops-nodejs/8539a9ddd8de4463a04240e7d1ff2122

Log events

You can use the filter bar below to search for and match terms, phrases, or values in your log events. [Learn more about filter patterns](#)

Filter events - press enter to search

Clear1m30m1h12hCustomUTC timezoneDisplay

Timestamp	Message
	No older events at this moment. Retry
2025-09-11T19:30:58.561Z	Server running on http://localhost:3000
	No newer events at this moment. <i>Auto retry paused.</i> Resume

CloudShellFeedback

© 2025, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

ENG IN01:2912-09-2025

Task networking | Elastic ContaiCloudWatch | us-east-1Instance details | EC2 | us-east-

us-east-1.console.aws.amazon.com/ecs/v2/clusters/devops-cluster/tasks/8539a9ddd8de4463a04240e7d1ff2122/networking?region=us-east-1

Chrome Web Store...WhatsAppStar Agile LMS: Log...Amazon Web Servic...Webminal - Learn a...Anmolrock/testrepo...Linux-Practise-Hack...Linux Free LabsPython AssignmentsAll Bookmarks

awscloudwatchUnited States (N. Virginia)Account ID: 8160-6916-5151Anmol Upadhiyay

Amazon Elastic Container Service > Clusters > devops-cluster > Tasks > 8539a9ddd8de4463a04240e7d1ff2122 > Networking

8539a9ddd8de4463a04240e7d1ff2122Last updatedSeptember 12, 2025, 01:34 (UTC+5:30)Stop

ConfigurationMetricsNewLogsNetworkingVolumes (0)Tags

Network

ENI ID
eni-0694d745cf7db546c

Subnet
subnet-0858c679e0252db73

Security groups
sg-00b042143df07c4c2 (devops-sg)

Task role
-

Task execution role
ecsTaskExecutionRole

Public IP copied
3.235.225.61 | open address

Private IP
172.31.78.127

IPv6 address
-

MAC address
16:ffef:cc:1e:87

Run Reachability Analyzer

CloudShellFeedback© 2025, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferencesENG IN01:3412-09-2025

Cluster services | Elastic Contain

3.235.225.61 (4500x4500)

us-east-1.console.aws.amazon.com/ecs/v2/clusters/devops-cluster/services?region=us-east-1

Chrome Web Store...WhatsAppStar Agile LMS: Log...Amazon Web Servic...Webminal - Learn a...Anmolrock/testrepo...Linux-Practise-Hack...Linux Free LabsPython AssignmentsAll Bookmarks

awsSearch[Alt+S]

United States (N. Virginia)Account ID: 8160-6916-5151Anmol Upadhyay

Amazon Elastic Container ServiceClustersdevops-clusterServices

Amazon Elastic Container Service

Clusters

Namespaces

Task definitions

Account settings

Amazon ECR

Repositories

AWS Batch

Documentation

Discover products

Subscriptions

Tell us what you think

devops-cluster

Last updated September 12, 2025, 01:15 (UTC+5:30)

Update clusterDelete clusterLaunch

Cluster overview

ARN
arn:aws:ecs:us-east-1:816069165151:cluster/devops-cluster

Status
Active

CloudWatch monitoring
Default

Registered container instances
-

Services

Draining
-

Active
1

Tasks

Pending
-

Running
1

ServicesTasksInfrastructureMetricsScheduled tasksConfigurationTags

Services (1) Info

Last updated September 12, 2025, 01:15 (UTC+5:30)

Manage tagsUpdateDelete serviceCreate

Filter services by valueFilter launch typeAny launch typeFilter scheduling strategyAny scheduling strategy

	Service name	ARN	Status	Schedu...	Lau...	Task de...	Deployments and tasks	Last deploym
☐	devops-service	arn:aws:ecs:us-e	Active	REPLICA	FARG...	devops-ta...	1/1 Tasks running	Completed

CloudShellFeedback© 2025, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferencesENG IN01:1612-09-2025

