Opto-fMRI of Monoaminergic Systems and Psychotropic Drugs

Horea-Ioan Ioanas^{1,2}, Bechara Saab², Markus Rudin¹

¹Institute for Biomedical Engineering, ETH and University of Zurich ²Preclinical Laboratory for Translational Research into Affective Disorders, DPPP, Psychiatric Hospital, University of Zurich

January 6, 2017

img/ag1 reference $^{[1][2]}$

References

- [1] MARJAMKI P.

 IMAGING OF DOPAMINE AND SEROTONIN TRANSPORTERS
 Pre-Clinical Studies with Radiotracers for Positron Emission Tomography.

 PhD thesis. Turun Yliopisto University of Turku, 2011.
- [2] GREN S O, ERIKSSON T M, ELVANDER-TOTTIE E, DADDARIO C, EKSTRM J C, et al.

The role of 5-HT1A receptors in learning and memory[J/OL].

Behavioural Brain Research, 2008, 195(1): 54–77.

http://dx.doi.org/10.1016/j.bbr.2008.02.023.

DOI: 10.1016/j.bbr.2008.02.023.

ISSN: 0166-4328.

References

- [1] MARJAMKI P.

 IMAGING OF DOPAMINE AND SEROTONIN TRANSPORTERS
 Pre-Clinical Studies with Radiotracers for Positron Emission Tomography.

 PhD thesis. Turun Yliopisto University of Turku, 2011.
- [2] GREN S O, ERIKSSON T M, ELVANDER-TOTTIE E, DADDARIO C, EKSTRM J C, et al.

The role of 5-HT1A receptors in learning and memory[J/OL].

Behavioural Brain Research, 2008, 195(1): 54–77.

http://dx.doi.org/10.1016/j.bbr.2008.02.023.

DOI: 10.1016/j.bbr.2008.02.023.

ISSN: 0166-4328.