

Opto-fMRI of Monoaminergic Systems and Psychotropic Drugs

Horea-Ioan Ioanas^{1,2}, Bechara Saab², Markus Rudin¹

¹Institute for Biomedical Engineering, ETH and University of Zurich

²Preclinical Laboratory for Translational Research into Affective Disorders, DPPP,
Psychiatric Hospital, University of Zurich

January 6, 2017

img/ag1 reference^[1][2]

References

- [1] MARJAMKI P.
*IMAGING OF DOPAMINE AND SEROTONIN TRANSPORTERS -
Pre-Clinical Studies with Radiotracers for Positron Emission Tomography.*
PhD thesis. Turun Yliopisto University of Turku, 2011.

- [2] GREN S O, ERIKSSON T M, ELVANDER-TOTTIE E, DADDARIO C,
EKSTRM J C, et al.
*The role of 5-HT1A receptors in learning and memory[J/OL].
Behavioural Brain Research, 2008, 195(1): 54–77.*
<http://dx.doi.org/10.1016/j.bbr.2008.02.023>.
DOI: 10.1016/j.bbr.2008.02.023.
ISSN: 0166-4328.

References

- [1] MARJAMKI P.
IMAGING OF DOPAMINE AND SEROTONIN TRANSPORTERS - Pre-Clinical Studies with Radiotracers for Positron Emission Tomography.
PhD thesis. Turun Yliopisto University of Turku, 2011.

- [2] GREN S O, ERIKSSON T M, ELVANDER-TOTTIE E, DADDARIO C, EKSTRM J C, et al.
The role of 5-HT1A receptors in learning and memory[J/OL]. Behavioural Brain Research, 2008, 195(1): 54–77. <http://dx.doi.org/10.1016/j.bbr.2008.02.023>. DOI: 10.1016/j.bbr.2008.02.023. ISSN: 0166-4328.