# Presentation

ANN HU

## 主題

▶ 測試說明

在 KKBOX 我們會透過 RAT 來評估軟體的品質是否符合最基本的預期, 這類型的測試著重於測試廣度而非深度, 請協助 KKBOX 設計與建置其自動化測試方案來縮短每次測試所需時間.

- ▶ 測試功能
  - ▶ 線上精選
  - ▶ 播放
  - ▶ 搜尋
- ▶ 測試對象
  - ▶ KKBOX Web Player (可使用 Selenium 或其他類似工具)

# 測試介面


NTU Hiphop 台大...



體弱少女組-超謬

華夏金曲我最牛


豐華音樂家族 FORW...




#### RAT

- Platform
  - ▶ Windows 7 or 10, LINUX
- Browser
  - ▶ IE, Firefox, Chrome
- Function
  - KKBOX web player (https://play.kkbox.com/)
  - ▶ Login
  - ▶ 線上精選
  - ▶ 搜尋功能
    - Queryable
    - ▶ Input Character(中文, 英文, 特殊字元!@#\$%^&)
  - ▶ 播放功能


# Concept



## Selenium Grid




#### Grid console



# Demo


#### Selenium client

- Python IDE
- Python 3 or Anaconda
- ▶ Pip install selenium
- Firefox plug-ins(Firebug, FirePath, Selenium IDE, Xpath Checker)




### Selenium IDE

Selenium IDE Options	×
General Formats Plugins Locator Builders WebDriver	
Encoding of test files  UTF-8	
Default timeout value of recorded command in milliseconds (30s = 30 30000	)000ms)
Selenium Core extensions (user-extensions.js)	
	Browse
Selenium IDE extensions	
	Browse
Tips for extensions: Close and reopen Selenium IDE window to make of You can specify multiple files separated by commas.	:hanges effect.
✓ Remember base URL	
Record assertTitle automatically	
Record absolute URL	
Activate developer tools	
☐ Visual assist (restart of Selenium IDE is required)	
☑ Enable experimental features	
Disable format change warning messages	
Start recording immediately on open	



## FirePath



#### Reference

- http://docs.seleniumhq.org/
- https://gist.github.com/dzitkowskik/0fc641cf59af0dc3de62
- ▶ java -jar selenium-server-standalone-3.4.0.jar -h