



Alkacon Software GmbH

An der Wachsfabrik 13
DE - 50996 Köln (Cologne)

Geschäftsführer / CEO
Alexander Kandzior

Amtsgericht Köln
HRB 54613

Tel: +49 (0)2236 3826 - 0
Fax: +49 (0)2236 3826 - 20

<http://www.alkacon.com>
<http://www.opencms.org>

Alkacon Software GmbH

Technote

Alkacon OAMP Comments Module

Version: 1.0.1

Date: Monday, June 15, 2009

1 Table of Content

1	Table of Content	2
2	Abstract	3
3	General purpose of the Alkacon OAMP Comments Module	3
4	Installation	3
5	Module usage	4
5.1	Creating an Alkacon Comments Configuration.....	4
5.2	Editing an Alkacon Comments configuration	5
5.3	Enabling comments with a given configuration.....	9
5.3.1	Template adjustment.....	9
5.3.2	Using the right comments configuration file	9
5.3.3	Stylesheet and javascript inclusion.....	9
5.3.4	Personalized comment fields	10
6	Frontend view	11
7	Implementation details	15

2 Abstract

This document describes the installation, configuration and usage of the Alkacon OpenCms Add-On Module Package Comments. With the Comments module, it is possible to create highly configurable blog comments without HTML knowledge.

Once created, configured and published, a comment form may be filled out by website visitors to comment a page.

Note: This module extends the Alkacon OAMP Webform Module, so please also read that module's documentation.

3 General purpose of the Alkacon OAMP Comments Module

The module extends a basic OpenCms installation with the capability to create highly configurable online blog comments. It provides the following features:

- Free definable comment form with and without captcha field.
- Comment moderation option.
- Comment administration in 'direct edit' style.
- Different security levels and user restriction.
- Web 2.0 HTML technologies usage.

4 Installation

Note: To use the Alkacon OAMP Comments module, you need at least OpenCms version 7.5.0. The module is not compatible with older OpenCms versions.

Note: This module extends the Alkacon OAMP Webform Module, so you have to install that module before continuing. Please have in mind that you need at least version 1.3.1, older versions will not work correctly.

Note: If you are running OpenCms 7.0.5 you have to use version 1.0.0 of the comments module (available at http://www.alkacon.com/downloads/alkacon/Alkacon_OAMP_Comments_1.0.0.zip) along with version 1.3.0 of the OAMP Webform module (available at http://www.alkacon.com/downloads/alkacon/Alkacon_OAMP_Webform_1.3.0.zip). There is no version compatible with older OpenCms versions.

Step by step installation procedure:

1. Go to the OpenCms Administration view
2. Click "Module Management" and select either "Import Module from Server" if the module was placed in the **WEB-INF/packages/modules/** folder of your OpenCms installation, or select "Import Module with HTTP" to upload the module from your local file system
3. Select the Alkacon OAMP Comments module zip file
com.alkacon.opencms.comments_1.0.x.zip to import

4. Check if the jar file `com.alkacon.opencms.comments.jar` has been deployed in the `WEB-INF/lib/` folder after installation
5. Restart your servlet container afterwards

5 Module usage

After successful installation of the Comments module, it is ready to use. New comment forms can be set up by creating a new resource of the type "Alkacon Comments Element".

5.1 Creating an Alkacon Comments Configuration

To create a new Comments Form the "new" dialog in OpenCms has to be used:

1. Click "New" in the Top Bar of the OpenCms Workplace.
2. In the following dialog click "Structured content" and then "Continue".
3. Then select "Alkacon Comments Configuration" and "Continue".
4. In the following dialog enter the name of the new file.

→ A new file of type "alkacon-comment" will be created and be visible in the Explorer view.




Figure 1: The 2nd stage of the new dialog to create an Alkacon Comment configuration.

Normally, you will create this kind of files in a separate area of your site, for instance, in a `/system/` folder or under the `_config_` of template two, or the `_configuration` folder of template one. Just be sure the Guest user can read it.

A good starting point is to check the sample configuration file:

`/system/modules/com.alkacon.opencms.comments/docs/comments.xml`

5.2 Editing an Alkacon Comments configuration

Comment forms are edited by clicking their file symbol in the OpenCms explorer with the right mouse button and choose "edit" from the popup – menu.

The XML content editor for the Comment forms appears.

You will see that the structure of the form is very similar to the one for generic Webforms, some fields has been repositioned and renamed, other few added. One can add as many labelled fields as desired to collect data.

Language: English

Moderated: ☒

Comments per page: 5

Security Level: ☐ View and write comments without log in.
☒ Only view comments without log in, and log in needed for writing.
☐ Log in needed for viewing and writing comments.
☐ Everybody can write, but only administrators can view.

Comments Options:

Organizational Unit: (Click on the "New" button on the right side to activate this element)

Group: (Click on the "New" button on the right side to activate this element)

Minimized start: ☒

Offer Login: ☐

Stylesheet: (Click on the "New" button on the right side to activate this element)

Resource Bundle: (Click on the "New" button on the right side to activate this element)

Comment Form header text: (Click on the "New" button on the right side to activate this element)

Form field [1]:

Type: Text input

Label: Your name:|name

Mandatory: ☒

Default value: (Click on the "New" button on the right side to activate this element)

Validation: (Click on the "New" button on the right side to activate this element)

Error Message: (Click on the "New" button on the right side to activate this element)

Form field [2]:

Type: Email field

Label: Your Email (will not be shown):|email

Mandatory: ☒

Default value: (Click on the "New" button on the right side to activate this element)

Validation: (Click on the "New" button on the right side to activate this element)

Error Message: (Click on the "New" button on the right side to activate this element)

Form field [3]:

Type: Text input

Label: Subject:|subject

Mandatory: ☒

Default value: (Click on the "New" button on the right side to activate this element)

Validation: (Click on the "New" button on the right side to activate this element)

Error Message: (Click on the "New" button on the right side to activate this element)

Form field [4]:

Type: Text area

Label: Your comment:|comment

Mandatory: ☒

Default value: (Click on the "New" button on the right side to activate this element)

User (Admin) logged in at 7/14/08 4:56 PM from 127.0.0.1

Figure 2: Alkacon OpenCms Comment configuration editor with comments options (1/2).

Here the most important is the Comments Options section, offering following options:

- **Moderated:**
 If selected the comments have to be approved to be displayed. In this case, the comments can have 3 states:
 - a. **New:** Will be displayed only to managers until they are approved
 - b. **Approved:** Will be displayed to everyone
 - c. **Blocked:** Will be displayed only to managers

Moderators are all users having write permissions on the commented page, these users

will have additional options for approving, blocking and deleting comments when viewing the file logged in and in the offline project, like direct edit. Additionally they will also see more details, like for instance, the email address of the writers.

- **Comments per page:**
Select the preferred number of comments to display in a single page.
- **Security Level:**
There are 3 different security levels:
 - a. **None:** View and write comments without log in
 - b. **Write:** Only view comments without log in, and log in needed for writing.
 - c. **View:** Log in needed for viewing and writing comments.
 - d. **No View:** Everybody can write, but only managers can view.

If security level is view or write, then only users belonging to at least one of the given organizational units or groups are allowed to read or write comments. If no organizational unit and no group are defined, all users are allowed.



- **Organizational Units:**
A list of organizational Units
- **Groups:**
A list of groups
- **Minimized start:**
If set, the user gets only a link to open the comments, if not, the comments are immediately displayed.
- **Offer Login:**
If set, guest users will get a login to form as a possibility to access to restricted functionality.
- **Stylesheet:**
Here you can set your own style sheet file.
- **Resource Bundle:**
Here you can set your own frontend resource bundle.

Be aware, as shown in figure 3, in the notification mail text, that you can use all the field names as macros, and additionally you can use following macros:

- **date:** the current date
- **url:** the page link

Additionally, if using the `com.alkacon.opencms.comments.CmsCommentDynamicFields` class name for the “Dynamic field class” option in the “Advanced Configuration”, you can use three different dynamic fields to store some additional information, these are:

- **username:** Login name of the user (if not logged in, Guest)
- **locale:** The locale of the comment
- **ipaddress:** The remote IP Address



Language
English

Form field [7]:

Label:
Mandatory: ☐
Default value: (Click on the "New" button on the right side to activate this element)
Validation: (Click on the "New" button on the right side to activate this element)
Error Message: (Click on the "New" button on the right side to activate this element)

Captcha Field:

Label:
Preset:

Comment Form footer text:

(Click on the "New" button on the right side to activate this element)

Mail Alert:

Mail from:
Mail to: (Click on the "New" button on the right side to activate this element)
To responsible: ☒
Mail CC: (Click on the "New" button on the right side to activate this element)
Mail BCC: (Click on the "New" button on the right side to activate this element)
Mail subject:

A new comment for %(url) has been added by %(name) (%(email)) at %(date):
%(comment)

Mail text:

Mail type:

Confirmation text:

Thank you very much for your comment.

Your comment has been successful submitted and will be reviewed and published as soon as possible.

Sincerely,
The OpenCms Team

Advanced configuration:

Enable mandatory marks: ☒
Form attributes:
Field attributes:
Dynamic fields class:

User Michael Moossen (Admin) logged in at 5/23/08 2:39 PM from 127.0.0.1 [OU root organizational unit]

Figure 3: Alkacon OpenCms Comment configuration editor with comments options (2/2).

© Alkacon Software GmbH

Page 8 of 16

5.3 Enabling comments with a given configuration

There are three things to take care of, first to include the comment render element in the right position in your template, second is to set the 'comments' property to point to the Comments configuration file to use and last is to correctly include style sheets and java scripts in your template.

5.3.1 Template adjustment

Just insert the following code in the right place in your template:

```
<!-- COMMENTS START -->
<c:set var="comments"><cms:property name="comments" file="search"/></c:set>
<c:if test="${!empty comments}">
    <cms:include
file="%{link.weak:/system/modules/com.alkacon.opencms.comments/elements/comment_main.jsp}" >
        <cms:param name="cmturi" value="${cms.requestContext.uri}" />
    </cms:include>
</c:if>
<!-- COMMENTS END -->
```

For instance, in template two, a good place would be in file `/system/modules/org.opencms.frontend/templatetwo/templates/main.jsp` close to the end in line 145 before the `<div class='clear'>` stuff. So the comments will appear at the end of the middle column. For a more sophisticated sample, check this file:

`/system/modules/com.alkacon.opencms.comments/docs/template_integration.txt`

5.3.2 Using the right comments configuration file

Additionally you will need to set the 'comments' property, for single files, or for a folder to enable comments for all files in the folder.

It could be that this property is not yet defined, in which case, you will have to create it first.

And the value of the property has to be a path to the comments configuration file to use, or a configuration file mapping name, for a more user friendly option.

Configuration file mappings are defined as module parameters (in the Administration View > Module Management > Click on the `com.alkacon.opencms.comments` Module > Module Parameters) where you can define parameters having as name: `config:<name>` and as value `<configuration file path>`. Where the `<name>` is a nice name like 'moderated-webuser' and the `<configuration file path>` is the path to the configuration file, like `/system/shared/comments/moderated-webuser.xml`. So you can use 'moderated-webuser' instead of `/system/shared/comments/moderated-webuser.xml` as 'comments' property value. A complete module parameter entry will look like:

`config:moderated-webuser=system/shared/comments/moderated-webuser.xml`

5.3.3 Stylesheet and javascript inclusion

By default, this is done in first place in the

`/system/modules/com.alkacon.opencms.comments/elements/comment_main.jsp`

After line 7, we have following code:

```
<cms:jquery dynamic='true' />
<cms:jquery js='jquery' dynamic='true' />
<cms:jquery js='jquery.pagination' css='pagination' dynamic='true' />
<cms:jquery js='thickbox' css='thickbox/thickbox' dynamic='true' />
<script type='text/javascript' >
<c:choose>
<c:when test="${!empty alkaconCmt.config.styleSheet}" >
load_script('<cms:link>${alkaconCmt.config.styleSheet}</cms:link>', 'css');
</c:when>
<c:otherwise>
load_script('<cms:link>%(link.weak:/system/modules/com.alkacon.opencms.commen
ts/resources/comments.css:96522ded-1204-11dd-8a3f-111d34530985)</cms:link>',
'css');
</c:otherwise>
</c:choose>
</script>
```

We include the JQuery javascript file as well as some plugins and the style sheet dynamically.

This works fine for us in Firefox 2/3 and Internet Explorer 6/7. But it may not work depending on your template. For instance, if you already include JQuery (or prototype) in your template.

In case it does not work, you will have to load the style sheet in the header of your template, you can also try to statically import the java script files using the normal `<script src="..." >` tag. In any case, it will be normally more difficult to get it to work correctly if you use our JQuery enabled Direct Edit Provider, so you can also try to use the old default provider, setting following in your `opencms-workplace.xml` configuration file:

```
<directeditprovider
class="org.opencms.workplace.editors.directedit.CmsDirectEditDefaultProvider" />
```

5.3.4 Personalized comment fields

If you use a different field configuration than given in the sample configuration file, for instance, you do not want the users to have to enter an email address, you will need to adjust the frontend output. You can easily do this, editing following elements:


`/system/modules/com.alkacon.opencms.comments/elements/comment_manager.jsp`

`/system/modules/com.alkacon.opencms.comments/elements/comment_view.jsp`

The first file is the element to render a comment for a manager and the second one for a normal frontend user.

6 Frontend view

Once integrated in your template and configured, you will see something like this:



The screenshot shows the OpenCms 7.0.5 Demo Website. The header includes the Alkacon logo, the site title "OpenCms 7.0.5 Demo Website", a search bar, and the OpenCms logo. A navigation bar contains links: "Welcome to OpenCms", "Release Notes", "OpenCms Demo", "Templateone", and "Modules". Below the navigation bar, a breadcrumb trail reads "OpenCms Demo [EN] » Welcome to the OpenCms Demo".

The main content area is divided into three columns. The left column contains a sidebar with a list of links: "Starting page", "Wurst Today", "Wurst Dictionary", "Wurst View", and "Wurst Extranet". Below this is a red box titled "OpenCms Workplace" containing text about the OpenCms file system and a link to the OpenCms Workplace at "/system/login".


The middle column features the main heading "Welcome to the OpenCms Demo". Below this is a paragraph: "This demo presents various features of OpenCms 7. The topic of the demo is 'the wonderful world of wurst'(*).". This is followed by another paragraph: "At each page of this demo, you will find **red boxes** used for explaining the OpenCms functions used for creating the elements of the page." Below this is a paragraph: "This demo was created using **Template Two, a configurable template** intended to be used as a starting point for developing your own web site with OpenCms. The look of the template can easily be changed using the configuration settings in the `_config_` directory." This is followed by a paragraph: "We hope you have fun discovering the possibilities of OpenCms, as well as the 'wonderful world of wurst'." Below this is a list of links: "• To the starting page of the German demo." and "• To the starting page of the English demo." Below this is a disclaimer: "(*) Disclaimer: No animal was harmed in the preparation of this demo."


The right column contains a red box titled "Infobox" containing text: "At each page of this demo, you will find red boxes like this one used to explain the OpenCms functions used to create the page."

Below the main content area is a section titled "User Comments". It contains a link: "Click here to post a new comment." Below this is a list of comments. The first comment is titled "a new nice test with a quite long subject" and is dated "July 15, 2008 9:49 AM - Guest:". The comment text is: "just testing link markup and paragraphs: see <http://www.alkacon.com/> bad intentions: alert(document.cookie);". The second comment is titled "Congratulations" and is dated "July 15, 2008 9:34 AM - Michael:". The comment text is: "The new comments module is so great!". The third comment is titled "a new test" and is dated "July 14, 2008 5:54 PM - test:". The comment text is: "testing...".

The footer contains the text: "Build with OpenCms - The Open Source CMS, provided by Alkacon Software - The OpenCms Experts".

Figure 4: Demo frontend view for a normal user


OpenCms 7.0.5 Demo Website
Welcome to the OpenCms Demo

Search


[Welcome to OpenCms](#)
[Release Notes](#)
[OpenCms Demo](#)
[Templateone](#)
[Modules](#)

OpenCms Demo [EN] » Welcome to the OpenCms Demo

[Starting page](#)
[Wurst Today](#)
[Wurst Dictionary](#)
[Wurst View](#)
[Wurst Extranet](#)

OpenCms Workplace
The **OpenCms Workplace** provides access to the OpenCms file system. Using the workplace, you can create, modify or delete pages, as well as change the structure of the website.
Use the following link to access the OpenCms Workplace:
/system/login

Welcome to the OpenCms Demo

This demo presents various features of OpenCms 7. The topic of the demo is "the wonderful world of wurst"(*).

At each page of this demo, you will find **red boxes** used for explaining the OpenCms functions used for creating the elements of the page.

This demo was created using **Template Two, a configurable template** intended to be used as a starting point for developing your own web site with OpenCms. The look of the template can easily be changed using the configuration settings in the `_config_` directory.

We hope you have fun discovering the possibilities of OpenCms, as well as the "wonderful world of wurst".

- To the starting page of the German demo.
- To the starting page of the English demo.

(*): Disclaimer: No animal was harmed in the preparation of this demo.

Infobox
At each page of this demo, you will find red boxes like this one used to explain the OpenCms functions used to create the page.

User Comments
Click here to post a new comment.

All | New | Blocked | Approved

Prev 1 2 3 Next

Fun
July 15, 2008 9:38 AM - **Tester:**
Username: **Admin**
Email: **test@test.cl**
IP Address: **127.0.0.1**
Comments: **12**
Just having fun!

Offending
July 15, 2008 9:37 AM - **Bad Guy:**
Username: **Admin**
Email: **bad@guy.com**
IP Address: **127.0.0.1**
Comments: **12**
some offending message with bad language

Congratulations
July 15, 2008 9:34 AM - **Michael:**
Username: **Admin**
Email: **m.moossen@alkacon.com**
IP Address: **127.0.0.1**
Comments: **12**
The new comments module is so great!

Build with OpenCms - The Open Source CMS, provided by Alkacon Software - The OpenCms Experts

Figure 5: Demo frontend view for a manager





Figure 6: Demo frontend view for the login dialog



[Search](#)

OpenCms 7.0.5 Demo Website

Welcome to the OpenCms Demo

[Welcome to OpenCms](#)
 [Release Notes](#)
 [OpenCms Demo](#)
 [Templateone](#)
 [Modules](#)

[OpenCms Demo \[EN\]](#) » Welcome to the OpenCms Demo

Starting page
Infobox

Post a comment

Your name:*	<input type="text" value="Michael"/>
Your Email (will not be shown):*	<input type="text" value="m.moossen@alkacon.com"/>
Subject:*	<input type="text" value="Test"/>

236 characters left

Your comment:*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aliquam porta. Aliquam erat volutpat. Morbi vitae purus sit amet augue rutrum rhoncus. Praesent quis nisl id velit mollis tempus. Maecenas eu diam. Suspendisse condimentum pede ac odio. Aenean vel nulla vel ipsum feugiat ornare. Integer dui arcu, rhoncus vitae, facilisis ac, pharetra et, nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Sed eget velit. Duis dignissim. Etiam felis. Maecenas elementum, dolor ut lacinia fermentum, urna erat bibendum urna, nec luctus diam nisi sit amet sapien. In hac habitasse platea dictumst. Quisque ut neque sed risus faucibus varius. Suspendisse at sem. Curabitur lectus nulla, lobortis in, consequat et, commodo quis, est.

Verification:*

a u d i t s

All fields marked with an asterisk (*) are mandatory.

a new test
 July 14, 2008 5:54 PM - test:
 testing...

Build with OpenCms - The Open Source CMS, provided by Alkacon Software - The OpenCms Experts

Figure 7: Demo frontend view for post dialog

7 Implementation details

The module is composed as described in figure 8:




Figure 8: Module structure

The **classes** folder contains the resource bundles used for localization. There are two resource bundles:

- **workplace**: for messages displayed in the workplace, mainly the xml content editor.
- **frontend**: for messages displayed in the frontend.

The **docs** folder contains a text file with the piece of code you need to include in your template, and a sample configuration file.

The **elements** folder is the more interesting with all JSP elements:

- **comment_actions.jsp**: executes all administrative actions, like approving, blocking and deleting comments.
- **comment_form.jsp**: this is the post form element
- **comment_header.jsp**: Renders the header of the comment list
- **comment_innerlist.jsp**: Renders the list of comments including pagination
- **comment_list.jsp**: Renders the list of comments including header
- **comment_main.jsp**: This is the main element to include in the template
- **comment_manager.jsp**: This element renders one comment with administration options
- **comment_page.jsp**: Renders a whole page of comments
- **comment_pagination.jsp**: Renders the pagination bar
- **comment_view.jsp**: This element renders a single comment
- **login.jsp**: the login form element

The **lib** folder contains the needed jar file with some few classes.

The **resources** folder contains the used style sheets and icons.

The **schemas** folder contains the **xsd** files defining the configuration xml.