<u>**EXERCISE 1**</u>

```
<html>
 <head>
  <title>B11_Anna Pramod</title>
 </head>
 <body bgcolor="yellow">
  <table border = "border" cellspacing="2">
   <caption><em>A test table with merged cells</em></caption>
   <tr>
   <td rowspan="2"></td>
   <th colspan="2">Average</th>
   <th rowspan="2">Red<br>eyes</th>
   </tr>
   <tr>
   <th>height</th>
   <th>weight</th>
   </tr>
   <tr>
   <th>Males</th>
   <td>1.9</td>
   <td>0.003</td>
   <td>40%</td>
   </tr>
   <tr>
   <th>Females</th>
   <td>1.7</td>
   <td>0.002</td>
   <td>43%</td>
   </tr>
  </table>
 </body>
</html>
```

EXERCISE 2

```
<html>
<head>
<title>B11_Anna Pramod</title>
</head>
<body bgcolor="yellow">
<table border = "border" cellspacing="2">
<caption>Invoice</caption>
<tr>
 <th align="left">Item/Desc.</th>
 <th align="left">Qty.</th>
 <th align="left">@</th>
 <th align="left">Price</th>
</tr>
<tr>
 <td>Paperclips(box)</td>
 <td>100</td>
 <td>1.15</td>
 <td>115.00</td>
</tr>
```

```html
<tr>
        <td>Paper(Case)</td>
        <td>10</td>
        <td>45.99</td>
        <td>459.90</td>
</tr>
<tr>
        <td rowspan="2">Wastepaper<br>Baskets</td>
        <td rowspan="2">2</td>
        <td rowspan="2">17.99</td>
        <td rowspan="2">35.98</td>

</tr><tr></tr>
<tr>
        <th align="left" colspan="3">Subtotal</th>
        <td>610.88</td>
</tr>
<tr>
        <th align="left" colspan="2">Tax</th>
        <td>7%</td>
        <td>42.76</td>
</tr>
<tr>
        <th align="left" colspan="3">Total</th>
        <td>653.64</td>
</tr>
</table>

</body>
</html>
```