```
create table category
    id serial not null,
   name varchar(255),
   primary key (id)
);
create table image
        serial not null,
   id
    file name varchar(255),
   product id int4 not null,
   primary key (id)
);
create table orders
   id serial not null,
count int4 not null,
   date time timestamp,
   number varchar(255),
   price float4 not null,
status int4,
   person_id int4 not null,
   product_id int4    not null,
   primary key (id)
);
create table person
(
   id
           serial not null,
   login varchar(50),
   password varchar (255),
   role varchar(255),
   primary key (id)
);
create table product
    id
                        serial not null,
   date time of_created timestamp,
   description text not null, price float4 not null check (price >= 1),
   seller
                       varchar(255) not null,
   title
                       text not null,
   warehouse
                       varchar(255) not null,
   category id
                        int4 not null,
   primary key (id)
);
create table product_cart
   id
             serial not null,
   person id int4,
   product id int4,
   primary key (id)
);
alter table product
   add constraint UK qka6vxqdy1dprtqnx9trdd47c unique (title);
```

```
alter table image
    add constraint FKqpextbyee3uk9u6o2381m7ft1 foreign key (product id)
references product;
alter table orders
    add constraint FK1b0m4muwx1t377w9if3w6wwqn foreign key (person id)
references person;
alter table orders
    add constraint FK787ibr3guwp6xobrpbofnv7le foreign key (product id)
references product;
alter table product
    add constraint FK1mtsbur82frn64de7balymq9s foreign key (category id)
references category;
alter table product cart
    add constraint FKsgnkc1ko2i1o9yr2p63ysq3rn foreign key (person id)
references person;
alter table product cart
    add constraint FKhpnrxdy3jhujameyod08ilvvw foreign key (product id)
references product;
insert into person (login, password, role) values
('admin', '$2a$10$01Vpjhyp6owzYgB1Jg/ufemwaoBPGTVUb0Q2UQrrwdzs525UiVIrS',
'ROLE ADMIN'), --password aB123/
('user123',
'$2a$10$01Vpjhyp6owzYgB1Jg/ufemwaoBPGTVUb0Q2UQrrwdzs525UiVIrS',
'ROLE USER'); --password aB123/
insert into category (name) values
('Видеокарты'), ('Процессоры'), ('Материнские платы');
insert into product (title, description, price, seller, warehouse,
category id) values
('GeForce GT 1030', 'Видеокарта MSI GeForce GT 1030 2 ГБ Retail', 5000,
'МВидео', 'г.Москва', 1),
('GeForce RTX 3070', 'Видеокарта Gigabyte GeForce RTX 3070 8 ГБ Retail (rev. 2.0)', 25000, 'МВидео', 'г.Москва', 1), ('GeForce RTX 3050', 'Видеокарта MSI GeForce RTX 3050 8 ГБ Retail',
15000, 'МВидео', 'г.Москва', 1),
('Intel Core i3', 'Процессор Intel Core i3-10105F', 5000, 'МВидео',
'г.Москва', 2),
('Intel Core i5', 'Процессор Intel Core i5-10400F BOX', 10000, 'МВидео',
'г.Москва', 2),
('Intel Core i7', 'Процессор Intel Core i7-11700KF BOX', 20000, 'МВидео',
'г.Москва', 2),
('MSI Intel H310', 'Материнская плата MSI Intel H310 H310M PRO-VDH PLUS',
5000, 'МВидео', 'г.Москва', 3),
('ASUS Intel H510', 'Материнская плата ASUS Intel H510 PRIME H510M-R-SI',
8000, 'МВидео', 'г.Москва', 3),
('Gigabyte LGA 1700', 'Материнская плата Gigabyte LGA 1700 Intel Z690
Z690M DS3H', 12000, 'МВидео', 'г.Москва', 3);
insert into image (file name, product id) values
('GPU1.png', 1), ('GPU2.png', 2), ('GPU3.png', 3),
('CPU1.jpg', 4), ('CPU2.jpg', 5), ('CPU3.jpg', 6),
('motherboard1.jpg', 7), ('motherboard1.jpg', 8), ('motherboard1.jpg',
9);
```