```
C:\Users\Anna\Desktop\Lab1>git init
Initialized empty Git repository in C:/Users/Anna/Desktop/Lab1/.git/

C:\Users\Anna\Desktop\Lab1>git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        1.txt
        folder/

nothing added to commit but untracked files present (use "git add" to track)
```

```
C:\Users\Anna\Desktop\Lab1>git add .

C:\Users\Anna\Desktop\Lab1>git status
On branch master


No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   1.txt
        new file:   folder/2.txt
        new file:   folder/3.txt


C:\Users\Anna\Desktop\Lab1>git config user.name annakomova

C:\Users\Anna\Desktop\Lab1>git config user.email akomova456@gmail.com

C:\Users\Anna\Desktop\Lab1>git commit -m "initial commit"
[master (root-commit) f20a926] initial commit
 3 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 1.txt
 create mode 100644 folder/2.txt
 create mode 100644 folder/3.txt
```




```
C:\Users\Anna\Desktop\Lab1>git log
commit f20a926338210b4017439575d60236b66b178182 (HEAD -> master)
Author: annakomova <akomova456@gmail.com>
Date:   Sat Oct 17 03:13:16 2026 +0300

    initial commit

C:\Users\Anna\Desktop\Lab1>git remote add origin git@github.com:AnnaKomova/my_repo.git

C:\Users\Anna\Desktop\Lab1>git remote
origin

C:\Users\Anna\Desktop\Lab1>git push
fatal: The current branch master has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin master

To have this happen automatically for branches without a tracking
upstream, see 'push.autoSetupRemote' in 'git help config'.
```

```
C:\Users\Anna\Desktop\Lab1>git branch -M main

C:\Users\Anna\Desktop\Lab1>git push -u origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (4/4), 289 bytes | 289.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:AnnaKomova/my_repo.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
```

