

Change group

Administrator

HISTORY

Name:

Administrator

Permissions:

Available permissions ?

Q

Filter

admin | log entry | Can add log entry

admin | log entry | Can change log entry

admin | log entry | Can delete log entry

admin | log entry | Can view log entry

auth | group | Can add group

auth | group | Can change group

auth | group | Can delete group

auth | group | Can view group

auth | permission | Can add permission

auth | permission | Can change permission

auth | permission | Can delete permission

auth | permission | Can view permission

contenttypes | content type | Can add content type

contenttypes | content type | Can change content type

Choose all ?

Chosen permissions ?

todo | project | Can add project

todo | project | Can change project

todo | project | Can delete project

todo | project | Can view project

todo | to do | Can add to do

todo | to do | Can change to do

todo | to do | Can delete to do

todo | to do | Can view to do

users | user | Can add user

users | user | Can change user

users | user | Can delete user

users | user | Can view user

Remove all

Hold down "Control", or "Command" on a Mac, to select more than one.

Delete

Save and add another

Save and continue editing

SAVE

Change group

Developer

HISTORY

Name:

Developer

Permissions:

Available permissions ?

Q

Filter

admin | log entry | Can add log entry

admin | log entry | Can change log entry

admin | log entry | Can delete log entry

admin | log entry | Can view log entry

auth | group | Can add group

auth | group | Can change group

auth | group | Can delete group

auth | group | Can view group

auth | permission | Can add permission

auth | permission | Can change permission

auth | permission | Can delete permission

auth | permission | Can view permission

contenttypes | content type | Can add content type

contenttypes | content type | Can change content type

Choose all ?

Chosen permissions ?

todo | project | Can view project

todo | to do | Can add to do

todo | to do | Can change to do

todo | to do | Can delete to do

todo | to do | Can view to do

users | user | Can view user

Remove all

Hold down "Control", or "Command" on a Mac, to select more than one.

Delete

Save and add another

Save and continue editing

SAVE

Change group

Project owner

HISTORY

Name: Project owner

Permissions:

Available permissions ?

Q Filter

admin | log entry | Can add log entry
admin | log entry | Can change log entry
admin | log entry | Can delete log entry
admin | log entry | Can view log entry
auth | group | Can add group
auth | group | Can change group
auth | group | Can delete group
auth | group | Can view group
auth | permission | Can add permission
auth | permission | Can change permission
auth | permission | Can delete permission
auth | permission | Can view permission
contenttypes | content type | Can add content type

Choose all ?

Chosen permissions ?

todo | project | Can add project
todo | project | Can change project
todo | project | Can delete project
todo | project | Can view project
todo | to do | Can add to do
todo | to do | Can change to do
todo | to do | Can delete to do
todo | to do | Can view to do
users | user | Can view user

Remove all

Hold down "Control", or "Command" on a Mac, to select more than one.

Delete

Save and add another

Save and continue editing

SAVE

Change user

user1_adm

HISTORY

Password: pbkdf2_sha256\$260000\$Sdb4YHsQ97dVW0

Last login: Date: 2022-04-04 Today | 📅
Time: 09:34:50 Now | 🕒
Note: You are 3 hours ahead of server time.

☐ Superuser status
Designates that this user has all permissions without explicitly assigning them.

Groups:

Administrator
Developer
Project owner

+

The groups this user belongs to. A user will get all permissions granted to each of their groups. Hold down "Control", or "Command" on a Mac, to select more than one.

Change user

user2_dev

HISTORY

Password: pbkdf2_sha256\$260000\$CGdFD7XGIVf2tNB{

Last login: Date: 2022-04-04 Today | 📅
Time: 09:35:46 Now | 🕒
Note: You are 3 hours ahead of server time.

☐ Superuser status
Designates that this user has all permissions without explicitly assigning them.

Groups:

Administrator
Developer
Project owner

+

The groups this user belongs to. A user will get all permissions granted to each of their groups. Hold down "Control", or "Command" on a Mac, to select more than one.

Change user

HISTORY

user3_po

Password: pbkdf2_sha256\$260000\$JHj8pSFHl5W4YHL

Last login: Date: 2022-04-04 Today | 📅
Time: 09:36:57 Now | 🕒
Note: You are 3 hours ahead of server time.

☐ Superuser status
Designates that this user has all permissions without explicitly assigning them.

Groups:

Administrator
Developer
Project owner

 +

The groups this user belongs to. A user will get all permissions granted to each of their groups. Hold down "Control", or "Command" on a Mac, to select more than one.