






Purity: 0.61 Tumor ploidy: 5.61
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.61 Tumor ploidy: 5.61 SNV log−likelihood: −515.15 GoF: 83.6% Mean coverage: 374
1 2 3 5 7 12 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: 1019.3
Copy Number log−ratio
−3 −2 −1 0 1
1 2 3 4 6
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



6m6
5m4
6m4
5m3
7m4
2m1
6m3
5m2
6m2
7m2
4m1
1m0
5m1
6m1
4m0
5m0
6m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m4
3m2
1m1
2m1
3m1
4m1
6m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.29 Tumor ploidy: 5.13
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.29 Tumor ploidy: 5.13 SNV log−likelihood: −558.71 GoF: 89.7% Mean coverage: 374
1 2 3 5 7 10 12 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30 35
SNV Index
SCNA−fit log−likelihood: 1006.35
Copy Number log−ratio
−3 −2 −1 0 1
0 2 4 6
0 5 10 15 20 25 30 35
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 5 10 15 20 25 30 35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
4m4
5m3
7m4
0m0
4m2
5m2
1m0
7m2
2m0
4m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
5m2
1m1
3m1
4m1
5m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.36 Tumor ploidy: 2.63
0
1
2
3
4
5
6
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.36 Tumor ploidy: 2.63 SNV log−likelihood: −521.9 GoF: 76.9% Mean coverage: 374
1 2 3 5 7 10 12 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30 35
SNV Index
SCNA−fit log−likelihood: 824.15
Copy Number log−ratio
−3 −2 −1 0 1
0 1 3 5
0 5 10 15 20 25 30 35
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 5 10 15 20 25 30 35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
4m3
3m2
0m0
2m1
3m1
1m0
4m1
2m0
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.47 Tumor ploidy: 3.612
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.47 Tumor ploidy: 3.612 SNV log−likelihood: −571.1 GoF: 74.9% Mean coverage: 374
1 2 3 5 7 10 12 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: 846.26
Copy Number log−ratio
−3 −2 −1 0 1
0 1 2 3 5 7
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
2m0
3m0
3m1
3m2
3m3
4m0
4m1
4m2
4m3
4m4
5m1
5m3



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m1
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.23 Tumor ploidy: 3.933
0
1
2
3
4
5
6
7
0.14
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.23 Tumor ploidy: 3.933 SNV log−likelihood: −549.22 GoF: 89.8% Mean coverage: 374
1 2 3 5 7 10 12 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index
SCNA−fit log−likelihood: 839.23
Copy Number log−ratio
−3 −2 −1 0 1
0 2 4 7
0 5 10 15 20 25 30
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 5 10 15 20 25 30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
4m3
6m4
3m2
0m0
2m1
1m0
3m1
4m1
3m0
6m1



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
4m2
0m1
2m1
3m1
4m1



Frequency
Cellular fraction



Purity: 0.2 Tumor ploidy: 3.489
0
1
2
3
4
5
6
7
0.14
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.2 Tumor ploidy: 3.489 SNV log−likelihood: −540.16 GoF: 90.1% Mean coverage: 374
1 2 3 5 7 10 12 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index
SCNA−fit log−likelihood: 755.79
Copy Number log−ratio
−3 −2 −1 0 1
0 2 5
0 5 10 15 20 25 30
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 5 10 15 20 25 30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
6m4
3m2
0m0
2m1
1m0
3m1
3m0
6m1



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m2
0m1
1m1
2m1
3m1



Frequency
Cellular fraction



Purity: 0.86 Tumor ploidy: 3.341
1
2
3
4
5
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.86 Tumor ploidy: 3.341 SNV log−likelihood: −557.3 GoF: 67.2% Mean coverage: 374
1 2 3 5 7 12 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: 704.27
Copy Number log−ratio
−3 −2 −1 0 1
1 2 3 4 5
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
2m1
4m2
3m1
4m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1



Frequency
Cellular fraction



Purity: 0.61 Tumor ploidy: 2.341
0
1
2
3
4
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio


Purity: 0.61 Tumor ploidy: 2.341 SNV log−likelihood: −606.36 GoF: 18.6% Mean coverage: 374
1 2 3 5 7 10 12 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30 35
SNV Index
SCNA−fit log−likelihood: 690.88
Copy Number log−ratio
−3 −2 −1 0 1
0 1 2 3 4
0 5 10 15 20 25 30 35
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 5 10 15 20 25 30 35
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
2m1
3m1
2m2
3m2


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
2m2


Power 0.8 at BQ 32
Frequency
Cellular fraction