






Purity: 0.44 Tumor ploidy: 3.838
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.44 Tumor ploidy: 3.838 SNV log−likelihood: −714.24 GoF: 66.4% Mean coverage: 333
1 2 5 7 11 14 17
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 1540.61
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
2m1
3m3
4m3
5m4
3m2
5m3
5m2
3m1
1m0
4m1
5m1
2m0
3m0
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1
3m1
4m1
5m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.25 Tumor ploidy: 3.224
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.25 Tumor ploidy: 3.224 SNV log−likelihood: −749.08 GoF: 83.5% Mean coverage: 333
1
3
5
10
12
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
50
60
SNV Index



SCNA−fit log−likelihood: 1523.82
Copy Number log−ratio
1
0
−1
−2
−3
0
10
20
30
40
50
60
SNV Index
0
2
4
7



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
10
20
30
40
50
60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
1m1
2m0
2m1
2m2
3m0
4m1
4m3
5m1
5m3
5m4



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1
2m2
3m1
3m2
4m1
5m1



Frequency
Cellular fraction



Purity: 0.63 Tumor ploidy: 4.786
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.63 Tumor ploidy: 4.786 SNV log−likelihood: −773.25 GoF: 33.5% Mean coverage: 333
1 2 4 5 7 11 14 17
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 1504.75
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
6m4
3m2
5m3
2m1
4m2
6m3
5m2
3m1
6m2
4m1
5m1
4m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m2
2m1
3m1
4m1
5m1
6m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.3 Tumor ploidy: 1.911
0
1
2
3
4
5
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.3 Tumor ploidy: 1.911 SNV log−likelihood: −794.21 GoF: 76.9% Mean coverage: 333
1 3 5 10 12 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index
SCNA−fit log−likelihood: 1265.55
Copy Number log−ratio
1 0 −1 −2 −3
0 2 4 7
0 10 20 30 40 50 60
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
1m1
2m0
2m2
3m0
3m1
3m2
3m3



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1
3m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.88 Tumor ploidy: 3.488
1
2
3
4
5
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.88 Tumor ploidy: 3.488 SNV log−likelihood: −819.37 GoF: 25.4% Mean coverage: 333
1 2 5 7 11 13 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 943.12
Copy Number log−ratio
−3 −2 −1 0 1
1 2 3 4 5 7
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
3m2
2m1
4m2
3m1
4m1
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
4m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.73 Tumor ploidy: 2.488
0
1
2
3
4
5
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.73 Tumor ploidy: 2.488 SNV log−likelihood: −820.46 GoF: 0% Mean coverage: 333
1 2 4 5 7 11 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60
SNV Index



SCNA−fit log−likelihood: 846.13
Copy Number log−ratio
−3 −2 −1 0 1
0 1 2 3 4
0 20 40 60
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
3m0
2m1
3m1
3m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.28 Tumor ploidy: 4.261
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.28 Tumor ploidy: 4.261 SNV log−likelihood: −750.62 GoF: 85.7% Mean coverage: 333
1
3
5
10
12
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
50
60
SNV Index
SCNA−fit log−likelihood: 632.15
Copy Number log−ratio
−3
−2
−1
0
1
0
2
4
7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
1m1
2m0
2m1
3m0
3m1
3m2
3m3
4m0
5m1
5m3
5m4
6m1
6m2
6m3
6m4
6m5



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1
3m1
3m2
4m1
5m1
6m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.29 Tumor ploidy: 5.277
0
1
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.29 Tumor ploidy: 5.277 SNV log−likelihood: −756.27 GoF: 86.8% Mean coverage: 333
1
3
5
10
12
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
50
60
SNV Index



SCNA−fit log−likelihood: 507.43
Copy Number log−ratio
−3
−2
−1
0
1
0
3
5
0
10
20
30
40
50
60
SNV Index


Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
10
20
30
40
50
60
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
1m1
3m2
4m2
4m4
6m5
7m5
4m3
6m4
7m4
3m1
4m1
7m2
6m1
5m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
3m1
4m1
5m1
6m1
7m1


Power 0.8 at BQ 33
Frequency
Cellular fraction