






Purity: 0.54 Tumor ploidy: 2.881
0
1
2
3
4
5
6
0.0
0.1
0.2
0.3
Fraction Genome
−2.5
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.54 Tumor ploidy: 2.881 SNV log−likelihood: −413.85 GoF: 48.3% Mean coverage: 318
5
7
11
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −1279.09
Copy Number log−ratio
1
0
−1
−2
−3
−4
0
1
2
4
6
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
3m2
3m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 31.5
Frequency
Cellular fraction



Purity: 0.51 Tumor ploidy: 4.735
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.51 Tumor ploidy: 4.735 SNV log−likelihood: −400.42 GoF: 53.6% Mean coverage: 318
5
11
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −1481.56
Copy Number log−ratio
−4
−3
−2
−1
0
1
0
1
2
4
6
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
4m3
3m2
0m0
4m2
5m2
1m0
4m1
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
1m1
4m1
5m1



Power 0.8 at BQ 31.5
Frequency
Cellular fraction



Purity: 0.78 Tumor ploidy: 3.881
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.78 Tumor ploidy: 3.881 SNV log−likelihood: −436.66 GoF: 53.7% Mean coverage: 318
5
7
11
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −1415.17
Copy Number log−ratio
1
0
−1
−2
−3
−4
7
5
3
2
1
0
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
4
3
2
1
0
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
0m0
4m2
4m1
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
4m1



Frequency
Cellular fraction



Purity: 0.85 Tumor ploidy: 1.938
0
1
2
3
4
0.0
0.1
0.2
0.3
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.85 Tumor ploidy: 1.938 SNV log−likelihood: −433.16 GoF: 0% Mean coverage: 318
5
7
11
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −1565.74
Copy Number log−ratio
1
0
−1
−2
−3
−4
4
3
2
1
0
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
2m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1



Frequency
Cellular fraction



Purity: 0.78 Tumor ploidy: 5.675
2
3
4
5
6
7
Fraction Genome
0.0
0.1
0.2
0.3
−2.5
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.78 Tumor ploidy: 5.675 SNV log−likelihood: −445.19 GoF: 67.7% Mean coverage: 318
5
7
11
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0
10
20
30
40
SNV Index
SCNA−fit log−likelihood: −1539.34
Copy Number log−ratio
1
0
−1
−2
−3
−4
2
3
5
7
0
10
20
30
40
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
5m3
2m1
6m3
5m2
5m1
5m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
5m1



Frequency
Cellular fraction



Purity: 0.78 Tumor ploidy: 4.854
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.78 Tumor ploidy: 4.854 SNV log−likelihood: −432.16 GoF: 49.9% Mean coverage: 318
5
7
11
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −1662.76
Copy Number log−ratio
1
0
−1
−2
−3
−4
7
5
3
2
1
0
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
5
4
3
2
1
0
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
4m2
5m2
4m1
5m1
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
4m1



Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 4.886
2
3
4
5
6
7
0.3
0.2
0.1
0.0
Fraction Genome
−2.5
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.95 Tumor ploidy: 4.886 SNV log−likelihood: −457.26 GoF: 32.8% Mean coverage: 318
5
7
11
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0
5
10
15
20
25
30
35
SNV Index



SCNA−fit log−likelihood: −1645.68
Copy Number log−ratio
1
0
−1
−2
−3
−4
2
3
4
6
0
5
10
15
20
25
30
35
SNV Index


Maximum Likelihood Copy Number
0
1
2
3
4
5
0
5
10
15
20
25
30
35
SNV Index


4m3
5m3
2m1
5m2
5m1
5m0
Allelic fraction (germline)
Copy Number log−ratio


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
5m1
Allelic fraction (somatic)
Copy Number log−ratio


Frequency
Cellular fraction