






Purity: 0.15 Tumor ploidy: 1.989
0
1
2
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.15 Tumor ploidy: 1.989 SNV log−likelihood: −517.66 GoF: 72.4% Mean coverage: 189
1 2 3 4 7 9 10 13 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: −5587.86
Copy Number log−ratio
1.0 0.5 0.0 −0.5 −1.0 −1.5 −2.0
0 2 5
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio
2m2
1m1
2m1
1m0
2m0
7m2



Coverage (log2)
4
5
6
7
8
9
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
1m1
2m1



Power 0.8 at BQ 32
Frequency
0
1
2
3
4
0.4
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction



Purity: 0.32 Tumor ploidy: 4.001
3
4
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.32 Tumor ploidy: 4.001 SNV log−likelihood: −498.75 GoF: 83.4% Mean coverage: 189
1 2 3 4 7 9 10 13 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: −5597.55
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
6
3
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
4m2
3m1
7m2
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.72 Tumor ploidy: 3.005
3
4
5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.72 Tumor ploidy: 3.005 SNV log−likelihood: −496.49 GoF: 63.2% Mean coverage: 189
1 2 3 5 7 9 10 13 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: −5622.21
Copy Number log−ratio
1.0 0.5 0.0 −0.5 −1.0 −1.5 −2.0
2 3 4 5
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40 50 60
SNV Index



3m3
3m2
5m2
3m1
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 2.005
2
3
4
0.4
0.3
0.2
0.1
0.0
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.59 Tumor ploidy: 2.005 SNV log−likelihood: −499.07 GoF: 43.3% Mean coverage: 189
1 2 3 4 7 9 10 13 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: −5631.98
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
2m1
3m1
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.29 Tumor ploidy: 1.998
1
2
3
4
5
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.29 Tumor ploidy: 1.998 SNV log−likelihood: −488.93 GoF: 71.5% Mean coverage: 189
1 2 3 4 7 9 10 13 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: −5646.72
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 4 6
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
2m1
1m0
2m0
5m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.28 Tumor ploidy: 2.99
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.28 Tumor ploidy: 2.99 SNV log−likelihood: −492.58 GoF: 74.1% Mean coverage: 189
1 2 3 4 7 9 10 13 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: −5647.88
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 4 6
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
3m2
2m1
3m1
6m2
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.52 Tumor ploidy: 3.006
2
3
4
5
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.52 Tumor ploidy: 3.006 SNV log−likelihood: −521.48 GoF: 65.3% Mean coverage: 189
1 2 3 4 7 9 10 13 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: −5633.09
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4 5
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
3m2
3m1
3m0
5m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.25 Tumor ploidy: 4.998
3
4
5
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.25 Tumor ploidy: 4.998 SNV log−likelihood: −507.4 GoF: 82.9% Mean coverage: 189
1 2 3 4 7 9 10 13 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: −5645.43
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
3 5 7
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
5m4
5m3
4m2
5m2
4m1
5m1
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
5m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.36 Tumor ploidy: 4.993
4
5
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.36 Tumor ploidy: 4.993 SNV log−likelihood: −506.8 GoF: 82.2% Mean coverage: 189
1 2 3 4 7 9 10 13 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: −5656.34
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
7
4
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
5m4
5m3
4m2
5m2
4m1
5m1
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
5m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.32 Tumor ploidy: 5.953
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.32 Tumor ploidy: 5.953 SNV log−likelihood: −508.14 GoF: 86.4% Mean coverage: 189
1 2 3 4 7 9 10 13 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: −5697.16
Copy Number log−ratio
1.0 0.5 0.0 −0.5 −1.0 −1.5 −2.0
4 6
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m6
6m5
5m3
6m3
5m2
5m1
6m1
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
5m1
6m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.15 Tumor ploidy: 1.414
0
1
2
4
5
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.15 Tumor ploidy: 1.414 SNV log−likelihood: −603.89 GoF: 68.6% Mean coverage: 189
1 2 3 4 7 9 10 13 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: −5746.87
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 2 5
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
1m1
0m0
2m1
1m0
7m1
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
0.0
0.2
0.4
0.6
0.8
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
0m1
1m1
2m1
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
0
1
2
3
4
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction



Purity: 0.29 Tumor ploidy: 1.407
0
1
2
3
4
5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio


Purity: 0.29 Tumor ploidy: 1.407 SNV log−likelihood: −523.5 GoF: 74.6% Mean coverage: 189
1 2 3 4 7 9 10 13 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: −6131.32
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 4
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
2m2
1m1
2m1
1m0
4m1


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
1m1
2m1


Power 0.8 at BQ 32
Frequency
Cellular fraction