






Purity: 0.25 Tumor ploidy: 1.986
2
5
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.25 Tumor ploidy: 1.986 SNV log−likelihood: −507.52 GoF: 79.6% Mean coverage: 317
1 2 3 4 5 6 7 9 10 12 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: −6915.17
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 5
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 10 20 30 40
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
2m2
2m1
2m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
1
2
3
4
5
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.69 Tumor ploidy: 3.002
3
5
6
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.69 Tumor ploidy: 3.002 SNV log−likelihood: −514.31 GoF: 68.8% Mean coverage: 317
1 2 3 4 5 6 7 9 11 12 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: −6865.79
Copy Number log−ratio
1.0 0.5 0.0 −0.5 −1.0 −1.5 −2.0
6 5 3
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40 50
SNV Index



3m3
3m2
3m1
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.49 Tumor ploidy: 2.994
3
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.49 Tumor ploidy: 2.994 SNV log−likelihood: −504.87 GoF: 71.1% Mean coverage: 317
1 2 3 4 5 6 7 9 11 12 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: −6896.52
Copy Number log−ratio
1.0 0.5 0.0 −0.5 −1.0 −1.5 −2.0
6 3 2
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40 50
SNV Index



2m3
3m2
3m1
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.81 Tumor ploidy: 2.001
2
3
4
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.81 Tumor ploidy: 2.001 SNV log−likelihood: −505.56 GoF: 79.2% Mean coverage: 317
1 2 3 4 5 6 7 9 11 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index
SCNA−fit log−likelihood: −6854.88
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4
0 10 20 30 40 50 60
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 10 20 30 40 50 60
SNV Index



2m2
2m1
2m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
0.5



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
Allelic fraction (somatic)
Copy Number log−ratio
0.2
0.3
0.4
0.5
0.6
0.7
−1.0
−0.5
0.0
0.5



Power 0.8 at BQ 32
Frequency
Cellular fraction
0
1
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.32 Tumor ploidy: 3.951
4
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.32 Tumor ploidy: 3.951 SNV log−likelihood: −498.22 GoF: 88.7% Mean coverage: 317
1 2 3 4 5 6 7 9 10 12 14
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: −6932.78
Copy Number log−ratio
1.0 0.5 0.0 −0.5 −1.0 −1.5 −2.0
7
3
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
4m4
4m3
3m2
4m2
4m1
4m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
0.14
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
1
2
3
4
5
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.15 Tumor ploidy: 1.412
1
2
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio


Purity: 0.15 Tumor ploidy: 1.412 SNV log−likelihood: −576.88 GoF: 78.5% Mean coverage: 317
1 2 3 4 5 6 7 9 10 12 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: −6863.52
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 7
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 10 20 30 40
SNV Index


Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
0.5
Copy Number log−ratio
1m1
2m1
1m0
2m0


Coverage (log2)
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction


Allelic fraction (somatic)
0.05
0.10
0.15
0.20
−1.0
−0.5
0.0
0.5
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1


Power 0.8 at BQ 32
Frequency
0
1
2
3
0.2
0.4
0.6
0.8
1.0
Cellular fraction