






Purity: 0.18 Tumor ploidy: 2.185
0
1
2
3
4
5
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.18 Tumor ploidy: 2.185 SNV log−likelihood: −611.4 GoF: 87.3% Mean coverage: 541
1 2 4 5 7 9 11 12 13
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: 2181.1
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
0 1 3 5 7
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m2
3m2
2m1
3m1
2m0
7m7
7m4
7m3
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
2m2
3m2
2m1
7m3
7m1



Frequency
Cellular fraction



Purity: 0.39 Tumor ploidy: 4.068
3
4
5
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.39 Tumor ploidy: 4.068 SNV log−likelihood: −555.58 GoF: 88.2% Mean coverage: 541
1 2 3 4 5 7 9 11 12 13
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: 1988.68
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
3 4 5 7
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
7m7
7m6
7m5
4m3
3m2
4m2
3m1
4m1
7m2
4m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
7m3
7m2
3m1
4m1
7m1



Frequency
Cellular fraction



Purity: 0.42 Tumor ploidy: 3.018
2
3
4
5
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.42 Tumor ploidy: 3.018 SNV log−likelihood: −570.19 GoF: 82.1% Mean coverage: 541
1
2
3
4
5
7
9
11
12
13
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: 1990.01
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
3m2
2m1
5m2
3m1
2m0
3m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m5
2m1
3m1
5m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.35 Tumor ploidy: 2.016
1
2
3
4
5
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.35 Tumor ploidy: 2.016 SNV log−likelihood: −528.97 GoF: 81.5% Mean coverage: 541
1
2
4
5
7
9
11
12
13
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: 1821.49
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
10
20
30
40
SNV Index



4m5
4m4
2m2
1m1
2m1
4m2
1m0
2m0
4m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
4m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.15 Tumor ploidy: 3.112
0
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.15 Tumor ploidy: 3.112 SNV log−likelihood: −617.26 GoF: 90.2% Mean coverage: 541
1
2
4
5
7
9
11
12
13
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: 2031.88
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
3m0
3m1
3m2
3m3
4m2
7m3
7m4
7m7



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
3m1
3m2
4m3
7m1
7m3
7m4



Frequency
Cellular fraction



Purity: 0.29 Tumor ploidy: 3.016
2
3
4
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.29 Tumor ploidy: 3.016 SNV log−likelihood: −542.5 GoF: 88.7% Mean coverage: 541
1 2 3 4 5 7 9 11 12 13
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: 1819.76
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
1 2 3 4 6
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m6
3m3
1m1
3m2
6m3
3m1
1m0
6m2
3m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m6
1m1
3m1
6m1



Frequency
Cellular fraction



Purity: 0.72 Tumor ploidy: 3.012
3
4
5
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.72 Tumor ploidy: 3.012 SNV log−likelihood: −574.23 GoF: 56.5% Mean coverage: 541
1
2
3
4
5
7
9
11
12
13
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
50
SNV Index



SCNA−fit log−likelihood: 1835.19
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
0
10
20
30
40
50
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
10
20
30
40
50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
3m2
2m1
4m2
3m1
4m1
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m3
3m2
2m1
3m1
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 2.003
2
3
4
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.59 Tumor ploidy: 2.003 SNV log−likelihood: −595.23 GoF: 40.6% Mean coverage: 541
1
2
3
4
5
7
9
11
12
13
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: 1778.13
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
3m3
3m2
2m1
3m1
1m0
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
3m2
2m1
3m1



Frequency
Cellular fraction



Purity: 0.16 Tumor ploidy: 1.429
0
1
2
3
4
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.16 Tumor ploidy: 1.429 SNV log−likelihood: −659.5 GoF: 85.5% Mean coverage: 541
1
2
4
5
7
9
11
12
13
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: 1856.91
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
0
10
20
30
40
SNV Index


Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
10
20
30
40
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
6m6
6m5
6m3
6m0
1m1
0m0
2m1
1m0
2m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m3
2m2
0m1
1m1
2m1
6m1


Frequency
Cellular fraction