






Purity: 0.31 Tumor ploidy: 2.82
0
1
2
3
4
5
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.31 Tumor ploidy: 2.82 SNV log−likelihood: −329.67 GoF: 80.5% Mean coverage: 546
2
4
12
13
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: 1790.7
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
4
5
10
15
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
3m3
3m2
3m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1
3m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.36 Tumor ploidy: 3.841
0
1
2
3
4
5
6
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.36 Tumor ploidy: 3.841 SNV log−likelihood: −335.96 GoF: 79.3% Mean coverage: 546
1
2
4
12
13
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 1800.44
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
20
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
0m0
4m4
4m3
4m2
4m1
4m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
10
11
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1
4m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Power 0.8 at BQ 31
Frequency
0
1
2
3
4
5
6
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.25 Tumor ploidy: 4.803
0
1
2
3
4
5
6
7
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.25 Tumor ploidy: 4.803 SNV log−likelihood: −355.63 GoF: 87.4% Mean coverage: 546
2
4
12
13
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 1876.59
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
3
5
7
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
5m5
5m4
5m3
5m2
5m1
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
5m2
1m1
2m1
3m1
5m1



Frequency
Cellular fraction



Purity: 0.41 Tumor ploidy: 4.842
1
2
3
4
5
6
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.41 Tumor ploidy: 4.842 SNV log−likelihood: −334.81 GoF: 89.2% Mean coverage: 546
1
2
4
10
12
13
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: 1795.96
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
6
5
10
15
20
25
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
5m5
5m3
5m2
3m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
5m3
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
4m1
5m1



Frequency
Cellular fraction



Purity: 0.27 Tumor ploidy: 5.876
0
1
2
3
4
5
6
7
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.27 Tumor ploidy: 5.876 SNV log−likelihood: −359.44 GoF: 88.4% Mean coverage: 546
1
2
4
12
13
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: 1861.31
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
3
5
7
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
6m6
6m4
6m3
6m2
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m4
3m2
6m2
2m1
3m1
4m1
6m1



Frequency
Cellular fraction



Purity: 0.51 Tumor ploidy: 5.845
2
3
4
5
6
7
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.51 Tumor ploidy: 5.845 SNV log−likelihood: −343.23 GoF: 86% Mean coverage: 546
1
2
4
12
13
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: 1793.08
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
7
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
6m6
6m4
6m3
6m2
4m1
6m1
4m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
5m1
6m1



Frequency
Cellular fraction



Purity: 0.55 Tumor ploidy: 4.822
2
3
4
5
6
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.55 Tumor ploidy: 4.822 SNV log−likelihood: −337.37 GoF: 83% Mean coverage: 546
1
2
4
12
13
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 1730.61
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
5m3
5m2
5m1
5m0
4m0
3m0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
0.5



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
11
0.0
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
5m1
0.05
0.10
0.15
0.20
0.25
−1.0
−0.5
0.0
0.5



Power 0.8 at BQ 31
Frequency
Cellular fraction
0
1
2
3
4
5
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.83 Tumor ploidy: 2.912
2
3
4
6
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.83 Tumor ploidy: 2.912 SNV log−likelihood: −309.53 GoF: 76.6% Mean coverage: 546
1 4 10 12 13 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30 35
SNV Index



SCNA−fit log−likelihood: 1584.93
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 6
0 5 10 15 20 25 30 35
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 5 10 15 20 25 30 35
SNV Index



1m1
3m3
3m2
3m1
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.42 Tumor ploidy: 1.92
0
1
2
3
6
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.42 Tumor ploidy: 1.92 SNV log−likelihood: −363.59 GoF: 54.7% Mean coverage: 546
2
4
12
13
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index
SCNA−fit log−likelihood: 1536.18
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
6
5
10
15
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m2
2m1
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
0m1
1m1
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.69 Tumor ploidy: 2.912
1
2
3
4
6
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.69 Tumor ploidy: 2.912 SNV log−likelihood: −449.85 GoF: 41% Mean coverage: 546
1
2
4
10
12
13
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: 1655.08
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
6
0
5
10
15
20
25
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
3m3
3m2
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 4.92
3
4
5
6
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio


Purity: 0.95 Tumor ploidy: 4.92 SNV log−likelihood: −373.93 GoF: 73.1% Mean coverage: 546
1
2
4
10
12
13
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index
SCNA−fit log−likelihood: 1475.56
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
m1
3m0
4m0
4m1
5m0
5m1
5m2
5m3
5m4


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination


Power 0.8 at BQ 31
Frequency
Cellular fraction