






Purity: 0.62 Tumor ploidy: 3.497
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.62 Tumor ploidy: 3.497 SNV log−likelihood: −201.7 GoF: 27.5% Mean coverage: 160
1
4
11
13
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: −7072.72
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
7
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m4
3m2
7m4
3m1
4m1
1m0
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
1m1
3m1
4m1
5m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.93 Tumor ploidy: 2.252
2
3
4
6
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.93 Tumor ploidy: 2.252 SNV log−likelihood: −193.29 GoF: 0% Mean coverage: 160
1
4
11
13
14
19
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: −7243.5
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
5
10
15
20
25
SNV Index



3m3
2m1
4m2
3m1
1m0
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.76 Tumor ploidy: 4.478
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.76 Tumor ploidy: 4.478 SNV log−likelihood: −195.69 GoF: 42% Mean coverage: 160
1
4
11
13
14
19
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: −7306.25
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m1
4m2
6m3
5m2
5m1
4m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
5m2
6m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.48 Tumor ploidy: 4.738
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.48 Tumor ploidy: 4.738 SNV log−likelihood: −202.94 GoF: 62.4% Mean coverage: 160
1
4
11
13
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: −7374.05
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
7
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
m0
7m5
4m2
1m0
5m1
5m0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Coverage (log2)
5
6
7
8
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
0.30
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
6m1
7m1
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Power 0.8 at BQ 31
Frequency
0
1
2
3
4
5
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.62 Tumor ploidy: 2.514
0
1
2
3
4
5
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.62 Tumor ploidy: 2.514 SNV log−likelihood: −205.96 GoF: 12.6% Mean coverage: 160
1
4
11
13
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: −7418.33
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
0m0
1m0
2m1
3m0
3m1
4m2
5m3
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Coverage (log2)
5
6
7
8
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Power 0.8 at BQ 31
Frequency
0
1
2
3
4
0.10
0.15
0.20
0.25
0.30
0.35
0.40
0.45
Cellular fraction



Purity: 0.95 Tumor ploidy: 5.538
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio


Purity: 0.95 Tumor ploidy: 5.538 SNV log−likelihood: −219.53 GoF: 62.8% Mean coverage: 160
1
4
11
13
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index
SCNA−fit log−likelihood: −7574.44
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
3
4
5
6
7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
7m5
5m3
5m2
3m1
6m2
6m1
3m0
5m0


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m1
5m1
7m1


Frequency
Cellular fraction