






Purity: 0.15  Tumor ploidy: 1.936
2
0.00
0.05
0.10
0.15
0.20
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
log2 ratio



Purity: 0.15 Tumor ploidy: 1.936 SNV log−likelihood: −305.51 GoF: 68.7% Mean coverage: 240
3 5 6 7 9 10 11 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index
SCNA−fit log−likelihood: −5841.97
Copy Number log−ratio
1.0 0.5 0.0 −0.5 −1.0 −1.5 −2.0
0 2
0 5 10 15 20 25 30
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 5 10 15 20 25 30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
1m1
0m0
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
0m1
1m1
2m1



Frequency
Cellular fraction



Purity: 0.46  Tumor ploidy: 3
3
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
log2 ratio



Purity: 0.46 Tumor ploidy: 3 SNV log−likelihood: −304.03 GoF: 62.9% Mean coverage: 240
3 5 6 7 9 10 11 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index



SCNA−fit log−likelihood: −5838.69
Copy Number log−ratio
1.0 0.5 0.0 −0.5 −1.0 −1.5 −2.0
6
3
0 5 10 15 20 25 30
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 5 10 15 20 25 30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
3m2
6m3
3m1
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.95  Tumor ploidy: 2
2
3
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
log2 ratio



Purity: 0.95 Tumor ploidy: 2 SNV log−likelihood: −286.5 GoF: 53.3% Mean coverage: 240
1 3 5 6 7 9 10 11 13 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: −5839.5
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio
2m1
3m1
2m0



Coverage (log2)
4
5
6
7
8
9
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.28
0.30
0.32
0.34
0.36
0.38
0.40
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
0
1
0.30
0.35
0.40
0.45
0.50
0.55
0.60
Cellular fraction



Purity: 0.29  Tumor ploidy: 3.991
4
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
log2 ratio



Purity: 0.29 Tumor ploidy: 3.991 SNV log−likelihood: −293.77 GoF: 84.2% Mean coverage: 240
3 5 6 7 9 10 11 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index
SCNA−fit log−likelihood: −5852.16
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
3
0 5 10 15 20 25 30
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 5 10 15 20 25 30
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
4m4
4m3
4m2
4m1
4m0
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
1
2
3
0.25
0.30
0.35
0.40
0.45
0.50
Cellular fraction



Purity: 0.19  Tumor ploidy: 2.969
0
2
3
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.19 Tumor ploidy: 2.969 SNV log−likelihood: −309.08 GoF: 76.8% Mean coverage: 240
3 5 6 7 9 10 11 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index



SCNA−fit log−likelihood: −5845.08
Copy Number log−ratio
1.0 0.5 0.0 −0.5 −1.0 −1.5 −2.0
0 2
0 5 10 15 20 25 30
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 5 10 15 20 25 30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m3
3m3
3m2
0m0
3m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m2
0m1
2m1
3m1



Frequency
Cellular fraction



Purity: 0.46  Tumor ploidy: 4
4
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
log2 ratio



Purity: 0.46 Tumor ploidy: 4 SNV log−likelihood: −312.38 GoF: 69.9% Mean coverage: 240
1 3 5 6 7 9 10 11 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index
SCNA−fit log−likelihood: −5839.06
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
4 7
0 5 10 15 20 25 30
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 5 10 15 20 25 30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
4m3
4m2
4m1
4m0
7m3



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
4m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.55  Tumor ploidy: 6
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
log2 ratio



Purity: 0.55 Tumor ploidy: 6 SNV log−likelihood: −305.74 GoF: 82.2% Mean coverage: 240
1 3 5 6 7 9 10 11 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30 35
SNV Index
SCNA−fit log−likelihood: −5853.31
Copy Number log−ratio
1.0 0.5 0.0 −0.5 −1.0 −1.5 −2.0
6
0 5 10 15 20 25 30 35
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 5 10 15 20 25 30 35
SNV Index



6m6
6m5
6m4
6m3
6m2
6m1
6m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.44  Tumor ploidy: 5.991
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
log2 ratio



Purity: 0.44 Tumor ploidy: 5.991 SNV log−likelihood: −303.39 GoF: 84.7% Mean coverage: 240
1 3 5 6 7 9 10 11 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index
SCNA−fit log−likelihood: −5851.11
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
5
0 5 10 15 20 25 30
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 5 10 15 20 25 30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m6
6m5
6m4
6m3
6m2
6m1
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
6m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.95  Tumor ploidy: 3
3
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
log2 ratio



Purity: 0.95 Tumor ploidy: 3 SNV log−likelihood: −322.74 GoF: 59.7% Mean coverage: 240
1 3 5 6 7 9 10 11 13 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: −5839.24
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
5
3
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio
3m2
5m2
3m1
3m0



Coverage (log2)
4
5
6
7
8
9
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.1
0.2
0.3
0.4
0.5
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1



Power 0.8 at BQ 31
Frequency
0
1
2
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.33  Tumor ploidy: 5.991
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
log2 ratio



Purity: 0.33 Tumor ploidy: 5.991 SNV log−likelihood: −308.46 GoF: 87.7% Mean coverage: 240
3 5 6 7 9 10 11 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index
SCNA−fit log−likelihood: −5849.14
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
5
0 5 10 15 20 25 30
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 5 10 15 20 25 30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m6
6m5
6m4
6m3
6m2
6m1
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
6m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.17  Tumor ploidy: 4.919
5
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
log2 ratio



Purity: 0.17 Tumor ploidy: 4.919 SNV log−likelihood: −319.96 GoF: 73.3% Mean coverage: 240
3 5 6 7 9 10 11 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30 35
SNV Index
SCNA−fit log−likelihood: −5838.55
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
4
0 5 10 15 20 25 30 35
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 5 10 15 20 25 30 35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
4m4
5m4
5m3
5m2
4m1
5m1
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m2
4m1
5m1



Frequency
Cellular fraction



Purity: 0.15  Tumor ploidy: 1.507
2
0.00
0.05
0.10
0.15
0.20
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
log2 ratio



Purity: 0.15 Tumor ploidy: 1.507 SNV log−likelihood: −304.78 GoF: 69.1% Mean coverage: 240
3 5 6 7 9 10 11 13 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index
SCNA−fit log−likelihood: −5898.1
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 2
0 5 10 15 20 25 30
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 5 10 15 20 25 30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
1m1
0m0
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m2
0m1
1m1
2m1



Frequency
Cellular fraction



Purity: 0.15  Tumor ploidy: 3.971
0
3
4
5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.15 Tumor ploidy: 3.971 SNV log−likelihood: −315.12 GoF: 74.6% Mean coverage: 240
3 5 6 7 9 10 11 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index
SCNA−fit log−likelihood: −5839.14
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 3
0 5 10 15 20 25 30
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 5 10 15 20 25 30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
3m0
4m0
5m0
3m3
4m4
5m5
4m2



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
3m1
4m1
4m2



Frequency
Cellular fraction



Purity: 0.64  Tumor ploidy: 3
3
5
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
log2 ratio



Purity: 0.64 Tumor ploidy: 3 SNV log−likelihood: −350.87 GoF: 44.5% Mean coverage: 240
1 3 5 6 7 9 10 11 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index
SCNA−fit log−likelihood: −5838.93
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
3 5
0 5 10 15 20 25 30
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 5 10 15 20 25 30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
3m2
5m2
3m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
3m2
3m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.58  Tumor ploidy: 2
2
4
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
log2 ratio



Purity: 0.58 Tumor ploidy: 2 SNV log−likelihood: −390.62 GoF: 0% Mean coverage: 240
3 5 6 7 9 10 11 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30
SNV Index



SCNA−fit log−likelihood: −5838.72
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 4
0 10 20 30
SNV Index


Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
2m2
2m1
4m2
2m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination


Frequency
Cellular fraction