






Purity: 0.19 Tumor ploidy: 2.064
2
3
5
6
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.19 Tumor ploidy: 2.064 SNV log−likelihood: −392.23 GoF: 86.5% Mean coverage: 289
2
7
9
10
11
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: −3968.42
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
5
2
0
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
2.0
1.5
1.0
0.5
0.0
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m3
2m2
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m2
1m1
2m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.56 Tumor ploidy: 4.008
0
4
5
6
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.56 Tumor ploidy: 4.008 SNV log−likelihood: −349.54 GoF: 71.1% Mean coverage: 289
2
7
9
10
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −3996.18
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
4.5
0
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
4m2
4m1
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.52 Tumor ploidy: 2.005
2
3
5
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.52 Tumor ploidy: 2.005 SNV log−likelihood: −375.04 GoF: 60.2% Mean coverage: 289
2
7
9
10
11
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
SNV Index



SCNA−fit log−likelihood: −3989.98
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
3
5
0
10
20
30
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
0
10
20
30
SNV Index



2m2
2m1
2m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.05
0.10
0.15
0.20
−1.5
−1.0
−0.5
0.0



Power 0.8 at BQ 32
Frequency
Cellular fraction
0
1
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.57 Tumor ploidy: 3.005
3
4
6
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.57 Tumor ploidy: 3.005 SNV log−likelihood: −367.42 GoF: 73% Mean coverage: 289
2
7
9
10
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −3990.59
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
6
4
3
0
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
3.0
2.5
2.0
1.5
1.0
0.5
0.0
0
10
20
30
40
SNV Index



3m3
3m2
3m1
3m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
Allelic fraction (somatic)
Copy Number log−ratio
0.05
0.10
0.15
0.20
0.25
−1.5
−1.0
−0.5
0.0



Power 0.8 at BQ 32
Frequency
Cellular fraction
0
1
2
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.35 Tumor ploidy: 3.01
3
5
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.35 Tumor ploidy: 3.01 SNV log−likelihood: −386.94 GoF: 79.3% Mean coverage: 289
2
7
9
10
11
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index



SCNA−fit log−likelihood: −3987.33
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
3
5
0
5
10
15
20
25
30
35
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
5
10
15
20
25
30
35
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio
3m3
3m2
3m1
2m0
3m0



Coverage (log2)
4
5
6
7
8
9
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1



Frequency
0
1
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.39 Tumor ploidy: 4.022
4
5
6
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.39 Tumor ploidy: 4.022 SNV log−likelihood: −385.82 GoF: 72.9% Mean coverage: 289
2
7
9
10
11
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
SNV Index



SCNA−fit log−likelihood: −3985.78
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
3
4
6
0
10
20
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
10
20
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
4m3
4m2
3m1
4m1
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1



Frequency
Cellular fraction



Purity: 0.24 Tumor ploidy: 3.013
3
4
5
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.24 Tumor ploidy: 3.013 SNV log−likelihood: −388.3 GoF: 90.7% Mean coverage: 289
2
7
9
10
11
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: −3982.77
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
3m2
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
3m2
2m1
3m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.88 Tumor ploidy: 4.005
4
5
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.88 Tumor ploidy: 4.005 SNV log−likelihood: −395.45 GoF: 74.3% Mean coverage: 289
2 5 7 9 10 11 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30
SNV Index



SCNA−fit log−likelihood: −3990.4
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
4 5 7
0 10 20 30
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
4m3
4m2
4m1
4m0
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.10
0.15
0.20
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Frequency
0
1
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.45 Tumor ploidy: 5.994
0
5
6
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.45 Tumor ploidy: 5.994 SNV log−likelihood: −383.19 GoF: 77.3% Mean coverage: 289
2
7
9
10
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −4020.89
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
5
0
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
10
20
30
40
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio
6m5
6m4
6m3
5m2
6m2
6m1
5m0
6m0



Coverage (log2)
4
5
6
7
8
9
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1
6m1



Frequency
0
1
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.29 Tumor ploidy: 2.009
2
4
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.29 Tumor ploidy: 2.009 SNV log−likelihood: −370.11 GoF: 85% Mean coverage: 289
2
7
9
10
11
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: −3981.14
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
7
4
2
1
0
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
2.0
1.5
1.0
0.5
0.0
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio
2m2
2m1
1m0
2m0



Coverage (log2)
4
5
6
7
8
9
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1



Frequency
0
1
2
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.94 Tumor ploidy: 3.004
3
4
5
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.94 Tumor ploidy: 3.004 SNV log−likelihood: −402.1 GoF: 54.1% Mean coverage: 289
2 5 7 9 10 11 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: −3990.65
Copy Number log−ratio
1.0 0.5 0.0 −0.5 −1.0 −1.5 −2.0
5 4 3
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
3.0 2.5 2.0 1.5 1.0 0.5 0.0
0 10 20 30 40
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
3m2
3m1
3m0
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.10
0.15
0.20
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
0
1
0.0
0.2
0.4
0.6
0.8
Cellular fraction



Purity: 0.33 Tumor ploidy: 5.004
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.33 Tumor ploidy: 5.004 SNV log−likelihood: −390.29 GoF: 85.1% Mean coverage: 289
2
7
9
10
11
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index
SCNA−fit log−likelihood: −3976.69
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
4
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio
5m5
5m4
5m3
4m2
5m2
5m1
4m0
5m0



Coverage (log2)
4
5
6
7
8
9
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m2
4m1
5m1



Power 0.8 at BQ 32
Frequency
0
1
2
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.82 Tumor ploidy: 3.004
0
3
4
5
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.82 Tumor ploidy: 3.004 SNV log−likelihood: −410.36 GoF: 67.3% Mean coverage: 289
2 5 7 9 10 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: −3990.56
Copy Number log−ratio
1.0 0.5 0.0 −0.5 −1.0 −1.5 −2.0
5 4 3
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
3.0 2.5 2.0 1.5 1.0 0.5 0.0
0 10 20 30 40
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio
3m2
3m1
3m0



Coverage (log2)
4
5
6
7
8
9
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.10
0.15
0.20
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
0
1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
Cellular fraction



Purity: 0.17 Tumor ploidy: 4.971
4
5
6
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.17 Tumor ploidy: 4.971 SNV log−likelihood: −400.27 GoF: 90.5% Mean coverage: 289
2
7
9
10
11
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: −4005.1
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
0
5
10
15
20
25
SNV Index
6
3
0



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
4m4
5m4
5m2
3m0
5m1
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m3
3m1
4m1
5m1



Frequency
Cellular fraction



Purity: 0.22 Tumor ploidy: 5.989
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.22 Tumor ploidy: 5.989 SNV log−likelihood: −397.09 GoF: 87.9% Mean coverage: 289
2
7
9
10
11
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: −4019.87
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
5 7
0
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m6
5m4
6m3
5m2
6m1
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m3
5m2
5m1
6m1



Frequency
Cellular fraction



Purity: 0.56 Tumor ploidy: 5.99
0
4
5
6
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
−3
−2
−1
0
1
log2 ratio



Purity: 0.56 Tumor ploidy: 5.99 SNV log−likelihood: −383.23 GoF: 74.3% Mean coverage: 289
2 5 7 9 10 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: −4103.49
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
4 5
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio
6m5
6m4
6m3
5m2
6m2
6m1
5m0
6m0



Coverage (log2)
4
5
6
7
8
9
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1
6m1



Frequency
0
1
2
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.33 Tumor ploidy: 5.963
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.33 Tumor ploidy: 5.963 SNV log−likelihood: −392.93 GoF: 83.1% Mean coverage: 289
2
7
9
10
11
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index



SCNA−fit log−likelihood: −4086.92
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
7
5
0
0
5
10
15
20
25
30
35
SNV Index


Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
5
10
15
20
25
30
35
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
6m6
6m5
6m4
6m3
5m2
6m2
5m1
6m1
5m0
6m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m2
5m1
6m1


Power 0.8 at BQ 32
Frequency
Cellular fraction