






Purity: 0.21 Tumor ploidy: 2.044
0
1
2
3
0.3
0.2
0.1
0.0
Fraction Genome
0.0
0.5
1.0
log2 ratio



Purity: 0.21 Tumor ploidy: 2.044 SNV log−likelihood: −239.97 GoF: 85.6% Mean coverage: 190
2
12
13
14
17
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: −8975.11
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
2m2
0m0
2m1
1m0
2m0
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
2m1
3m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.77 Tumor ploidy: 2.003
0
1
2
3
5
0.6
0.4
0.2
0.0
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.77 Tumor ploidy: 2.003 SNV log−likelihood: −173.35 GoF: 48.7% Mean coverage: 190
1
2
6
12
13
14
17
19
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: −8957.18
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
3
5
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
2m2
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1



Frequency
Cellular fraction



Purity: 0.54 Tumor ploidy: 5.01
0
1
3
4
5
0.0
0.2
0.4
0.6
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.54 Tumor ploidy: 5.01 SNV log−likelihood: −180.96 GoF: 52.6% Mean coverage: 190
1
2
6
12
13
14
17
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: −8946.16
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
3m3
5m3
5m2
5m1
3m0
4m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.55 Tumor ploidy: 4.006
0
1
3
4
6
0.0
0.2
0.4
0.6
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.55 Tumor ploidy: 4.006 SNV log−likelihood: −183.57 GoF: 54.3% Mean coverage: 190
1
2
12
13
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
1.0
5
10
15
20
SNV Index
SCNA−fit log−likelihood: −8933.19
Copy Number log−ratio
−3
−2
−1
0
1
0
1
3
6
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
4m3
3m2
4m2
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
4m2
3m1
4m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.51 Tumor ploidy: 2.005
0
1
2
4
6
Fraction Genome
0.0
0.2
0.4
0.6
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.51 Tumor ploidy: 2.005 SNV log−likelihood: −197.63 GoF: 25.2% Mean coverage: 190
1
2
12
13
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
1.0
5
10
15
SNV Index



SCNA−fit log−likelihood: −8930.48
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
4
6
5
10
15
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
1m1
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 2.003
1
2
3
4
0.6
0.4
0.2
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.95 Tumor ploidy: 2.003 SNV log−likelihood: −185.4 GoF: 13.1% Mean coverage: 190
1
2
6
12
13
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
5
10
15
20
SNV Index
SCNA−fit log−likelihood: −8967.05
Copy Number log−ratio
−3
−2
−1
0
1
1
2
3
4
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
5
10
15
20
SNV Index



2m2
2m1
2m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
1.0
−2.5
−2.0
−1.5
−1.0
−0.5
0.0
0.5



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
0.0
0.2
0.4
0.6
0.8
1.0



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.15
0.20
0.25
0.30
0.35
0.40
−2.5
−2.0
−1.5
−1.0
−0.5
0.0
0.5



Frequency
Cellular fraction
0
1
2
3
0.3
0.4
0.5
0.6
0.7
0.8
0.9



Purity: 0.32 Tumor ploidy: 4.009
0
2
3
4
7
0.0
0.2
0.4
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.32 Tumor ploidy: 4.009 SNV log−likelihood: −197.11 GoF: 79.7% Mean coverage: 190
1
2
12
13
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
1.0
5
10
15
SNV Index



SCNA−fit log−likelihood: −8931.26
Copy Number log−ratio
−3
−2
−1
0
1
0
2
4
7
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
2m1
4m2
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
2m1
3m1
4m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.33 Tumor ploidy: 5.006
0
3
4
5
Fraction Genome
0.0
0.2
0.4
0.6
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.33 Tumor ploidy: 5.006 SNV log−likelihood: −207.06 GoF: 85.4% Mean coverage: 190
1
2
12
13
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
1.0
5
10
15
SNV Index



SCNA−fit log−likelihood: −8944.36
Copy Number log−ratio
−3
−2
−1
0
1
0
3
5
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
5m4
5m3
4m2
5m2
3m1
5m1
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m2
0m1
3m1
5m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.46 Tumor ploidy: 3.006
0
2
3
5
0.6
0.4
0.2
0.0
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.46 Tumor ploidy: 3.006 SNV log−likelihood: −213.98 GoF: 68.6% Mean coverage: 190
1
2
12
13
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
1.0
5
10
15
SNV Index



SCNA−fit log−likelihood: −8935.84
Copy Number log−ratio
−3
−2
−1
0
1
0
2
3
5
5
10
15
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
3m2
2m1
3m1
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.44 Tumor ploidy: 4.009
0
1
2
3
4
7
0.6
0.4
0.2
0.0
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.44 Tumor ploidy: 4.009 SNV log−likelihood: −213.74 GoF: 73.6% Mean coverage: 190
1
2
12
13
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
1.0
5
10
15
SNV Index



SCNA−fit log−likelihood: −8936.86
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
4
7
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
4m3
2m1
4m2
4m1
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1
4m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.55 Tumor ploidy: 5.957
2
4
5
6
0.0
0.2
0.4
0.6
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.55 Tumor ploidy: 5.957 SNV log−likelihood: −169.71 GoF: 47.3% Mean coverage: 190
1
2
6
12
13
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
1.0
5
10
15
20
SNV Index



SCNA−fit log−likelihood: −9026.22
Copy Number log−ratio
−3
−2
−1
0
1
0
2
4
6
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m6
4m4
6m5
6m4
5m3
6m3
6m1
4m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m3
4m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.31 Tumor ploidy: 2.01
0
1
2
5
0.6
0.4
0.2
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.31 Tumor ploidy: 2.01 SNV log−likelihood: −210.49 GoF: 72.9% Mean coverage: 190
2
12
13
14
17
B−Allele Frequency
1.0
0.8
0.6
0.4
0.2
5
10
15
SNV Index



SCNA−fit log−likelihood: −8966.14
Copy Number log−ratio
1
0
−1
−2
−3
5
0 1
5
10
15
SNV Index



Maximum Likelihood Copy Number
2.0
1.5
1.0
0.5
0.0
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
2m2
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.45 Tumor ploidy: 5.958
0
2
4
5
6
Fraction Genome
0.0
0.2
0.4
0.6
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.45 Tumor ploidy: 5.958 SNV log−likelihood: −190.83 GoF: 75.2% Mean coverage: 190
1
2
6
12
13
14
17
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: −9015.28
Copy Number log−ratio
Maximum Likelihood Copy Number



Allelic fraction (germline)
Copy Number log−ratio
6m6
6m4
4m2
6m3
5m2
6m2
6m1
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m2
4m1
6m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.15 Tumor ploidy: 5.068
0
1
2
4
5
6
0.0
0.2
0.4
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.15 Tumor ploidy: 5.068 SNV log−likelihood: −210.98 GoF: 83.5% Mean coverage: 190
2
12
13
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
1.0
5
10
15
SNV Index



SCNA−fit log−likelihood: −8966
Copy Number log−ratio
−3
−2
−1
0
1
0
4
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m6
5m5
4m2
1m0
5m2
5m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
1m2
0m1
1m1
2m1
5m1
6m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.25 Tumor ploidy: 5.997
0
3
4
5
6
7
0.6
0.4
0.2
0.0
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.25 Tumor ploidy: 5.997 SNV log−likelihood: −210.8 GoF: 90.1% Mean coverage: 190
2
12
13
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
1.0
2
4
6
8
10
12
14
SNV Index



SCNA−fit log−likelihood: −8975.12
Copy Number log−ratio
−3
−2
−1
0
1
0
3
5
2
4
6
8
10
12
14
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
2
4
6
8
10
12
14
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m6
7m6
3m2
6m3
5m1
7m1
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m2
0m1
3m1
4m1
5m1
6m1
7m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.67 Tumor ploidy: 3.005
0
1
2
3
5
7
0.6
0.4
0.2
0.0
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.67 Tumor ploidy: 3.005 SNV log−likelihood: −175.31 GoF: 0% Mean coverage: 190
1
2
6
12
13
14
17
B−Allele Frequency
SNV Index



SCNA−fit log−likelihood: −8927.56
Copy Number log−ratio
SNV Index


Maximum Likelihood Copy Number
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
3m3
2m2
3m2
3m1
2m0
3m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1


Power 0.8 at BQ 33
Frequency
Cellular fraction