






Purity: 0.58 Tumor ploidy: 4.038
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.58 Tumor ploidy: 4.038 SNV log−likelihood: −611.98 GoF: 74.6% Mean coverage: 367
1 2 5 6 7 9 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index
SCNA−fit log−likelihood: −6158.96
Copy Number log−ratio
−3 −2 −1 0 1 2
1 2 3 5 7
0 10 20 30 40 50 60
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
5m5
4m3
3m2
5m3
4m2
5m2
3m1
4m1
5m1
6m1
4m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
4m1
5m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.37 Tumor ploidy: 3.039
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.37 Tumor ploidy: 3.039 SNV log−likelihood: −621.58 GoF: 73.7% Mean coverage: 367
2 5 7 9 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: −6160.72
Copy Number log−ratio
−3 −2 −1 0 1 2
0 1 3 5
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
2m1
3m0
3m1
3m2
3m3
5m1
5m3
5m5
6m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
5m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.51 Tumor ploidy: 3.038
0
2
3
4
5
6
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.51 Tumor ploidy: 3.038 SNV log−likelihood: −635.9 GoF: 69.9% Mean coverage: 367
2 5 7 9 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: −6154.53
Copy Number log−ratio
−3 −2 −1 0 1 2
0 2 4 6
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
3m3
4m3
3m2
2m1
4m2
3m1
4m1
5m1
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.69 Tumor ploidy: 3.037
2
3
4
5
6
7
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.69 Tumor ploidy: 3.037 SNV log−likelihood: −622.24 GoF: 58.2% Mean coverage: 367
1 2 5 6 7 9 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60 70
SNV Index
SCNA−fit log−likelihood: −6190.89
Copy Number log−ratio
−3 −2 −1 0 1 2
2 3 5 7
0 10 20 30 40 50 60 70
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40 50 60 70
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
3m3
4m3
3m2
2m1
4m2
3m1
4m1
5m1
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m2
2m1
3m1
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.26 Tumor ploidy: 2.008
0
1
2
3
4
5
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.26 Tumor ploidy: 2.008 SNV log−likelihood: −647.54 GoF: 77.7% Mean coverage: 367
2 5 7 9 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: −6162.66
Copy Number log−ratio
−3 −2 −1 0 1 2
0 2 5
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
2m2
0m0
2m1
4m2
1m0
2m0
4m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
4m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.29 Tumor ploidy: 4.008
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.29 Tumor ploidy: 4.008 SNV log−likelihood: −648.66 GoF: 78.7% Mean coverage: 367
2 5 7 9 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: −6155.84
Copy Number log−ratio
−3 −2 −1 0 1 2
0 2 4 7
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
2m1
3m2
4m0
4m1
4m2
4m3
4m4
6m2
6m4
6m6
7m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
6m1



Frequency
Cellular fraction



Purity: 0.62 Tumor ploidy: 2.002
0
1
2
3
4
5
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.62 Tumor ploidy: 2.002 SNV log−likelihood: −663.02 GoF: 18.3% Mean coverage: 367
1 2 5 7 9 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: −6198.52
Copy Number log−ratio
−3 −2 −1 0 1 2
0 1 2 3 5
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
2m2
1m1
3m2
2m1
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
1m1
2m1
3m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.87 Tumor ploidy: 3.002
1
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.87 Tumor ploidy: 3.002 SNV log−likelihood: −659.08 GoF: 72.8% Mean coverage: 367
1 2 5 7 9 13 14 16 17 19
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index
SCNA−fit log−likelihood: −6198.51
Copy Number log−ratio
−3 −2 −1 0 1 2
1 2 3 4 6
0 10 20 30 40 50 60
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
3m2
2m1
4m2
3m1
4m1
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1
4m1



Frequency
Cellular fraction



Purity: 0.19 Tumor ploidy: 3.094
0
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.19 Tumor ploidy: 3.094 SNV log−likelihood: −660.45 GoF: 88% Mean coverage: 367
2 5 7 9 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: −6158.17
Copy Number log−ratio
−3 −2 −1 0 1 2
0 3
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m7
6m5
3m3
6m4
3m2
0m0
2m1
3m1
6m2
3m0
4m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
6m2
0m1
3m1
6m1



Frequency
Cellular fraction



Purity: 0.33 Tumor ploidy: 5.027
0
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.33 Tumor ploidy: 5.027 SNV log−likelihood: −663.02 GoF: 90.4% Mean coverage: 367
2 5 7 9 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: −6162.13
Copy Number log−ratio
−3 −2 −1 0 1 2
0 2 4 7
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
3m1
3m2
5m1
5m2
5m3
5m4
5m5
7m2
7m5
7m7



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
5m1
7m1
7m2



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.45 Tumor ploidy: 5.961
1
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.45 Tumor ploidy: 5.961 SNV log−likelihood: −629.83 GoF: 81.4% Mean coverage: 367
2 5 7 9 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index
SCNA−fit log−likelihood: −6263.61
Copy Number log−ratio
−3 −2 −1 0 1 2
1 4 6
0 10 20 30 40 50 60
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
7m7
6m6
7m5
6m4
5m3
4m2
6m3
7m3
6m2
4m1
7m2
6m1
6m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1
6m1
7m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.27 Tumor ploidy: 5.99
0
3
5
6
7
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
−1
0
1
2
log2 ratio



Purity: 0.27 Tumor ploidy: 5.99 SNV log−likelihood: −668.25 GoF: 89% Mean coverage: 367
2 5 7 9 13 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: −6198.85
Copy Number log−ratio
−3 −2 −1 0 1 2
0 3 6 11
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
3m1
3m2
5m2
6m1
6m2
6m3
6m4
6m5
6m6



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
0m1
5m1
6m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.66 Tumor ploidy: 5.979
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio


Purity: 0.66 Tumor ploidy: 5.979 SNV log−likelihood: −617.68 GoF: 87.4% Mean coverage: 367
1 2 5 7 9 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index
SCNA−fit log−likelihood: −6313.17
Copy Number log−ratio
−3 −2 −1 0 1 2
4 6
0 10 20 30 40 50 60
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50 60
SNV Index


6m6
7m6
6m4
7m4
4m2
6m3
7m3
6m2
7m2
5m0
6m0
7m0
Allelic fraction (germline)
Copy Number log−ratio


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m1
7m1
Allelic fraction (somatic)
Copy Number log−ratio


Power 0.8 at BQ 32
Frequency
Cellular fraction