






Purity: 0.17 Tumor ploidy: 2.042
2
3
0.4
0.3
0.2
0.1
0.0
Fraction Genome
0.0
0.2
0.4
0.6
0.8
1.0
1.2
log2 ratio



Purity: 0.17 Tumor ploidy: 2.042 SNV log−likelihood: −319.08 GoF: 79.3% Mean coverage: 315
1 2 3 6 7 10 11 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index
SCNA−fit log−likelihood: −5866.12
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
1 3
0 5 10 15 20 25 30
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 5 10 15 20 25 30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
1m1
2m1
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.89 Tumor ploidy: 2.002
2
4
0.4
0.3
0.2
0.1
0.0
Fraction Genome
0.0
0.2
0.4
0.6
0.8
1.0
1.2
log2 ratio



Purity: 0.89 Tumor ploidy: 2.002 SNV log−likelihood: −307.36 GoF: 86.7% Mean coverage: 315
1 2 3 6 7 10 11 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30 35
SNV Index



SCNA−fit log−likelihood: −5861.37
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
4
2
0 5 10 15 20 25 30 35
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 5 10 15 20 25 30 35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m1
2m0
0.0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
0.5



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0.3
0.4
0.5
0.6
0.7
−1.0
−0.5
0.0
0.5



Power 0.8 at BQ 33
Frequency
Cellular fraction
0
1
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.41 Tumor ploidy: 2.005
2
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
0.0
0.2
0.4
0.6
0.8
1.0
1.2
log2 ratio



Purity: 0.41 Tumor ploidy: 2.005 SNV log−likelihood: −322.13 GoF: 69.6% Mean coverage: 315
2 3 6 7 10 11 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index



SCNA−fit log−likelihood: −5861.1
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 6 7
0 5 10 15 20 25 30
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 5 10 15 20 25 30
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
2m2
2m1
2m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.1
0.2
0.3
0.4
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
2m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
0
1
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.87 Tumor ploidy: 3.003
3
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
0.0
0.2
0.4
0.6
0.8
1.0
1.2
log2 ratio



Purity: 0.87 Tumor ploidy: 3.003 SNV log−likelihood: −291.14 GoF: 85.7% Mean coverage: 315
1 2 3 6 7 10 11 14 16 17 19
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: −5861.33
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
6
3
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
3m2
3m1
3m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.10
0.15
0.20
0.25
0.30
0.35
0.40
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
0
1
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.3 Tumor ploidy: 3.008
3
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.0
0.2
0.4
0.6
0.8
1.0
1.2
log2 ratio



Purity: 0.3 Tumor ploidy: 3.008 SNV log−likelihood: −325.78 GoF: 84.2% Mean coverage: 315
2
3
6
7
10
11
14
16
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: −5873.02
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
3
0
5
10
15
20
25
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
3m2
3m1
3m0
0.0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
0.5



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
3m3
3m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0.1
0.2
0.3
0.4
−1.0
−0.5
0.0
0.5



Power 0.8 at BQ 33
Frequency
Cellular fraction
0
1
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.55 Tumor ploidy: 3.006
3
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
0.0
0.2
0.4
0.6
0.8
1.0
1.2
log2 ratio



Purity: 0.55 Tumor ploidy: 3.006 SNV log−likelihood: −329.18 GoF: 72.7% Mean coverage: 315
1 2 3 6 7 10 11 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index
SCNA−fit log−likelihood: −5866.85
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
7
3
0 5 10 15 20 25 30
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 5 10 15 20 25 30
SNV Index



3m3
3m2
3m1
3m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
0.5



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.04
0.05
0.06
0.07
0.08
0.09
0.10
−1.0
−0.5
0.0
0.5



Frequency
Cellular fraction
0
1
0.10
0.12
0.14
0.16
0.18
0.20



Purity: 0.59 Tumor ploidy: 4.007
4
0.0
0.1
0.2
0.3
0.4
Fraction Genome
0.0
0.2
0.4
0.6
0.8
1.0
1.2
log2 ratio



Purity: 0.59 Tumor ploidy: 4.007 SNV log−likelihood: −327.55 GoF: 80.4% Mean coverage: 315
1 2 3 6 7 10 11 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index



SCNA−fit log−likelihood: −5873.02
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
4
0 5 10 15 20 25 30
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 5 10 15 20 25 30
SNV Index



4m4
4m3
4m2
4m1
4m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
0.5



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.040
0.045
0.050
0.055
0.060
0.065
−1.0
−0.5
0.0
0.5



Power 0.8 at BQ 33
Frequency
Cellular fraction
0
1
0.00
0.05
0.10
0.15
0.20



Purity: 0.17 Tumor ploidy: 4.044
4
5
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.0
0.2
0.4
0.6
0.8
1.0
1.2
log2 ratio



Purity: 0.17 Tumor ploidy: 4.044 SNV log−likelihood: −321.48 GoF: 87.9% Mean coverage: 315
1 2 3 6 7 10 11 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index
SCNA−fit log−likelihood: −5865.57
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
3 5
0 5 10 15 20 25 30
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 5 10 15 20 25 30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
4m3
3m2
4m2
4m1
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
4m1



Frequency
Cellular fraction



Purity: 0.33 Tumor ploidy: 5.002
5
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.0
0.2
0.4
0.6
0.8
1.0
1.2
log2 ratio



Purity: 0.33 Tumor ploidy: 5.002 SNV log−likelihood: −330.71 GoF: 91.9% Mean coverage: 315
1 2 3 6 7 10 11 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25
SNV Index
SCNA−fit log−likelihood: −5871.78
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
4 5
0 5 10 15 20 25
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 5 10 15 20 25
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
0.5
Copy Number log−ratio
5m5
5m4
5m3
4m2
5m2
5m1
5m0



Coverage (log2)
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.1
0.2
0.3
0.4
−1.0
−0.5
0.0
0.5
Copy Number log−ratio
5m4
5m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33
Frequency
0
1
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.15 Tumor ploidy: 5.996
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
0.0
0.2
0.4
0.6
0.8
1.0
1.2
log2 ratio



Purity: 0.15 Tumor ploidy: 5.996 SNV log−likelihood: −337.64 GoF: 89.9% Mean coverage: 315
2 3 6 7 10 11 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index
SCNA−fit log−likelihood: −5865.63
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
5 7
0 5 10 15 20 25 30
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 5 10 15 20 25 30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m6
6m5
6m4
5m3
6m3
5m1
6m1
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m1



Frequency
Cellular fraction



Purity: 0.25 Tumor ploidy: 5.961
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
0.0
0.2
0.4
0.6
0.8
1.0
1.2
log2 ratio



Purity: 0.25 Tumor ploidy: 5.961 SNV log−likelihood: −335.56 GoF: 93.4% Mean coverage: 315
1 2 3 6 7 10 11 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25
SNV Index
SCNA−fit log−likelihood: −5925.34
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
5 7
0 5 10 15 20 25
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 5 10 15 20 25
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
0.5
Copy Number log−ratio
6m6
6m5
6m4
5m3
6m3
6m2
6m1
6m0



Coverage (log2)
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.1
0.2
0.3
0.4
−1.0
−0.5
0.0
0.5
Copy Number log−ratio
6m5
6m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33
Frequency
0
1
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.45 Tumor ploidy: 5.955
6
0.0
0.1
0.2
0.3
0.4
Fraction Genome
0.0
0.2
0.4
0.6
0.8
1.0
1.2
log2 ratio


Purity: 0.45 Tumor ploidy: 5.955 SNV log−likelihood: −337.75 GoF: 91.4% Mean coverage: 315
1 2 3 6 7 10 11 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index
SCNA−fit log−likelihood: −5981.37
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
5 6
0 5 10 15 20 25 30
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 5 10 15 20 25 30
SNV Index


6m6
6m4
5m3
6m3
6m2
5m0
6m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
0.5


Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.04
0.05
0.06
0.07
0.08
0.09
0.10
−1.0
−0.5
0.0
0.5


Frequency
Cellular fraction
0
1
0.20
0.25
0.30
0.35
0.40