






Purity: 0.52 Tumor ploidy: 4.579
0
1
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.52 Tumor ploidy: 4.579 SNV log−likelihood: −737.41 GoF: 61.2% Mean coverage: 251
1
2
3
5
7
9
11
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
20
40
60
80
SNV Index



SCNA−fit log−likelihood: −4071.78
Copy Number log−ratio
−4
−3
−2
−1
0
1
2
0
1
2
4
7
0
20
40
60
80
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
20
40
60
80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m2
6m6
5m5
6m5
5m4
1m1
4m3
7m5
6m4
5m3
0m0
4m2
6m2
1m0
4m1
7m2
7m1
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
0m1
4m3
6m4
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m2
4m1
5m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.45 Tumor ploidy: 3.449
0
1
2
3
4
5
6
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.45 Tumor ploidy: 3.449 SNV log−likelihood: −742.33 GoF: 71.6% Mean coverage: 251
1 2 3 5 7 9 11 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: −4077.71
Copy Number log−ratio
2 1 0 −1 −2 −3 −4
0 1 3 5
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
3m1
3m2
3m3
3m0
4m0
4m3
4m4
5m1
5m2
5m3
5m4
5m5
6m1
6m4



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
0m1
3m1
4m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.72 Tumor ploidy: 4.438
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.72 Tumor ploidy: 4.438 SNV log−likelihood: −760.99 GoF: 26% Mean coverage: 251
1
2
3
5
9
11
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
20
40
60
80
SNV Index



SCNA−fit log−likelihood: −4092.31
Copy Number log−ratio
−4
−3
−2
−1
0
1
2
0
1
2
3
5
0
20
40
60
80
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
20
40
60
80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m6
2m2
6m5
5m4
4m3
7m5
6m4
5m3
2m1
4m2
6m2
7m2
4m1
5m1
1m0
7m1
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
6m3
6m2
4m1
5m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.41 Tumor ploidy: 4.791
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.41 Tumor ploidy: 4.791 SNV log−likelihood: −733.23 GoF: 74.4% Mean coverage: 251
1 2 3 5 7 9 11 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index
SCNA−fit log−likelihood: −4166.63
Copy Number log−ratio
−4 −3 −2 −1 0 1 2
0 2 4 7
0 20 40 60 80
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m2
7m7
6m6
5m5
4m4
7m6
1m1
7m5
6m4
0m0
4m2
6m3
7m3
4m1
7m2
7m1
4m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
7m5
0m1
4m1
5m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.71 Tumor ploidy: 5.402
0
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.71 Tumor ploidy: 5.402 SNV log−likelihood: −803.1 GoF: 30.8% Mean coverage: 251
1
2
3
5
9
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
20
40
60
80
SNV Index



SCNA−fit log−likelihood: −4032.71
Copy Number log−ratio
2
1
0
−1
−2
−3
−4
0
2
3
5
0
20
40
60
80
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
20
40
60
80
SNV Index



2m3
7m7
2m2
6m5
5m4
7m5
6m4
5m3
7m4
2m1
7m3
5m2
7m2
5m1
6m1
5m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m3
7m4
5m1
6m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.39 Tumor ploidy: 2.711
0
1
2
3
4
5
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.39 Tumor ploidy: 2.711 SNV log−likelihood: −728.89 GoF: 68.9% Mean coverage: 251
1
2
3
5
7
9
11
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
20
40
60
80
SNV Index
SCNA−fit log−likelihood: −4348.86
Copy Number log−ratio
−4
−3
−2
−1
0
1
2
0
2
4
0
20
40
60
80
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
0
20
40
60
80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m1
2m3
4m4
3m3
5m4
4m3
3m2
5m3
0m0
2m1
5m2
4m1
2m0
5m1
3m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
2m1
3m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.76 Tumor ploidy: 2.23
0
1
2
3
4
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.76 Tumor ploidy: 2.23 SNV log−likelihood: −730.7 GoF: 71% Mean coverage: 251
1 2 3 5 9 11 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index
SCNA−fit log−likelihood: −4454.47
Copy Number log−ratio
−4 −3 −2 −1 0 1 2
0 1 2 3
0 20 40 60 80
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
2m1
3m1
2m2
3m2
4m2
2m0
3m0
4m1
3m3



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m2
3m1



Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 5.465
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.95 Tumor ploidy: 5.465 SNV log−likelihood: −855.82 GoF: 72.5% Mean coverage: 251
1 2 3 5 7 9 11 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: −4173.32
Copy Number log−ratio
2 1 0 −1 −2 −3 −4
2 3 5 7
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 20 40 60 80
SNV Index



3m3
7m7
6m5
7m5
3m2
6m4
5m3
7m4
2m1
7m3
5m2
7m2
5m1
6m1
5m0
6m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
7m3
5m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.79 Tumor ploidy: 3.24
0
1
2
3
4
5
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.79 Tumor ploidy: 3.24 SNV log−likelihood: −788.5 GoF: 69.1% Mean coverage: 251
1
2
3
5
7
9
11
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
20
40
60
80
SNV Index



SCNA−fit log−likelihood: −4573.17
Copy Number log−ratio
2
1
0
−1
−2
−3
−4
5
3
2
1
0
0
20
40
60
80
SNV Index


Maximum Likelihood Copy Number
0
1
2
3
4
5
0
20
40
60
80
SNV Index


1m2
3m3
4m4
5m4
4m3
3m2
0m0
4m2
3m1
4m1
5m1
1m0
3m0
Allelic fraction (germline)
Copy Number log−ratio


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
3m2
4m2
3m1
4m1
Allelic fraction (somatic)
Copy Number log−ratio


Frequency
Cellular fraction