






Purity: 0.31 Tumor ploidy: 2.04
0
1
2
3
4
5
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.31 Tumor ploidy: 2.04 SNV log−likelihood: −407.22 GoF: 56.1% Mean coverage: 197
1
2
5
7
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
SNV Index



SCNA−fit log−likelihood: −6698.65
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
4
0
10
20
30
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
0
10
20
30
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio
2m2
0m0
2m1
2m0



Coverage (log2)
5
6
7
8
9
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio
0m1
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33
Frequency
0
1
2
3
4
5
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.58 Tumor ploidy: 4.038
0
2
3
4
5
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−2.5
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.58 Tumor ploidy: 4.038 SNV log−likelihood: −350.91 GoF: 8.7% Mean coverage: 197
1
2
5
7
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −6703.14
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
3
4
5
7
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
4m3
4m2
4m1
2m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1



Frequency
Cellular fraction



Purity: 0.77 Tumor ploidy: 2.002
0
1
2
3
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2.5
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.77 Tumor ploidy: 2.002 SNV log−likelihood: −352.89 GoF: 37.1% Mean coverage: 197
1
2
5
6
7
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −6755.16
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
0
10
20
30
40
SNV Index



1m1
2m1
1m0
2m0
Allelic fraction (germline)
Copy Number log−ratio
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
0.5



Coverage (log2)
Allelic fraction
5
6
7
8
9
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
Allelic fraction (somatic)
Copy Number log−ratio
0.1
0.2
0.3
0.4
0.5
0.6
0.7
−1.5
−1.0
−0.5
0.0
0.5



Power 0.8 at BQ 33
Frequency
Cellular fraction
0
1
2
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.53 Tumor ploidy: 5.04
0
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2.5
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.53 Tumor ploidy: 5.04 SNV log−likelihood: −359.29 GoF: 47.3% Mean coverage: 197
1
2
5
7
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −6692.65
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
3
4
5
7
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
5m4
5m3
5m2
5m1
2m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1



Frequency
Cellular fraction



Purity: 0.76 Tumor ploidy: 3.002
0
2
3
4
5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2.5
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.76 Tumor ploidy: 3.002 SNV log−likelihood: −348.74 GoF: 43.9% Mean coverage: 197
1
2
5
6
7
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −6765.79
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
2
3
4
5
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.49 Tumor ploidy: 3.049
0
1
2
3
4
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2.5
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.49 Tumor ploidy: 3.049 SNV log−likelihood: −379.34 GoF: 54.6% Mean coverage: 197
1
2
5
7
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index



SCNA−fit log−likelihood: −6709.95
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
6
0
5
10
15
20
25
30
35
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
5
10
15
20
25
30
35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
1m1
3m0
3m1
3m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1



Frequency
Cellular fraction



Purity: 0.57 Tumor ploidy: 5.964
0
3
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2.5
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.57 Tumor ploidy: 5.964 SNV log−likelihood: −340.44 GoF: 22.2% Mean coverage: 197
1
2
5
7
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −6797.47
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
7
5
3
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
10
20
30
40
SNV Index



3m3
6m4
5m3
6m3
5m2
6m2
3m0
5m0
6m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m3
6m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.37 Tumor ploidy: 3.04
0
1
2
3
4
5
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.37 Tumor ploidy: 3.04 SNV log−likelihood: −397.7 GoF: 68.5% Mean coverage: 197
1
2
5
7
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index
SCNA−fit log−likelihood: −6695.77
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
1m1
3m2
0m0
3m1
1m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.33 Tumor ploidy: 4.04
0
1
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.33 Tumor ploidy: 4.04 SNV log−likelihood: −399.48 GoF: 66% Mean coverage: 197
1
2
5
7
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
SNV Index
SCNA−fit log−likelihood: −6686.82
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
3
5
7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
1m1
4m0
4m1
4m2
4m3



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
1m1
4m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.35 Tumor ploidy: 5.012
0
1
2
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.35 Tumor ploidy: 5.012 SNV log−likelihood: −398.66 GoF: 70.5% Mean coverage: 197
1
2
5
7
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −6688.72
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
4
6
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
2m2
4m2
5m0
5m1
5m2
5m3
5m4



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.16 Tumor ploidy: 2.959
0
1
2
3
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.16 Tumor ploidy: 2.959 SNV log−likelihood: −409.87 GoF: 58.8% Mean coverage: 197
2
5
7
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
SNV Index
SCNA−fit log−likelihood: −6693.31
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
5
0
10
20
30
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
10
20
30
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio
3m3
3m2
0m0
2m1
3m1
2m0
3m0



Coverage (log2)
5
6
7
8
9
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
3m2
0m1
2m1
3m1



Frequency
0
1
2
3
4
5
6
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction



Purity: 0.87 Tumor ploidy: 3.002
2
3
4
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.87 Tumor ploidy: 3.002 SNV log−likelihood: −323.02 GoF: 26.6% Mean coverage: 197
1 2 5 6 7 14
B−Allele Frequency
0.1 0.2 0.3 0.4 0.5 0.6 0.7
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: −6763.01
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4 5
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.31 Tumor ploidy: 5.937
0
2
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.31 Tumor ploidy: 5.937 SNV log−likelihood: −402.99 GoF: 68.3% Mean coverage: 197
1
2
5
7
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −6729.69
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
5
7
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m0
2m2
5m2
5m3
6m1
6m3
6m5
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
0m1
6m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.45 Tumor ploidy: 5.955
0
2
3
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2.5
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.45 Tumor ploidy: 5.955 SNV log−likelihood: −384.39 GoF: 65.3% Mean coverage: 197
1
2
5
7
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −6772.01
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
0
2
3
5
7
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
6m5
5m3
6m3
5m2
6m2
2m0
6m1
3m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m1



Frequency
Cellular fraction



Purity: 0.15 Tumor ploidy: 4.942
0
3
4
5
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio


Purity: 0.15 Tumor ploidy: 4.942 SNV log−likelihood: −425.37 GoF: 55.7% Mean coverage: 197
1
2
5
7
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index
SCNA−fit log−likelihood: −6714.13
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
3
7
0
10
20
30
40
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
0
10
20
30
40
SNV Index


Allelic fraction (germline)
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio
5m5
5m3
0m0
4m2
5m2
4m1
5m0


Coverage (log2)
5
6
7
8
9
0.2
0.4
0.6
0.8
Allelic fraction


Allelic fraction (somatic)
0.05
0.10
0.15
0.20
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m2
5m2
0m1
4m1
5m1


Frequency
0
1
2
3
4
5
6
0.6
0.7
0.8
0.9
1.0
Cellular fraction