






Purity: 0.76 Tumor ploidy: 3.958
0
1
2
3
4
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.76 Tumor ploidy: 3.958 SNV log−likelihood: −183.83 GoF: 71.7% Mean coverage: 160
1 2 3 7 9 11 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index



SCNA−fit log−likelihood: −8029.53
Copy Number log−ratio
−4 −3 −2 −1 0 1 2
0 1 2 3 6
0 5 10 15 20 25 30
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 5 10 15 20 25 30
SNV Index



6m6
3m3
1m1
4m3
4m2
7m3
4m1
1m0
2m0
3m0
4m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−3
−2
−1
0
1



Coverage (log2)
Allelic fraction
5
6
7
8
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m3
3m1
4m1
7m1
Allelic fraction (somatic)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−3
−2
−1
0
1



Power 0.8 at BQ 32
Frequency
Cellular fraction
0
1
2
3
4
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.91 Tumor ploidy: 1.984
1
2
3
4
6
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.91 Tumor ploidy: 1.984 SNV log−likelihood: −155.95 GoF: 47% Mean coverage: 160
1
3
7
9
11
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: −8105.55
Copy Number log−ratio
−4
−3
−2
−1
0
1
2
0
1
2
3
6
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
5
10
15
20
25
SNV Index



3m3
1m1
2m1
4m2
1m0
2m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
4m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.67 Tumor ploidy: 4.894
0
1
2
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.67 Tumor ploidy: 4.894 SNV log−likelihood: −189.53 GoF: 0% Mean coverage: 160
1
2
3
7
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: −8123.96
Copy Number log−ratio
2
1
0
−1
−2
−3
−4
6
4
2
1
0
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
SNV Index



7m7
3m3
1m1
5m4
5m3
0m0
5m2
3m1
6m2
1m0
2m0
4m0
5m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
5m1
6m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.8 Tumor ploidy: 4.896
2
3
4
5
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.8 Tumor ploidy: 4.896 SNV log−likelihood: −170.2 GoF: 62.3% Mean coverage: 160
1 2 3 7 9 11 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index



SCNA−fit log−likelihood: −8168.09
Copy Number log−ratio
2 1 0 −1 −2 −3 −4
7 5 3 2 0
0 5 10 15 20 25 30
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 5 10 15 20 25 30
SNV Index



7m7
2m2
5m4
4m3
5m3
5m2
2m0
3m0
4m0
5m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m3
4m1
5m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.88 Tumor ploidy: 5.897
2
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.88 Tumor ploidy: 5.897 SNV log−likelihood: −176.93 GoF: 0% Mean coverage: 160
1 2 3 7 9 11 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index
SCNA−fit log−likelihood: −8177.17
Copy Number log−ratio
−4 −3 −2 −1 0 1 2
2 3 5 7
0 5 10 15 20 25 30
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 5 10 15 20 25 30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
4m4
6m5
4m3
6m3
7m2
4m1
2m0
3m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
7m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.67 Tumor ploidy: 5.937
0
2
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.67 Tumor ploidy: 5.937 SNV log−likelihood: −188.43 GoF: 26.9% Mean coverage: 160
1
2
3
7
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: −8166.06
Copy Number log−ratio
2
1
0
−1
−2
−3
−4
6
4
2
0
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
SNV Index



4m4
2m2
6m5
6m3
7m2
2m0
3m0
5m0
6m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m4
4m2
3m1
5m1
6m1
7m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.89 Tumor ploidy: 2.975
1
2
3
4
5
6
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.89 Tumor ploidy: 2.975 SNV log−likelihood: −159.11 GoF: 74.4% Mean coverage: 160
1 2 3 7 9 11 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25
SNV Index
SCNA−fit log−likelihood: −8260.62
Copy Number log−ratio
−4 −3 −2 −1 0 1 2
0 1 2 3 5
0 5 10 15 20 25
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 5 10 15 20 25
SNV Index



1m1
3m2
5m3
3m1
1m0
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



2m2
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
5m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 5.007
2
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.95 Tumor ploidy: 5.007 SNV log−likelihood: −199.61 GoF: 0% Mean coverage: 160
1 2 3 7 9 11 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index



SCNA−fit log−likelihood: −8150.66
Copy Number log−ratio
−4 −3 −2 −1 0 1 2
2 3 5 7
0 5 10 15 20 25 30
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 5 10 15 20 25 30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
5m4
4m3
5m3
5m2
6m2
2m0
3m0
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
6m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.52 Tumor ploidy: 2.959
0
1
2
3
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.52 Tumor ploidy: 2.959 SNV log−likelihood: −214.28 GoF: 0% Mean coverage: 160
2
3
7
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: −8186.41
Copy Number log−ratio
−4
−3
−2
−1
0
1
2
0
1
2
5
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m2
3m3
3m2
3m1
7m3



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1
7m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.63 Tumor ploidy: 3.974
0
1
2
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.63 Tumor ploidy: 3.974 SNV log−likelihood: −196.61 GoF: 0% Mean coverage: 160
2
3
7
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: −8217.61
Copy Number log−ratio
−4
−3
−2
−1
0
1
2
0
1
2
4
6
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
SNV Index



7m7
3m3
1m1
4m3
0m0
4m2
7m3
3m0
4m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m2
3m1
4m1
5m1
7m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.49 Tumor ploidy: 3.981
0
1
2
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
log2 ratio


Purity: 0.49 Tumor ploidy: 3.981 SNV log−likelihood: −195.51 GoF: 6% Mean coverage: 160
2
3
7
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: −8551.22
Copy Number log−ratio
−4
−3
−2
−1
0
1
2
0
1
3
5
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index


7m7
4m4
0m0
4m2
5m1
3m0
Allelic fraction (germline)
Copy Number log−ratio


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1
4m1
5m1
Allelic fraction (somatic)
Copy Number log−ratio


Power 0.8 at BQ 32
Frequency
Cellular fraction