






Purity: 0.72 Tumor ploidy: 4.818
0
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.72 Tumor ploidy: 4.818 SNV log−likelihood: −442.72 GoF: 46.4% Mean coverage: 278
1 2 3 4 5 6 9 11 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: −8547.14
Copy Number log−ratio
2 1 0 −1 −2 −3 −4
0 2 3 5
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
4m4
4m3
6m4
0m0
4m2
6m2
4m1
3m0
4m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.43 Tumor ploidy: 2.827
1
2
3
4
6
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.43 Tumor ploidy: 2.827 SNV log−likelihood: −466 GoF: 68.7% Mean coverage: 278
1 2 4 5 6 9 10 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 5 10 15 20 25 30 35
SNV Index
SCNA−fit log−likelihood: −8550.51
Copy Number log−ratio
−4 −3 −2 −1 0 1 2
0 1 3 6
0 5 10 15 20 25 30 35
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 5 10 15 20 25 30 35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
2m2
4m3
0m0
2m1
4m1
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
0m1
1m1
2m1
4m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 4.818
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.95 Tumor ploidy: 4.818 SNV log−likelihood: −473.36 GoF: 28.6% Mean coverage: 278
1
2
4
5
6
9
10
11
12
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −8631.8
Copy Number log−ratio
2
1
0
−1
−2
−3
−4
7
5
3
2
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
5m4
4m3
6m4
4m2
6m2
4m1
3m0
4m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
6m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.49 Tumor ploidy: 5.202
0
1
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.49 Tumor ploidy: 5.202 SNV log−likelihood: −473.3 GoF: 72.3% Mean coverage: 278
1 2 3 4 5 6 9 10 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8 1.0
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: −8638.03
Copy Number log−ratio
−4 −3 −2 −1 0 1 2
0 1 3 5
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m6
4m4
7m5
6m4
0m0
4m2
6m2
7m2
3m0
4m0
7m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m1
4m1
6m1
7m1



Frequency
Cellular fraction



Purity: 0.67 Tumor ploidy: 3.818
0
1
2
3
4
5
6
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.67 Tumor ploidy: 3.818 SNV log−likelihood: −463.78 GoF: 37.9% Mean coverage: 278
1
2
3
4
5
6
9
12
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
10
20
30
40
50
SNV Index



SCNA−fit log−likelihood: −8661.2
Copy Number log−ratio
2
1
0
−1
−2
−3
−4
6
4
2
1
0
0
10
20
30
40
50
SNV Index



Maximum Likelihood Copy Number
5
4
3
2
1
0
0
10
20
30
40
50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m0
3m0
5m0
3m1
5m1
3m2
5m2
3m3
5m3
4m4



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
5m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 2.414
2
3
4
5
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.95 Tumor ploidy: 2.414 SNV log−likelihood: −485.96 GoF: 12.6% Mean coverage: 278
1
4
5
6
9
10
12
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −8661.1
Copy Number log−ratio
−4
−3
−2
−1
0
1
2
1
2
3
5
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
10
20
30
40
SNV Index



3m3
3m2
2m1
3m1
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.28 Tumor ploidy: 3.321
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.28 Tumor ploidy: 3.321 SNV log−likelihood: −487 GoF: 79.9% Mean coverage: 278
1 2 4 5 6 9 10 12 14 16
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: −8631.54
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
6m5
2m2
5m4
0m0
2m1
2m0
5m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
5m1
6m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.36 Tumor ploidy: 4.201
1
2
3
4
5
6
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.36 Tumor ploidy: 4.201 SNV log−likelihood: −486.98 GoF: 79.9% Mean coverage: 278
1 2 4 5 6 9 10 12 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8 1.0
0 5 10 15 20 25 30 35
SNV Index



SCNA−fit log−likelihood: −8653.24
Copy Number log−ratio
−4 −3 −2 −1 0 1 2
0 2 4
0 5 10 15 20 25 30 35
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 5 10 15 20 25 30 35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
3m3
5m4
6m4
3m2
0m0
3m1
6m2
5m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m3
0m1
2m1
3m1
5m1
6m1



Frequency
Cellular fraction



Purity: 0.34 Tumor ploidy: 1.865
0
1
2
3
4
5
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.34 Tumor ploidy: 1.865 SNV log−likelihood: −513.54 GoF: 73.3% Mean coverage: 278
1 2 4 5 6 9 10 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 5 10 15 20 25 30 35
SNV Index
SCNA−fit log−likelihood: −8581.57
Copy Number log−ratio
−4 −3 −2 −1 0 1 2
0 2 5
0 5 10 15 20 25 30 35
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 5 10 15 20 25 30 35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m3
3m3
4m3
1m1
0m0
1m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
3m1
4m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.25 Tumor ploidy: 4.485
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio


Purity: 0.25 Tumor ploidy: 4.485 SNV log−likelihood: −490.94 GoF: 84.6% Mean coverage: 278
1 2 4 5 6 9 10 12 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8 1.0
0 10 20 30
SNV Index
SCNA−fit log−likelihood: −8685.25
Copy Number log−ratio
−4 −3 −2 −1 0 1 2
0 3 7
0 10 20 30
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
5m6
3m36m5
7m5
3m2
0m0
3m1
3m06m1


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
3m1
6m1
7m1


Power 0.8 at BQ 33
Frequency
Cellular fraction