






Purity: 0.43 Tumor ploidy: 3.432
0
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.43 Tumor ploidy: 3.432 SNV log−likelihood: −266.71 GoF: 76.3% Mean coverage: 178
1
2
3
10
13
14
16
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: −6182.89
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
6
5
10
15
20
25
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
3m3
3m2
4m2
6m3
3m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1



Frequency
Cellular fraction



Purity: 0.51 Tumor ploidy: 4.431
0
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.51 Tumor ploidy: 4.431 SNV log−likelihood: −264.58 GoF: 70.4% Mean coverage: 178
1
2
3
10
13
14
16
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
5
10
15
20
25
30
35
SNV Index



SCNA−fit log−likelihood: −6200.21
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
7
0
5
10
15
20
25
30
35
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
30
35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
4m3
3m2
7m4
0m0
5m2
4m1
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
0m1
4m3
4m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.65 Tumor ploidy: 4.374
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.65 Tumor ploidy: 4.374 SNV log−likelihood: −290.84 GoF: 71.7% Mean coverage: 178
1
2
3
10
13
14
16
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
5
10
15
20
25
30
SNV Index
SCNA−fit log−likelihood: −6186.42
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
4m3
4m2
5m2
3m0
4m0
7m
0.0
0.2
0.4
0.6
0.8
1.0
−1.5
−1.0
−0.5
0.0
0.5



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
0.0
0.2
0.4
0.6
0.8
1.0



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m2
3m1
4m1
0.1
0.2
0.3
0.4
−1.5
−1.0
−0.5
0.0
0.5



Frequency
Cellular fraction
0
1
2
3
4
0.85
0.90
0.95
1.00



Purity: 0.95 Tumor ploidy: 5.343
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.95 Tumor ploidy: 5.343 SNV log−likelihood: −267.29 GoF: 83.2% Mean coverage: 178
1
2
3
10
13
14
16
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: −6235.38
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
3
4
5
6
7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
5m4
5m3
7m4
4m2
6m3
5m2
4m1
5m1
3m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
4m1
5m1



Frequency
Cellular fraction



Purity: 0.75 Tumor ploidy: 2.225
0
1
2
3
4
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.75 Tumor ploidy: 2.225 SNV log−likelihood: −256.91 GoF: 41.7% Mean coverage: 178
1
2
3
10
13
14
16
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: −6359.19
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
2m1
3m1
2m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1



Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 3.264
2
3
4
5
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.95 Tumor ploidy: 3.264 SNV log−likelihood: −272.24 GoF: 0% Mean coverage: 178
1
2
3
10
13
14
16
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
5
10
15
20
SNV Index
SCNA−fit log−likelihood: −6419.19
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
3m2
5m
4m2
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m2
2m1
3m1



Frequency
Cellular fraction



Purity: 0.83 Tumor ploidy: 3.281
1
2
3
4
5
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.83 Tumor ploidy: 3.281 SNV log−likelihood: −272.57 GoF: 23.8% Mean coverage: 178
1
2
3
10
13
14
16
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
5
10
15
20
SNV Index



SCNA−fit log−likelihood: −6478.09
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
3m2
5m3
4m2
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m2
2m1
3m1



Frequency
Cellular fraction



Purity: 0.35 Tumor ploidy: 4.633
0
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.35 Tumor ploidy: 4.633 SNV log−likelihood: −264.44 GoF: 74.2% Mean coverage: 178
1
2
3
10
13
14
16
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: −6469.22
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
7
5
10
15
20
25
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m0
3m2
4m4
4m3
4m2
4m0
6m3



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
2m1
3m1
4m1
4m4



Frequency
Cellular fraction



Purity: 0.49 Tumor ploidy: 2.54
0
1
2
3
4
5
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio


Purity: 0.49 Tumor ploidy: 2.54 SNV log−likelihood: −276.33 GoF: 53.3% Mean coverage: 178
1
2
3
10
13
14
16
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: −6512.55
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
0m0
2m2
2m1
3m1
2m0
5r
0.0
0.2
0.4
0.6
0.8
1.0
−1.5
−1.0
−0.5
0.0
0.5


Coverage (log2)
Allelic fraction
4
5
6
7
8
9
0.0
0.2
0.4
0.6
0.8
1.0


Allelic fraction (somatic)
Copy Number log−ratio
0m1
2m2
1m1
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0.1
0.2
0.3
0.4
0.5
−1.5
−1.0
−0.5
0.0
0.5


Frequency
Cellular fraction
0
1
2
3
4
5
0.5
0.6
0.7
0.8
0.9
1.0