






Purity: 0.72 Tumor ploidy: 2.037
0
2
3
4
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.72 Tumor ploidy: 2.037 SNV log−likelihood: −225.03 GoF: 44.2% Mean coverage: 198
1
2
3
4
5
7
9
10
13
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index
SCNA−fit log−likelihood: −8806.04
Copy Number log−ratio
−2
−1
0
1
2
0
2
3
4
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m1
4m1
2m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1



Power 0.8 at BQ 32.5
Frequency
Cellular fraction



Purity: 0.36 Tumor ploidy: 2.086
0
2
3
4
5
6
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.36 Tumor ploidy: 2.086 SNV log−likelihood: −227.89 GoF: 60.4% Mean coverage: 198
1
2
3
4
5
7
9
10
13
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: −8807.5
Copy Number log−ratio
−2
−1
0
1
2
0
2
4
6
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
2m2
2m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1



Power 0.8 at BQ 32.5
Frequency
Cellular fraction



Purity: 0.88 Tumor ploidy: 3.038
4
5
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.2
0.4
0.6
0.8
log2 ratio



Purity: 0.88 Tumor ploidy: 3.038 SNV log−likelihood: −235.81 GoF: 71.3% Mean coverage: 198
1
2
3
4
7
9
10
13
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index
SCNA−fit log−likelihood: −8809.7
Copy Number log−ratio
−2
−1
0
1
2
3
4
5
0
5
10
15
20
25
30
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
3m1
5m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m2
3m1



Power 0.8 at BQ 32.5
Frequency
Cellular fraction



Purity: 0.94 Tumor ploidy: 4.07
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.2
0.4
0.6
0.8
log2 ratio



Purity: 0.94 Tumor ploidy: 4.07 SNV log−likelihood: −229.29 GoF: 72.4% Mean coverage: 198
1
2
3
4
5
7
9
10
13
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index
SCNA−fit log−likelihood: −8824.38
Copy Number log−ratio
−2
−1
0
1
2
4
5
7
0
5
10
15
20
25
30
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
4m2
4m1
6m1
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1



Frequency
Cellular fraction



Purity: 0.57 Tumor ploidy: 3.071
0
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.57 Tumor ploidy: 3.071 SNV log−likelihood: −242.57 GoF: 63.6% Mean coverage: 198
1
2
3
4
5
7
9
10
13
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index
SCNA−fit log−likelihood: −8812.97
Copy Number log−ratio
−2
−1
0
1
2
3
4
6
0
5
10
15
20
25
30
35
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
5
10
15
20
25
30
35
SNV Index



3m3
3m2
3m1
6m1
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32.5
Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 4.086
0
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.59 Tumor ploidy: 4.086 SNV log−likelihood: −240.33 GoF: 74.3% Mean coverage: 198
1
2
3
4
5
7
9
10
13
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: −8806.99
Copy Number log−ratio
−2
−1
0
1
2
4
6
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
4m2
4m1
7m1
4m0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
0.0
0.2
0.4
0.6
0.8
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
Allelic fraction (somatic)
0.05
0.10
0.15
0.20
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Power 0.8 at BQ 32.5
Frequency
0
1
2
3
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.25 Tumor ploidy: 2.137
0
2
3
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.25 Tumor ploidy: 2.137 SNV log−likelihood: −230.31 GoF: 67.8% Mean coverage: 198
1
2
4
5
7
9
10
13
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: −8828.59
Copy Number log−ratio
−2
−1
0
1
2
0
2
5
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
0m0
2m1
2m0
7m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m2
0m1
2m1



Power 0.8 at BQ 32.5
Frequency
Cellular fraction



Purity: 0.37 Tumor ploidy: 4.122
4
5
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.37 Tumor ploidy: 4.122 SNV log−likelihood: −241.08 GoF: 74% Mean coverage: 198
1
2
3
4
5
7
9
10
13
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index
SCNA−fit log−likelihood: −8830.62
Copy Number log−ratio
−2
−1
0
1
2
7
4
0
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
4m4
4m2
4m1
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32.5
Frequency
Cellular fraction



Purity: 0.46 Tumor ploidy: 5.092
0
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.46 Tumor ploidy: 5.092 SNV log−likelihood: −251.6 GoF: 82.2% Mean coverage: 198
1
2
3
4
5
7
9
10
13
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: −8888.06
Copy Number log−ratio
−2
−1
0
1
2
5 7
0
5
10
15
20
25
30
SNV Index


Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
30
SNV Index


5m5
5m3
5m2
5m0
Allelic fraction (germline)
Copy Number log−ratio


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio


Power 0.8 at BQ 32.5
Frequency
Cellular fraction