






Purity: 0.28 Tumor ploidy: 2.021
1
2
3
4
5
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.28 Tumor ploidy: 2.021 SNV log−likelihood: −488.37 GoF: 79.3% Mean coverage: 335
1 2 3 6 7 9 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: −9858.67
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 4
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 10 20 30 40
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
2m2
2m1
2m0
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
0.4
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
0.4
Copy Number log−ratio



Frequency
0
1
2
3
4
5
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.72 Tumor ploidy: 3.015
3
4
5
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.72 Tumor ploidy: 3.015 SNV log−likelihood: −499.94 GoF: 74.1% Mean coverage: 335
1 2 3 6 7 9 11 13 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: −9847.52
Copy Number log−ratio
1.0 0.5 0.0 −0.5 −1.0 −1.5 −2.0
3 4 5
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40 50 60
SNV Index



3m3
3m2
3m1
3m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
0.4



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
Allelic fraction (somatic)
Copy Number log−ratio
0.1
0.2
0.3
0.4
0.5
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
0.4



Frequency
Cellular fraction
0
1
2
3
4
0.14
0.15
0.16
0.17
0.18
0.19
0.20



Purity: 0.32 Tumor ploidy: 3.027
2
3
4
5
6
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.32 Tumor ploidy: 3.027 SNV log−likelihood: −510.36 GoF: 83.4% Mean coverage: 335
1
2
3
6
7
9
12
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −9824.57
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
6
4
2
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
3.0
2.5
2.0
1.5
1.0
0.5
0.0
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
3m2
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1



Frequency
Cellular fraction



Purity: 0.52 Tumor ploidy: 3.019
3
4
5
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.52 Tumor ploidy: 3.019 SNV log−likelihood: −521.55 GoF: 71.2% Mean coverage: 335
1 2 3 6 7 9 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: −9851.62
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4 5
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m3
3m2
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.22 Tumor ploidy: 2.898
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.22 Tumor ploidy: 2.898 SNV log−likelihood: −497.6 GoF: 84.4% Mean coverage: 335
1 2 3 6 7 9 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: −9883.77
Copy Number log−ratio
1.0 0.5 0.0 −0.5 −1.0 −1.5 −2.0
1 3 5 7
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
2m2
3m2
3m1
1m0
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m2
1m1
2m1
3m1



Frequency
Cellular fraction



Purity: 0.62 Tumor ploidy: 2.011
2
3
4
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.62 Tumor ploidy: 2.011 SNV log−likelihood: −539.2 GoF: 33.6% Mean coverage: 335
1 2 3 6 7 9 11 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: −9855.41
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
2m1
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
2m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.32 Tumor ploidy: 3.947
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.32 Tumor ploidy: 3.947 SNV log−likelihood: −504.84 GoF: 83.1% Mean coverage: 335
1 2 3 6 7 9 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: −9893.99
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
3 5 7
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
4m3
4m2
4m1
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1



Frequency
Cellular fraction



Purity: 0.15 Tumor ploidy: 1.405
0
1
2
3
4
5
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
1.5
log2 ratio


Purity: 0.15 Tumor ploidy: 1.405 SNV log−likelihood: −555.35 GoF: 79.7% Mean coverage: 335
1 2 3 6 7 9 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30
SNV Index
SCNA−fit log−likelihood: −9846.39
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 2 5
0 10 20 30
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 10 20 30
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
1m2
2m2
1m1
2m1
1m0
2m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
1m1
2m1


Frequency
Cellular fraction