






Purity: 0.16 Tumor ploidy: 1.953
0
1
2
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.16 Tumor ploidy: 1.953 SNV log−likelihood: −204.71 GoF: 81.1% Mean coverage: 177
1
3
7
10
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: −9641.97
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
2
6
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m2
2m1
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
2m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.8 Tumor ploidy: 2
1
2
3
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.8 Tumor ploidy: 2 SNV log−likelihood: −205.53 GoF: 53.1% Mean coverage: 177
1
3
7
10
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: −9599.29
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
5
10
15
20
25
SNV Index



2m2
2m1
1m0
2m0
Allelic fraction (germline)
Copy Number log−ratio
0.2
0.4
0.6
0.8
−0.5
0.0
0.5
1.0



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
0.2
0.4
0.6
0.8



1m1
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.1
0.2
0.3
0.4
0.5
0.6
−0.5
0.0
0.5
1.0



Power 0.8 at BQ 33
Frequency
Cellular fraction
0
1
2
3
4
5
6
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.9 Tumor ploidy: 3
2
3
4
5
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.9 Tumor ploidy: 3 SNV log−likelihood: −194.38 GoF: 63.7% Mean coverage: 177
1
3
7
10
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: −9603.14
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m1
2m0
3m2
3m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
3m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.49 Tumor ploidy: 4
0
2
4
6
7
0.5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.49 Tumor ploidy: 4 SNV log−likelihood: −207.07 GoF: 74.6% Mean coverage: 177
1
3
7
10
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: −9603
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
4
6
7
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
4m4
2m1
4m2
4m0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.05
0.06
0.07
0.08
0.09
0.10
0.11
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
0
1
2
0.1
0.2
0.3
0.4
0.5
Cellular fraction



Purity: 0.45 Tumor ploidy: 3
0
1
3
5
6
0.5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.45 Tumor ploidy: 3 SNV log−likelihood: −212.23 GoF: 74% Mean coverage: 177
1
3
7
10
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: −9602.64
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
3
5
6
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
3m2
3m1
3m0
1m1
1m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.61 Tumor ploidy: 2
0
1
2
3
4
0.5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.61 Tumor ploidy: 2 SNV log−likelihood: −222.24 GoF: 45.1% Mean coverage: 177
1
3
7
10
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: −9602.95
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
1m1
2m1
2m0
0.2
0.4
0.6
0.8
−0.5
0.0
0.5
1.0



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
0.1
0.2
0.3
0.4
0.5
−0.5
0.0
0.5
1.0



Power 0.8 at BQ 33
Frequency
Cellular fraction
0
1
2
3
4
5
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.68 Tumor ploidy: 3
0
2
3
4
5
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.68 Tumor ploidy: 3 SNV log−likelihood: −218.98 GoF: 70.5% Mean coverage: 177
1
3
7
10
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: −9600.67
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
0
5
10
15
20
25
30
SNV Index



3m3
3m2
2m1
3m1
3m0
Allelic fraction (germline)
Copy Number log−ratio
0.2
0.4
0.6
0.8
−0.5
0.0
0.5
1.0



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio
0.05
0.10
0.15
0.20
0.25
0.30
0.35
0.40
−0.5
0.0
0.5
1.0



Power 0.8 at BQ 33
Frequency
Cellular fraction
0
1
2
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.35 Tumor ploidy: 2
0
2
4
5
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.35 Tumor ploidy: 2 SNV log−likelihood: −202.58 GoF: 72.1% Mean coverage: 177
1
3
7
10
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: −9602.49
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
2
4
5
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
0
5
10
15
20
25
SNV Index



0m1
2m2
0m0
2m1
2m0
Allelic fraction (germline)
Copy Number log−ratio
0.2
0.4
0.6
0.8
−0.5
0.0
0.5
1.0



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.04
0.06
0.08
0.10
0.12
0.14
0.16
−0.5
0.0
0.5
1.0



Power 0.8 at BQ 33
Frequency
Cellular fraction
0
1
0.1
0.2
0.3
0.4
0.5



Purity: 0.23 Tumor ploidy: 2.992
0
2
3
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.23 Tumor ploidy: 2.992 SNV log−likelihood: −207.64 GoF: 83.3% Mean coverage: 177
1
3
7
10
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: −9636.61
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
2
3
7
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
20
25
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
0m0
3m3
3m2
3m1
3m0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
0.14
0.16
0m1
3m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
0
1
2
0.2
0.3
0.4
0.5
0.6
0.7
0.8
Cellular fraction



Purity: 0.29 Tumor ploidy: 4
1
4
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.29 Tumor ploidy: 4 SNV log−likelihood: −210.8 GoF: 89.6% Mean coverage: 177
1
3
7
10
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: −9637.04
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
4
7
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
20
25
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
−0.5
0.0
0.5
1.0
Copy Number log−ratio
4m4
1m1
4m2
1m0
4m0



Coverage (log2)
4
5
6
7
8
9
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
0.14
0.16
−0.5
0.0
0.5
1.0
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1



Power 0.8 at BQ 33
Frequency
0
1
2
0.2
0.3
0.4
0.5
0.6
0.7
Cellular fraction



Purity: 0.15 Tumor ploidy: 1.581
0
1
2
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.15 Tumor ploidy: 1.581 SNV log−likelihood: −203.51 GoF: 81.2% Mean coverage: 177
1
3
7
10
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: −9658.18
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
2
6
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
1m1
0m0
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
2m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.15 Tumor ploidy: 4.724
0
4
5
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.15 Tumor ploidy: 4.724 SNV log−likelihood: −216.42 GoF: 86.3% Mean coverage: 177
1
3
7
10
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: −9640.97
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
4
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
4m2
5m5
5m2
5m1
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
5m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.29 Tumor ploidy: 4.992
1
2
4
5
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.29 Tumor ploidy: 4.992 SNV log−likelihood: −215.16 GoF: 88% Mean coverage: 177
1
3
7
10
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: −9646.02
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
4
5
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m0
5m5
5m4
5m3
5m2
5m1
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.33 Tumor ploidy: 5.992
0
2
3
5
6
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.33 Tumor ploidy: 5.992 SNV log−likelihood: −217.76 GoF: 83.8% Mean coverage: 177
1
3
7
10
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: −9645.94
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
5
6
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m6
2m1
6m3
3m1
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.55 Tumor ploidy: 5.954
0
3
5
6
0.5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.55 Tumor ploidy: 5.954 SNV log−likelihood: −210.03 GoF: 89.4% Mean coverage: 177
1
3
7
10
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: −9720.52
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
3
5
6
0
5
10
15
20
25
SNV Index


Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
6m5
3m2
6m3
3m1
6m1
5m0
6m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
6m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination


Power 0.8 at BQ 33
Frequency
Cellular fraction