






Purity: 0.81 Tumor ploidy: 4.66
0
2
3
4
5
6
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.81 Tumor ploidy: 4.66 SNV log−likelihood: −775.05 GoF: 61.2% Mean coverage: 323
1
2
3
4
9
11
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
20
40
60
SNV Index



SCNA−fit log−likelihood: −9065.98
Copy Number log−ratio
−3
−2
−1
0
1
2
2
3
4
6
0
20
40
60
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
20
40
60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
6m4
4m2
6m2
4m1
2m0
3m0
4m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
4m4
4m2
3m1
4m1
6m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.58 Tumor ploidy: 3.66
0
1
2
3
4
5
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.58 Tumor ploidy: 3.66 SNV log−likelihood: −804 GoF: 57.6% Mean coverage: 323
1 2 3 5 9 11 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60
SNV Index
SCNA−fit log−likelihood: −9072.64
Copy Number log−ratio
−3 −2 −1 0 1 2
0 1 2 3 5
0 20 40 60
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 20 40 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
3m2
5m4
3m1
5m2
5m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m2
2m1
3m1
5m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.92 Tumor ploidy: 2.349
1
2
3
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.92 Tumor ploidy: 2.349 SNV log−likelihood: −798.45 GoF: 49.5% Mean coverage: 323
1 2 3 4 9 11 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60 70
SNV Index



SCNA−fit log−likelihood: −9192.27
Copy Number log−ratio
−3 −2 −1 0 1 2
1 2 3
0 10 20 30 40 50 60 70
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50 60 70
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
2m1
3m1
1m0
2m0
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 2.719
0
1
2
3
4
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.59 Tumor ploidy: 2.719 SNV log−likelihood: −738.25 GoF: 61.5% Mean coverage: 323
1
2
4
9
11
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
20
40
60
80
SNV Index



SCNA−fit log−likelihood: −9344.81
Copy Number log−ratio
−3
−2
−1
0
1
2
0
1
2
3
0
20
40
60
80
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
20
40
60
80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m2
4m3
3m2
2m1
4m1
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.49 Tumor ploidy: 5.005
0
1
2
3
4
5
6
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.49 Tumor ploidy: 5.005 SNV log−likelihood: −853.44 GoF: 61.6% Mean coverage: 323
1 2 3 5 9 11 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: −9078.45
Copy Number log−ratio
−3 −2 −1 0 1 2
0 1 2 4 6
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
7m5
6m4
5m3
4m2
5m2
4m1
7m2
5m1
3m0
4m0
7m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m3
3m1
4m1
7m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.78 Tumor ploidy: 5.583
0
2
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.78 Tumor ploidy: 5.583 SNV log−likelihood: −828.2 GoF: 58.8% Mean coverage: 323
1 2 3 4 9 11 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60 70
SNV Index
SCNA−fit log−likelihood: −9171.57
Copy Number log−ratio
−3 −2 −1 0 1 2
2 3 5 7
0 10 20 30 40 50 60 70
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50 60 70
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
7m5
5m3
5m2
7m2
4m1
5m1
2m0
4m0
5m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m5
5m2
5m1
7m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.44 Tumor ploidy: 1.798
0
1
2
3
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.44 Tumor ploidy: 1.798 SNV log−likelihood: −815.66 GoF: 59.4% Mean coverage: 323
1 2 4 9 11 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: −10324.18
Copy Number log−ratio
−3 −2 −1 0 1 2
0 1 3
0 10 20 30 40 50 60
SNV Index


Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50 60
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
3m3
2m2
1m1
3m2
0m0
2m1
3m1
1m0
2m0
3m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
1m1
3m1


Power 0.8 at BQ 32
Frequency
Cellular fraction