






Purity: 0.57 Tumor ploidy: 4.882
0
1
2
4
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.57 Tumor ploidy: 4.882 SNV log−likelihood: −539.27 GoF: 11.5% Mean coverage: 262
1 3 5 6 7 9 12 14
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: −8400.99
Copy Number log−ratio
−3 −2 −1 0 1
0 1 2 4 6
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m2
4m3
2m1
4m2
6m3
6m2
4m1
7m1
4m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
4m1
7m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.83 Tumor ploidy: 3.475
1
2
3
4
5
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.83 Tumor ploidy: 3.475 SNV log−likelihood: −517.97 GoF: 34.7% Mean coverage: 262
1 3 5 6 9 12 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: −8466.5
Copy Number log−ratio
−3 −2 −1 0 1
1 2 3 4 5
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40 50
SNV Index



3m3
3m2
2m1
4m2
3m1
2m0
3m0
5m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
4m1
5m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.39 Tumor ploidy: 3.95
0
1
3
5
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.39 Tumor ploidy: 3.95 SNV log−likelihood: −556.23 GoF: 63.4% Mean coverage: 262
1
3
5
6
9
10
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −8380.66
Copy Number log−ratio
−3
−2
−1
0
1
0
1
3
5
7
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
3m2
0m0
5m2
3m1
1m0
3m0
7m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
1m1
3m1
5m1
7m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.54 Tumor ploidy: 3.549
0
1
2
3
4
5
6
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.54 Tumor ploidy: 3.549 SNV log−likelihood: −548.36 GoF: 17.7% Mean coverage: 262
1 3 5 6 7 9 10 13 14
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: −8518.24
Copy Number log−ratio
−3 −2 −1 0 1
0 1 2 3 5
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m0
2m1
3m0
3m1
3m2
4m0
5m2
6m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
6m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.41 Tumor ploidy: 2.982
0
1
2
4
5
6
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.41 Tumor ploidy: 2.982 SNV log−likelihood: −539.07 GoF: 57.2% Mean coverage: 262
1
3
5
6
9
10
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index
SCNA−fit log−likelihood: −8579.55
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
4
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
1m1
2m1
2m2
4m1
4m2
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1
2m2
4m1
6m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.74 Tumor ploidy: 2.475
0
1
2
3
4
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.74 Tumor ploidy: 2.475 SNV log−likelihood: −648.46 GoF: 0% Mean coverage: 262
1
3
6
7
9
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −8409.43
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
3
4
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
2m2
2m1
3m1
1m0
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
1m1
2m1
4m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 4.967
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.95 Tumor ploidy: 4.967 SNV log−likelihood: −593.65 GoF: 32.1% Mean coverage: 262
1
3
5
6
9
10
13
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −8634.01
Copy Number log−ratio
−3
−2
−1
0
1
1
2
3
4
5
7
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m0
3m2
4m2
6m3
3m1
6m2
4m1
7m1
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
1m1
3m2
4m2
3m1
4m1
6m1
7m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.33 Tumor ploidy: 2.084
0
1
2
3
5
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.33 Tumor ploidy: 2.084 SNV log−likelihood: −584.19 GoF: 58.5% Mean coverage: 262
1 3 5 6 9 10 14
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: −9115.38
Copy Number log−ratio
−3 −2 −1 0 1
0 1 3 5
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
0m0
3m1
1m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
3m1
5m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.5 Tumor ploidy: 1.489
0
1
2
3
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.5 Tumor ploidy: 1.489 SNV log−likelihood: −655.87 GoF: 0% Mean coverage: 262
1 3 5 6 9 10 13 14
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: −9074.63
Copy Number log−ratio
−3 −2 −1 0 1
0 1 2 3
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
0m0
2m1
1m0
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
1m1
2m1
3m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 5.961
2
3
4
5
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.95 Tumor ploidy: 5.961 SNV log−likelihood: −622.9 GoF: 35% Mean coverage: 262
1 3 5 6 7 9 12 14
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: −9264.17
Copy Number log−ratio
−3 −2 −1 0 1
1 2 3 4 5 7
0 10 20 30 40 50
SNV Index


Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
1m0
3m0
4m1
4m2
5m1
5m2
5m3
7m1
7m3


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
5m1


Power 0.8 at BQ 33
Frequency
Cellular fraction