






Purity: 0.36 Tumor ploidy: 2
0
2
3
4
6
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.36 Tumor ploidy: 2 SNV log−likelihood: −480.11 GoF: 72.2% Mean coverage: 252
1 4 5 6 7 10 12 13 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index



SCNA−fit log−likelihood: −9697.99
Copy Number log−ratio
−2 −1 0 1 2
0 2 4 6
0 5 10 15 20 25 30
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 5 10 15 20 25 30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m1
2m2
0m0
2m1
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
0m1
2m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.66 Tumor ploidy: 6
0
3
4
6
7
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−3
−2
−1
0
log2 ratio



Purity: 0.66 Tumor ploidy: 6 SNV log−likelihood: −346.1 GoF: 87.3% Mean coverage: 252
1 2 3 4 5 6 7 9 10 13 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: −9665.28
Copy Number log−ratio
−2 −1 0 1 2
3 4 6
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40
SNV Index



6m6
4m3
6m4
6m3
6m2
6m1
4m0
6m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
0.5
1.0



Coverage (log2)
Allelic fraction
5
6
7
8
9
0.0
0.2
0.4
0.6
0.8



3m3
6m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.2
0.4
0.6
−1.5
−1.0
−0.5
0.0
0.5
1.0



Frequency
Cellular fraction
0
1
2
3
4
0.2
0.4
0.6
0.8
1.0



Purity: 0.82 Tumor ploidy: 3
0
2
3
4
5
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−3
−2
−1
0
log2 ratio



Purity: 0.82 Tumor ploidy: 3 SNV log−likelihood: −357.28 GoF: 67.7% Mean coverage: 252
1 2 3 4 5 6 7 9 10 13 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: −9657.19
Copy Number log−ratio
−2 −1 0 1 2
2 3 4 5
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40
SNV Index



3m3
3m2
3m1
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
0.5
1.0



Coverage (log2)
Allelic fraction
5
6
7
8
9
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio
0.2
0.3
0.4
0.5
0.6
0.7
0.8
−1.5
−1.0
−0.5
0.0
0.5
1.0



Frequency
Cellular fraction
0
2
4
6
8
10
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0



Purity: 0.7 Tumor ploidy: 4
0
2
3
4
5
6
7
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−3
−2
−1
0
log2 ratio



Purity: 0.7 Tumor ploidy: 4 SNV log−likelihood: −350.55 GoF: 80% Mean coverage: 252
1 2 3 4 5 6 7 9 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: −9693.6
Copy Number log−ratio
−2 −1 0 1 2
2 3 4 6
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40
SNV Index



4m4
2m2
4m3
4m2
4m1
3m0
4m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
4m2
4m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.53 Tumor ploidy: 5
0
2
3
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Fraction Genome
−3
−2
−1
0
log2 ratio



Purity: 0.53 Tumor ploidy: 5 SNV log−likelihood: −386.48 GoF: 84.7% Mean coverage: 252
1 2 4 5 6 7 10 13 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: −9695.41
Copy Number log−ratio
−2 −1 0 1 2
0 2 3 5 7
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
3m3
2m2
5m3
5m2
5m1
3m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1



Frequency
Cellular fraction



Purity: 0.55 Tumor ploidy: 4
0
2
4
5
6
7
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−3
−2
−1
0
log2 ratio



Purity: 0.55 Tumor ploidy: 4 SNV log−likelihood: −399.76 GoF: 68.1% Mean coverage: 252
1 2 4 5 6 7 10 13 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: −9692.59
Copy Number log−ratio
−2 −1 0 1 2
0 2 4 6
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
2m2
4m2
4m1
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m2
4m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.67 Tumor ploidy: 3
0
1
2
3
4
5
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Fraction Genome
−3
−2
−1
0
log2 ratio



Purity: 0.67 Tumor ploidy: 3 SNV log−likelihood: −401.32 GoF: 57% Mean coverage: 252
1 2 3 4 5 6 7 10 13 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: −9693.53
Copy Number log−ratio
−2 −1 0 1 2
0 1 2 3 4
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
2m2
1m1
3m2
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.66 Tumor ploidy: 2
0
1
2
3
4
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Fraction Genome
−3
−2
−1
0
log2 ratio



Purity: 0.66 Tumor ploidy: 2 SNV log−likelihood: −414.72 GoF: 9.8% Mean coverage: 252
1 3 4 5 6 7 10 13 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: −9692.87
Copy Number log−ratio
−2 −1 0 1 2
0 1 2 3 4
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m1
2m0
0.0
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
0.5
1.0



Coverage (log2)
Allelic fraction
5
6
7
8
9
0.0
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0.05
0.10
0.15
0.20
0.25
0.30
0.35
−1.5
−1.0
−0.5
0.0
0.5
1.0



Power 0.8 at BQ 33
Frequency
Cellular fraction
0
1
2
3
4
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.42 Tumor ploidy: 3
0
1
3
4
5
6
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.42 Tumor ploidy: 3 SNV log−likelihood: −450.59 GoF: 70.5% Mean coverage: 252
1 4 5 6 7 10 12 13 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30
SNV Index



SCNA−fit log−likelihood: −9692.66
Copy Number log−ratio
−2 −1 0 1 2
0 1 3 5
0 10 20 30
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
3m2
3m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
3m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.36 Tumor ploidy: 5.997
0
2
3
5
6
7
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
−2.5
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.36 Tumor ploidy: 5.997 SNV log−likelihood: −431.74 GoF: 85.6% Mean coverage: 252
1 2 4 5 6 7 10 12 13 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: −9706.37
Copy Number log−ratio
−2 −1 0 1 2
0 2 5 7
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
7m5
5m3
6m3
7m2
6m0
7m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
6m1
7m1



Frequency
Cellular fraction



Purity: 0.87 Tumor ploidy: 2
0
1
2
3
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−3
−2
−1
0
log2 ratio



Purity: 0.87 Tumor ploidy: 2 SNV log−likelihood: −346.55 GoF: 61.3% Mean coverage: 252
1 2 3 4 5 6 7 9 10 13 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: −9661.37
Copy Number log−ratio
−2 −1 0 1 2
1 2 3
0 10 20 30 40
SNV Index


Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 10 20 30 40
SNV Index


2m2
1m1
2m1
1m0
2m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
0.5
1.0


Coverage (log2)
Allelic fraction
5
6
7
8
9
0.0
0.2
0.4
0.6
0.8


1m1
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.2
0.3
0.4
0.5
0.6
0.7
−1.5
−1.0
−0.5
0.0
0.5
1.0


Frequency
Cellular fraction
0
1
2
3
4
0.5
0.6
0.7
0.8
0.9
1.0