






Purity: 0.15 Tumor ploidy: 2.005
0
1
2
3
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.15 Tumor ploidy: 2.005 SNV log−likelihood: −451.64 GoF: 69.3% Mean coverage: 219
2 3 4 5 7 12 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: −9433.97
Copy Number log−ratio
−4 −3 −2 −1 0 1 2 3
0
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
0m1
2m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m4
2m2
0m1
2m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.67 Tumor ploidy: 3.996
0
2
4
0.8
0.6
0.4
0.2
0.0
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.67 Tumor ploidy: 3.996 SNV log−likelihood: −380.54 GoF: 63.6% Mean coverage: 219
1 2 3 4 5 7 12 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: −9427.38
Copy Number log−ratio
−4 −3 −2 −1 0 1 2 3
0 2 4
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50 60
SNV Index



4m4
2m2
4m3
0m0
4m2
4m1
2m0
4m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
4m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.68 Tumor ploidy: 2.997
0
1
2
3
0.8
0.6
0.4
0.2
0.0
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.68 Tumor ploidy: 2.997 SNV log−likelihood: −392.37 GoF: 51.2% Mean coverage: 219
1 2 3 4 5 7 12 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: −9434.98
Copy Number log−ratio
−4 −3 −2 −1 0 1 2 3
0 1 2
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
1m1
3m2
0m0
3m1
1m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.64 Tumor ploidy: 5.994
0
3
5
6
7
0.0
0.2
0.4
0.6
0.8
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.64 Tumor ploidy: 5.994 SNV log−likelihood: −400.27 GoF: 71% Mean coverage: 219
1 2 3 4 5 7 12 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: −9424.35
Copy Number log−ratio
−4 −3 −2 −1 0 1 2 3
0 3 5
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m6
3m3
6m5
6m4
0m0
6m3
6m2
7m2
6m1
3m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
7m2
6m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.85 Tumor ploidy: 3.997
0
2
4
0.0
0.2
0.4
0.6
0.8
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.85 Tumor ploidy: 3.997 SNV log−likelihood: −424.12 GoF: 66.5% Mean coverage: 219
1 2 3 4 5 7 12 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: −9381.57
Copy Number log−ratio
−4 −3 −2 −1 0 1 2 3
0 2 4
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m0
2m2
4m0
4m1
4m2
4m3
4m4



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.56 Tumor ploidy: 3.996
0
2
3
4
0.8
0.6
0.4
0.2
0.0
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.56 Tumor ploidy: 3.996 SNV log−likelihood: −396.97 GoF: 61% Mean coverage: 219
1 2 3 4 5 7 12 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: −9436.04
Copy Number log−ratio
−4 −3 −2 −1 0 1 2 3
0 2 4
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
4m4
4m3
4m2
4m1
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
4m2
4m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 5.995
1
3
4
5
6
0.0
0.2
0.4
0.6
0.8
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.95 Tumor ploidy: 5.995 SNV log−likelihood: −413.91 GoF: 63.6% Mean coverage: 219
1 2 3 4 5 7 12 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index
SCNA−fit log−likelihood: −9424.22
Copy Number log−ratio
−4 −3 −2 −1 0 1 2 3
1 3 5
0 10 20 30 40 50 60
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m5
6m4
6m3
6m2
6m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m1



Frequency
Cellular fraction



Purity: 0.88 Tumor ploidy: 2.998
0
2
3
0.8
0.6
0.4
0.2
0.0
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.88 Tumor ploidy: 2.998 SNV log−likelihood: −433.81 GoF: 55.6% Mean coverage: 219
1 2 3 4 5 7 12 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: −9388.09
Copy Number log−ratio
−4 −3 −2 −1 0 1 2 3
2 3
0
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



3m3
3m2
0m0
3m1
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.39 Tumor ploidy: 5.982
0
2
3
5
6
7
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
−2
−1
0
1
2
log2 ratio



Purity: 0.39 Tumor ploidy: 5.982 SNV log−likelihood: −433.14 GoF: 74.8% Mean coverage: 219
1 2 3 4 5 7 12 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: −9427.17
Copy Number log−ratio
−4 −3 −2 −1 0 1 2 3
0 2 5 11
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m6
6m5
2m2
6m4
0m0
6m3
6m2
2m0
6m1
7m1
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
6m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.44 Tumor ploidy: 1.998
0
2
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.44 Tumor ploidy: 1.998 SNV log−likelihood: −455.76 GoF: 41.1% Mean coverage: 219
2 3 4 5 7 12 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: −9434.3
Copy Number log−ratio
−4 −3 −2 −1 0 1 2 3
0 2
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
0m0
2m1
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.38 Tumor ploidy: 2.997
1
2
3
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.38 Tumor ploidy: 2.997 SNV log−likelihood: −457.91 GoF: 63.1% Mean coverage: 219
1 2 3 4 5 7 12 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: −9440.2
Copy Number log−ratio
−4 −3 −2 −1 0 1 2 3
0 2
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
3m1
3m2
3m3
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
0m1
3m1
3m2
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.83 Tumor ploidy: 1.998
0
1
2
0.0
0.2
0.4
0.6
0.8
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.83 Tumor ploidy: 1.998 SNV log−likelihood: −386.74 GoF: 67.2% Mean coverage: 219
1 2 3 4 7 12 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: −9424.23
Copy Number log−ratio
−4 −3 −2 −1 0 1 2 3
0 1 2
0 10 20 30 40 50 60
SNV Index


Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50 60
SNV Index


2m2
1m1
0m0
2m1
1m0
2m0
Allelic fraction (germline)
Copy Number log−ratio


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio


Frequency
Cellular fraction