






Purity: 0.46 Tumor ploidy: 4.983
1
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.46 Tumor ploidy: 4.983 SNV log−likelihood: −357.24 GoF: 78.9% Mean coverage: 246
1 2 3 5 7 10 12 14
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: −7002.94
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m0
4m2
6m4
6m3
6m2
5m1
4m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m1
7m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.64 Tumor ploidy: 3.429
1
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.64 Tumor ploidy: 3.429 SNV log−likelihood: −331.71 GoF: 40% Mean coverage: 246
1
2
3
5
7
10
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index



SCNA−fit log−likelihood: −7063.06
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
6
0
5
10
15
20
25
30
35
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
5
10
15
20
25
30
35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
4m2
3m1
4m1
1m0
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.28 Tumor ploidy: 3.092
0
1
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.28 Tumor ploidy: 3.092 SNV log−likelihood: −365.25 GoF: 86.1% Mean coverage: 246
1
2
3
5
10
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index
SCNA−fit log−likelihood: −7003.32
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
4
6
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
4m3
4m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1
4m1
6m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 5.837
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.59 Tumor ploidy: 5.837 SNV log−likelihood: −340.92 GoF: 82.7% Mean coverage: 246
1
2
3
5
7
10
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
SNV Index



SCNA−fit log−likelihood: −7098.83
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
7
0
10
20
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
10
20
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
7m5
7m4
7m3
5m2
7m2
6m1
2m0
4m0
5m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.71 Tumor ploidy: 4.48
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.71 Tumor ploidy: 4.48 SNV log−likelihood: −359.58 GoF: 74.4% Mean coverage: 246
1 2 3 5 7 9 12 14
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: −7051.89
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4 5 6
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m0
3m0
4m0
5m0
6m0
4m1
4m2
5m2
5m3



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.2 Tumor ploidy: 3.489
0
1
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.2 Tumor ploidy: 3.489 SNV log−likelihood: −382.5 GoF: 86.8% Mean coverage: 246
1
2
3
5
10
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index
SCNA−fit log−likelihood: −6975.51
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m0
3m0
5m4
5m1



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
1m1
2m1
4m1
5m1
7m1



Frequency
Cellular fraction



Purity: 0.36 Tumor ploidy: 4.093
0
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.36 Tumor ploidy: 4.093 SNV log−likelihood: −370.89 GoF: 80.1% Mean coverage: 246
1 2 3 5 10 12 14
B−Allele Frequency
0.2 0.4 0.6 0.8
0 5 10 15 20 25
SNV Index
SCNA−fit log−likelihood: −7018
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 2 3 5 7
0 5 10 15 20 25
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 5 10 15 20 25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
3m1
4m0
5m1
5m3
5m4



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1
4m1
5m1
6m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.25 Tumor ploidy: 2.091
0
1
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.25 Tumor ploidy: 2.091 SNV log−likelihood: −369.61 GoF: 83.6% Mean coverage: 246
1
2
3
5
10
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index
SCNA−fit log−likelihood: −7030.09
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
3
5
7
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
3m0
3m1
3m2
3m3



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1
3m1
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.43 Tumor ploidy: 2.48
0
1
2
3
4
5
6
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.43 Tumor ploidy: 2.48 SNV log−likelihood: −396.53 GoF: 47.7% Mean coverage: 246
1
2
3
5
10
12
14
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: −7046.46
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
3m2
3m1
2m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 2.427
0
1
2
3
4
5
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.59 Tumor ploidy: 2.427 SNV log−likelihood: −372.88 GoF: 0% Mean coverage: 246
1
2
3
5
7
10
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: −7144.02
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
3m2
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.84 Tumor ploidy: 5.834
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio


Purity: 0.84 Tumor ploidy: 5.834 SNV log−likelihood: −372.2 GoF: 90.7% Mean coverage: 246
1
2
3
5
9
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
50
SNV Index
SCNA−fit log−likelihood: −7149.11
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
4
5
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
7m5
6m4
7m4
7m3
5m2
7m2
6m1
4m0
5m0
7m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
7m1


Power 0.8 at BQ 32
Frequency
Cellular fraction