






Purity: 0.84 Tumor ploidy: 2.408
0
1
2
3
4
6
0.5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−3
−2
−1
0
1
2
3
log2 ratio



Purity: 0.84 Tumor ploidy: 2.408 SNV log−likelihood: −706.53 GoF: 34.2% Mean coverage: 210
1
3
5
9
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
20
40
60
80
SNV Index
SCNA−fit log−likelihood: −8102.82
Copy Number log−ratio
−3
−2
−1
0
1
2
0
1
2
3
4
6
0
20
40
60
80
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
20
40
60
80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
2m1
3m1
6m2
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m3
3m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.77 Tumor ploidy: 3.776
0
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−3
−2
−1
0
1
2
3
log2 ratio



Purity: 0.77 Tumor ploidy: 3.776 SNV log−likelihood: −721.48 GoF: 29.6% Mean coverage: 210
1
3
5
9
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
20
40
60
80
SNV Index
SCNA−fit log−likelihood: −8166.17
Copy Number log−ratio
−3
−2
−1
0
1
2
0
2
3
5
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
3m2
5m3
m0
5m2
5m1
3m0
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m2
4m1
5m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.64 Tumor ploidy: 3.826
0
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−3
−2
−1
0
1
2
3
log2 ratio



Purity: 0.64 Tumor ploidy: 3.826 SNV log−likelihood: −723.07 GoF: 0% Mean coverage: 210
1 3 5 9 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: −8202.83
Copy Number log−ratio
−3 −2 −1 0 1 2
0 2 3 5 7
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
3m0
4m0
5m0
5m1
5m2
3m2
5m3
4m4
5m4
5m5



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m2
4m1
5m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 3.439
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
0
1
2
3
log2 ratio



Purity: 0.95 Tumor ploidy: 3.439 SNV log−likelihood: −780.88 GoF: 22% Mean coverage: 210
1 2 4 7 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60
SNV Index



SCNA−fit log−likelihood: −8226.77
Copy Number log−ratio
−3 −2 −1 0 1 2
2 3 4 6
0 20 40 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 20 40 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
3m2
4m2
7m3
5m2
3m1
7m2
4m1
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
5m4
4m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.45 Tumor ploidy: 2.826
1
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
0
1
2
3
log2 ratio



Purity: 0.45 Tumor ploidy: 2.826 SNV log−likelihood: −849.2 GoF: 48.2% Mean coverage: 210
2 4 7 12 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index
SCNA−fit log−likelihood: −8122.84
Copy Number log−ratio
−3 −2 −1 0 1 2
0 1 2 4 6
0 20 40 60 80
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m0
2m1
2m2
3m0
3m3
4m0
4m1
4m2
4m4



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
2m1
3m1
4m1
4m2
4m3



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.31 Tumor ploidy: 3.204
0
1
2
3
4
5
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
0
1
2
3
log2 ratio



Purity: 0.31 Tumor ploidy: 3.204 SNV log−likelihood: −895.66 GoF: 62.3% Mean coverage: 210
2 4 7 12 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index
SCNA−fit log−likelihood: −8241.77
Copy Number log−ratio
−3 −2 −1 0 1 2
0 2 4 7
0 20 40 60 80
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m4
5m5
4m4
2m2
5m3
0m0
2m1
5m2
2m0
5m1
3m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
2m1
3m1
5m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.35 Tumor ploidy: 4.232
1
3
5
6
7
0.5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
0
1
2
3
log2 ratio



Purity: 0.35 Tumor ploidy: 4.232 SNV log−likelihood: −842.44 GoF: 58.5% Mean coverage: 210
2
4
7
12
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
20
40
60
80
SNV Index



SCNA−fit log−likelihood: −8491.92
Copy Number log−ratio
−3
−2
−1
0
1
2
0
3
5
0
20
40
60
80
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
20
40
60
80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
3m3
5m5
7m6
3m2
6m3
3m1
6m2
3m0
6m1
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
7m5
3m1
5m1
6m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.37 Tumor ploidy: 1.846
0
1
2
3
4
5
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
0
1
2
3
log2 ratio



Purity: 0.37 Tumor ploidy: 1.846 SNV log−likelihood: −962.23 GoF: 50.9% Mean coverage: 210
2
5
9
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
20
40
60
80
SNV Index
SCNA−fit log−likelihood: −8334.73
Copy Number log−ratio
−3
−2
−1
0
1
2
0 1 3 5
0
20
40
60
80
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
20
40
60
80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m4
2m3
3m3
1m1
3m2
0m0
3m1
1m0
7m2
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
1m1
2m1
3m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 5.842
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
0
1
2
3
log2 ratio



Purity: 0.95 Tumor ploidy: 5.842 SNV log−likelihood: −880.67 GoF: 10.3% Mean coverage: 210
1 2 4 7 12 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50 60 70
SNV Index



SCNA−fit log−likelihood: −8527.16
Copy Number log−ratio
−3 −2 −1 0 1 2
3 5 7
0 10 20 30 40 50 60 70
SNV Index


Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50 60 70
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
7m6
6m5
5m3
7m4
7m3
5m2
7m2
5m1
6m1


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
7m6
6m1
7m1


Frequency
Cellular fraction