






Purity: 0.84  Tumor ploidy: 2.116
0
1
2
3
4
6
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.84 Tumor ploidy: 2.116 SNV log−likelihood: −377.9 GoF: 49.2% Mean coverage: 226
1 2 3 5 7 10 12 13 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: −8078.35
Copy Number log−ratio
1 0 −1 −2 −3 −4
0 1 2 3 4
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40 50
SNV Index



2m2
1m1
3m2
0m0
2m1
1m0
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.77  Tumor ploidy: 4.263
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.77 Tumor ploidy: 4.263 SNV log−likelihood: −402.81 GoF: 67.6% Mean coverage: 226
1 2 3 4 5 7 9 12 13 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: −8055.73
Copy Number log−ratio
1 0 −1 −2 −3 −4
7 5 3 2 0
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
4m3
3m2
6m4
0m0
4m2
3m1
4m1
2m0
3m0
4m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m2
3m1



Frequency
Cellular fraction



Purity: 0.53  Tumor ploidy: 3.254
0
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.53 Tumor ploidy: 3.254 SNV log−likelihood: −456.69 GoF: 55.9% Mean coverage: 226
1 2 3 4 5 7 10 12 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: −8050.49
Copy Number log−ratio
1 0 −1 −2 −3 −4
0 1 2 4 6
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
2m0
2m1
3m0
3m1
3m2
3m3
5m3



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
5m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.59  Tumor ploidy: 4.377
0
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.59 Tumor ploidy: 4.377 SNV log−likelihood: −424.95 GoF: 61% Mean coverage: 226
1 2 3 4 5 7 12 13 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: −8119.43
Copy Number log−ratio
−4 −3 −2 −1 0 1
0 2 3 5 7
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
2m2
4m3
7m5
3m2
0m0
4m2
3m1
4m1
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
7m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.56 Tumor ploidy: 5.075
0
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.56 Tumor ploidy: 5.075 SNV log−likelihood: −424.36 GoF: 66.8% Mean coverage: 226
1 2 3 4 5 7 12 13 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: −8183.21
Copy Number log−ratio
−4 −3 −2 −1 0 1
0 2 4 6
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
2m2
5m4
7m5
5m3
0m0
4m2
5m2
5m1
2m0
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
5m1
7m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.41 Tumor ploidy: 4.274
0
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.41 Tumor ploidy: 4.274 SNV log−likelihood: −501.25 GoF: 69.2% Mean coverage: 226
1
2
3
4
5
7
12
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
50
SNV Index



SCNA−fit log−likelihood: −8101.05
Copy Number log−ratio
1
0
−1
−2
−3
−4
0
10
20
30
40
50
SNV Index
0
1
3
5



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
10
20
30
40
50
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
−3
−2
−1
0
1
Copy Number log−ratio
4m4
7m5
4m3
0m0
4m2
3m1
4m1
3m0
4m0



Coverage (log2)
4
5
6
7
8
9
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
−3
−2
−1
0
1
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
7m1



Power 0.8 at BQ 32
Frequency
0
1
2
3
4
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.82 Tumor ploidy: 5.216
3
4
5
6
7
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio


Purity: 0.82 Tumor ploidy: 5.216 SNV log−likelihood: −465.34 GoF: 85.7% Mean coverage: 226
1 2 3 4 5 7 9 12 13 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: −8206
Copy Number log−ratio
1 0 −1 −2 −3 −4
3 4 6
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
5m3
7m4
4m2
5m2
4m1
5m1
3m0
4m0
5m0
7m0


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
4m2
4m1
7m1


Frequency
Cellular fraction