






Purity: 0.45 Tumor ploidy: 3.973
0
1
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.45 Tumor ploidy: 3.973 SNV log−likelihood: −62.26 GoF: 79.6% Mean coverage: 327
1 2 4 7 9 10 12 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
2 4 6 8 10 12 14
SNV Index



SCNA−fit log−likelihood: −8497.59
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3 4 6
2 4 6 8 10 12 14
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
2 4 6 8 10 12 14
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
4m4
4m3
4m2
2m0
6m1
4m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
1
2
3
4
0.2
0.3
0.4
0.5
0.6
Cellular fraction



Purity: 0.61 Tumor ploidy: 1.989
0
1
2
3
6
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.61 Tumor ploidy: 1.989 SNV log−likelihood: −66.86 GoF: 15.2% Mean coverage: 327
1
2
4
9
10
12
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index



SCNA−fit log−likelihood: −8516.3
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
2
4
6
8
10
12
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
2m2
2m1
3m1
1m0
2m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
1
2
3
4
0.10
0.15
0.20
0.25
0.30
Cellular fraction



Purity: 0.52 Tumor ploidy: 4.973
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.52 Tumor ploidy: 4.973 SNV log−likelihood: −63.95 GoF: 81.7% Mean coverage: 327
1 2 4 7 9 10 12 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
2 4 6 8 10 12 14
SNV Index



SCNA−fit log−likelihood: −8504.73
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5 7
2 4 6 8 10 12 14
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
2 4 6 8 10 12 14
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
5m4
5m3
5m2
7m2
5m1
3m0
5m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
0.04
0.05
0.06
0.07
0.08
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
1
2
3
4
0.2
0.3
0.4
0.5
0.6
Cellular fraction



Purity: 0.94 Tumor ploidy: 2.988
2
3
4
6
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.94 Tumor ploidy: 2.988 SNV log−likelihood: −86.93 GoF: 45.2% Mean coverage: 327
1
2
4
7
9
10
11
12
16
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
14
SNV Index



SCNA−fit log−likelihood: −8520.77
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
6
2
4
6
8
10
12
14
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
2
4
6
8
10
12
14
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
3m2
3m1
4m1
2m0
3m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.08
0.10
0.12
0.14
0.16
0.18
0.20
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
1
2
0.2
0.3
0.4
0.5
0.6
0.7
Cellular fraction



Purity: 0.38 Tumor ploidy: 2.973
0
1
2
3
4
5
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.38 Tumor ploidy: 2.973 SNV log−likelihood: −68.38 GoF: 79.1% Mean coverage: 327
1
2
4
9
10
12
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
SNV Index



SCNA−fit log−likelihood: −8543.83
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
2
4
6
8
10
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
2
4
6
8
10
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
3m3
3m2
3m1
5m1
3m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
1
2
3
4
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.95 Tumor ploidy: 4.009
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.95 Tumor ploidy: 4.009 SNV log−likelihood: −70.5 GoF: 61.9% Mean coverage: 327
1 2 4 7 9 10 11 12 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
2 4 6 8 10 12 14
SNV Index



SCNA−fit log−likelihood: −8640.92
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4 5 6
2 4 6 8 10 12 14
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
2 4 6 8 10 12 14
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
4m3
4m2
3m1
6m2
4m1
4m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
1
2
0.10
0.15
0.20
0.25
0.30
0.35
0.40
Cellular fraction



Purity: 0.34 Tumor ploidy: 4.054
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.34 Tumor ploidy: 4.054 SNV log−likelihood: −66.19 GoF: 86.1% Mean coverage: 327
1 2 4 9 10 12 17
B−Allele Frequency
0.2 0.4 0.6 0.8
2 4 6 8 10 12
SNV Index



SCNA−fit log−likelihood: −8630.38
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3 5 7
2 4 6 8 10 12
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
2 4 6 8 10 12
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
4m4
4m3
4m2
4m0
7m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
4m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
1
2
3
0.2
0.3
0.4
0.5
0.6
0.7
0.8
Cellular fraction



Purity: 0.8 Tumor ploidy: 4.071
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.8 Tumor ploidy: 4.071 SNV log−likelihood: −71.11 GoF: 80.7% Mean coverage: 327
1
2
4
5
7
9
10
11
12
16
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: −8659.17
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
6
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
4m3
4m2
6m2
4m1
3m0
4m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
0
1
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.95 Tumor ploidy: 5.099
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.95 Tumor ploidy: 5.099 SNV log−likelihood: −70.21 GoF: 73.4% Mean coverage: 327
1
2
4
9
10
12
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index



SCNA−fit log−likelihood: −8696.58
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
7
2
4
6
8
10
12
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
5m4
5m3
5m2
7m2
4m1
5m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
0
1
2
0.1
0.2
0.3
0.4
0.5
0.6
Cellular fraction



Purity: 0.36 Tumor ploidy: 4.846
0
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.36 Tumor ploidy: 4.846 SNV log−likelihood: −68.22 GoF: 89.3% Mean coverage: 327
1
2
4
9
10
12
17
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index



SCNA−fit log−likelihood: −8725.72
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
3
5
7
2
4
6
8
10
12
SNV Index


Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
2
4
6
8
10
12
SNV Index


Allelic fraction (germline)
0.2
0.4
0.6
0.8
5m5
5m4
5m3
5m2
5m1
5m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio


Coverage (log2)
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction


Allelic fraction (somatic)
0.05
0.10
0.15
0.20
2m1
5m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.0
−0.5
0.0
0.5
Copy Number log−ratio


Frequency
0
1
2
3
4
0.3
0.4
0.5
0.6
0.7
Cellular fraction