






Purity: 0.23 Tumor ploidy: 2.776
0
1
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.23 Tumor ploidy: 2.776 SNV log−likelihood: −401.69 GoF: 84% Mean coverage: 525
4
5
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: 770.37
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
5
10
15
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
2m0
2m1
3m0
3m2
3m3



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1
3m1



Frequency
Cellular fraction



Purity: 0.31  Tumor ploidy: 4.789
0
1
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.31 Tumor ploidy: 4.789 SNV log−likelihood: −410.59 GoF: 85.7% Mean coverage: 525
4
5
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: 759.53
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
4
6
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m1
3m1
3m3
4m0
4m1
4m2
4m3
5m1
5m3
5m4



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.67  Tumor ploidy: 3.928
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.67 Tumor ploidy: 3.928 SNV log−likelihood: −386 GoF: 57.6% Mean coverage: 525
1 2 4 5 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index



SCNA−fit log−likelihood: 671.18
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5 6
0 5 10 15 20 25 30
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 5 10 15 20 25 30
SNV Index



1m1
3m2
2m1
4m2
1m0
3m0
4m0
Allelic fraction (germline)
Copy Number log−ratio
0.8
0.6
0.4
0.2
−1.5
−1.0
−0.5
0.0
0.5



Coverage (log2)
Allelic fraction
11
10
9
8
7
6
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
Allelic fraction (somatic)
Copy Number log−ratio
0.35
0.30
0.25
0.20
0.15
0.10
0.05
−1.5
−1.0
−0.5
0.0
0.5



Power 0.8 at BQ 33
Frequency
Cellular fraction
3
2
1
0
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.6  Tumor ploidy: 4.997
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.6 Tumor ploidy: 4.997 SNV log−likelihood: −355.66 GoF: 77.2% Mean coverage: 525
1
2
4
5
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: 587.49
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
7
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
5m3
2m1
4m2
5m2
3m1
4m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m1
4m1
5m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.37  Tumor ploidy: 1.932
0
1
2
3
4
5
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.37 Tumor ploidy: 1.932 SNV log−likelihood: −406.6 GoF: 59.7% Mean coverage: 525
4
5
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: 664.14
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
5
10
15
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
1m1
0m0
2m1
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.53  Tumor ploidy: 3.938
1
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.53 Tumor ploidy: 3.938 SNV log−likelihood: −404.2 GoF: 62.7% Mean coverage: 525
1
2
4
5
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 655.68
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
7
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
4m3
3m2
2m1
4m2
1m0
4m1
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m2
2m1
3m1
4m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.49  Tumor ploidy: 2.934
1
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.49 Tumor ploidy: 2.934 SNV log−likelihood: −424.51 GoF: 52.9% Mean coverage: 525
1
4
5
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: 682.29
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
7
5
10
15
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
2m1
2m2
3m0
3m1
3m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.18  Tumor ploidy: 4.782
0
1
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.18 Tumor ploidy: 4.782 SNV log−likelihood: −407.26 GoF: 89.3% Mean coverage: 525
4
5
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: 587.82
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
7
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m2
3m2
4m2
5m4
5m3
5m1
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
4m2
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
4m1
5m1



Frequency
Cellular fraction



Purity: 0.75  Tumor ploidy: 5.992
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.75 Tumor ploidy: 5.992 SNV log−likelihood: −290.52 GoF: 91.9% Mean coverage: 525
1
2
4
5
14
16
19
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: 305.08
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
4
5
6
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m4
6m4
5m3
2m1
4m2
6m3
6m2
4m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.44  Tumor ploidy: 5.866
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.44 Tumor ploidy: 5.866 SNV log−likelihood: −395.69 GoF: 81.9% Mean coverage: 525
1
2
4
5
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 513.47
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
3
4
6
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
4m3
6m4
5m3
6m3
5m2
3m1
6m2
1m0
4m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
5m1
6m1



Frequency
Cellular fraction



Purity: 0.58 Tumor ploidy: 5.986
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.58 Tumor ploidy: 5.986 SNV log−likelihood: −356.25 GoF: 83% Mean coverage: 525
1
2
4
5
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: 410.22
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
7
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m4
6m4
5m3
2m1
6m3
3m1
6m2
4m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1
6m1



Frequency
Cellular fraction



Purity: 0.59  Tumor ploidy: 1.889
1
2
3
4
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.59 Tumor ploidy: 1.889 SNV log−likelihood: −540.84 GoF: 0% Mean coverage: 525
4
5
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: 32.83
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
0
5
10
15
20
25
SNV Index


Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
0
5
10
15
20
25
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
2m1
1m0
2m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1


Power 0.8 at BQ 33
Frequency
Cellular fraction