






Purity: 0.86 Tumor ploidy: 3.772
0
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−4
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.86 Tumor ploidy: 3.772 SNV log−likelihood: −710.07 GoF: 77.3% Mean coverage: 325
1 3 4 5 11 12 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: −94.85
Copy Number log−ratio
−3 −2 −1 0 1
2 3 4 5 7
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m3
4m4
3m2
2m1
4m2
4m1
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
4m4
4m3
4m2
2m1
3m1
4m1



Frequency
Cellular fraction



Purity: 0.58 Tumor ploidy: 2.801
0
1
2
3
4
5
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.58 Tumor ploidy: 2.801 SNV log−likelihood: −851.39 GoF: 2.9% Mean coverage: 325
1
3
4
7
12
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
10
20
30
40
50
60
70
SNV Index



SCNA−fit log−likelihood: 111.24
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
3
4
7
0
10
20
30
40
50
60
70
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
10
20
30
40
50
60
70
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m1
3m3
2m2
1m1
3m2
0m0
2m1
3m1
1m0
2m0
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m2
1m1
3m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.88 Tumor ploidy: 1.91
0
1
2
3
4
5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−4
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.88 Tumor ploidy: 1.91 SNV log−likelihood: −823.83 GoF: 31.8% Mean coverage: 325
2 3 4 7 12 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 10 20 30 40 50 60 70
SNV Index



SCNA−fit log−likelihood: −2.74
Copy Number log−ratio
1 0 −1 −2 −3
4 3 2 1 0
0 10 20 30 40 50 60 70
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 10 20 30 40 50 60 70
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
1m1
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
1m1
2m1



Frequency
Cellular fraction



Purity: 0.42 Tumor ploidy: 3.834
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.42 Tumor ploidy: 3.834 SNV log−likelihood: −798.89 GoF: 62.6% Mean coverage: 325
1
3
4
7
12
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
20
40
60
SNV Index



SCNA−fit log−likelihood: −388.74
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
4
6
0
20
40
60
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
20
40
60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
1m1
2m2
3m2
4m4
4m2
4m1
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
1m1
2m1
2m2
4m3



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.43 Tumor ploidy: 5.529
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.43 Tumor ploidy: 5.529 SNV log−likelihood: −747.7 GoF: 66.6% Mean coverage: 325
1
3
4
7
12
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
20
40
60
80
SNV Index



SCNA−fit log−likelihood: −521.79
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
4
6
0
20
40
60
80
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
20
40
60
80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
2m1
3m3
3m0
4m0
5m3
6m5
6m4
6m3
6m2
6m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1
3m1
3m3
6m4



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.52 Tumor ploidy: 4.836
0
1
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.52 Tumor ploidy: 4.836 SNV log−likelihood: −751.49 GoF: 58.4% Mean coverage: 325
1
3
4
7
12
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
20
40
60
80
SNV Index



SCNA−fit log−likelihood: −533.41
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
3
5
7
0
20
40
60
80
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
20
40
60
80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
2m0
2m1
3m0
3m2
3m3
4m2
5m0
5m1
5m2
5m3
5m4



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
1m1
2m1
3m1
5m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.69 Tumor ploidy: 5.692
0
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−4
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.69 Tumor ploidy: 5.692 SNV log−likelihood: −730.21 GoF: 35.9% Mean coverage: 325
1 3 4 7 12 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 20 40 60 80
SNV Index
SCNA−fit log−likelihood: −577.81
Copy Number log−ratio
1 0 −1 −2 −3
0 2 3 4 6
0 20 40 60 80
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
3m3
2m2
6m5
3m2
5m3
m0
6m3
3m1
6m2
6m1
2m0
3m0
4m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m3
6m5
3m2
6m3
3m1
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 5.657
1
2
3
4
5
6
7
Fraction Genome
0.0
0.1
0.2
0.3
0.4
−4
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.95 Tumor ploidy: 5.657 SNV log−likelihood: −821.77 GoF: 35.9% Mean coverage: 325
1 3 4 5 11 12 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 10 20 30 40 50 60 70
SNV Index



SCNA−fit log−likelihood: −786.22
Copy Number log−ratio
−3 −2 −1 0 1
1 2 3 4 5 7
0 10 20 30 40 50 60 70
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40 50 60 70
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
4m4
6m5
4m3
3m2
5m3
6m3
3m1
6m2
4m1
2m0
3m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
6m5
2m1
4m2
3m1
4m1
6m1



Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 4.854
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.95 Tumor ploidy: 4.854 SNV log−likelihood: −1098.27 GoF: 0% Mean coverage: 325
1
3
4
5
11
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
20
40
60
80
SNV Index



SCNA−fit log−likelihood: −904.66
Copy Number log−ratio
−3
−2
−1
0
1
2
3
4
5
6
7
0
20
40
60
80
SNV Index


Maximum Likelihood Copy Number
0
1
2
3
4
5
0
20
40
60
80
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
2m2
3m3
4m4
3m2
5m3
4m2
5m2
3m1
4m1
5m1
2m0
3m0
5m0


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
5m4
5m3
2m1
5m2
3m1
5m1


Frequency
Cellular fraction