






Purity: 0.29 Tumor ploidy: 6
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.29 Tumor ploidy: 6 SNV log−likelihood: −654.17 GoF: 88.5% Mean coverage: 411
1 4 5 12 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: 1837.65
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 4 6
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m2
6m6
1m1
3m2
5m3
6m3
5m2
1m0
6m2
5m1
3m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
3m1
4m1
5m1
6m1
7m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.57 Tumor ploidy: 5.021
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.57 Tumor ploidy: 5.021 SNV log−likelihood: −634.48 GoF: 68.9% Mean coverage: 411
1
5
12
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
50
60
SNV Index



SCNA−fit log−likelihood: 1778.35
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
7
5
4
3
2
0
10
20
30
40
50
60
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
10
20
30
40
50
60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
2m2
3m2
2m1
4m2
5m5
5m3
5m2
3m1
4m1
2m0
4m0
5m0
6m0



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
0.05
0.10
0.15
0.20
0.25
0.30
−1.5
−1.0
−0.5
0.0
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
4m1
5m1
6m1



Power 0.8 at BQ 32
Frequency
Cellular fraction
0
2
4
6
8
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.56 Tumor ploidy: 4.034
2
3
4
5
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.56 Tumor ploidy: 4.034 SNV log−likelihood: −617.6 GoF: 63.2% Mean coverage: 411
1
5
12
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
50
60
SNV Index



SCNA−fit log−likelihood: 1720.67
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
0
10
20
30
40
50
60
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
10
20
30
40
50
60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m1
1m0
2m0
3m2
3m1
3m0
4m4
4m2
4m1
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.75 Tumor ploidy: 5.997
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.75 Tumor ploidy: 5.997 SNV log−likelihood: −685.1 GoF: 89.8% Mean coverage: 411
1 4 7 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index
SCNA−fit log−likelihood: 1762.35
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
3 4 5 6
0 20 40 60 80
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m6
3m3
4m3
3m2
5m3
6m3
5m2
3m1
4m1
5m1
6m1
3m0
4m0
5m0
6m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1
6m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.68 Tumor ploidy: 5.034
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.68 Tumor ploidy: 5.034 SNV log−likelihood: −674.67 GoF: 69.2% Mean coverage: 411
1
4
12
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
50
60
SNV Index
SCNA−fit log−likelihood: 1735.6
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
2m2
3m2
5m3
2m1
4m2
5m2
3m1
4m1
5m1
3m0
4m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1
4m1
5m1
6m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.62 Tumor ploidy: 3.02
1
2
3
4
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.62 Tumor ploidy: 3.02 SNV log−likelihood: −712.52 GoF: 0% Mean coverage: 411
1 4 5 12 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: 1675.84
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m2
3m3
2m1
3m2
3m1
1m0
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.19 Tumor ploidy: 4.181
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.19 Tumor ploidy: 4.181 SNV log−likelihood: −859.56 GoF: 86.2% Mean coverage: 411
1 4 5 12 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30 35
SNV Index



SCNA−fit log−likelihood: 2022.87
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 2 4 7
0 5 10 15 20 25 30 35
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 5 10 15 20 25 30 35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m2
5m5
2m2
3m2
0m0
4m2
4m1
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m2
3m2
0m1
2m1
3m1
4m1
5m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.86 Tumor ploidy: 3.014
1.4
2
3
4
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.86 Tumor ploidy: 3.014 SNV log−likelihood: −707.65 GoF: 41.5% Mean coverage: 411
1
4
7
12
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
50
60
SNV Index



SCNA−fit log−likelihood: 1604.83
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.4
2
3
4
0
10
20
30
40
50
60
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
10
20
30
40
50
60
SNV Index



3m3
3m2
2m1
3m1
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
Allelic fraction (somatic)
Copy Number log−ratio
0.05
0.10
0.15
0.20
0.25
0.30
−1.5
−1.0
−0.5
0.0



Power 0.8 at BQ 32
Frequency
Cellular fraction
0
2
4
6
8
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7



Purity: 0.16 Tumor ploidy: 3.191
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.16 Tumor ploidy: 3.191 SNV log−likelihood: −888.34 GoF: 82.2% Mean coverage: 411
1 4 5 12 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30 35
SNV Index
SCNA−fit log−likelihood: 1975.73
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 2 5
0 5 10 15 20 25 30 35
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 5 10 15 20 25 30 35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
1m1
2m0
2m1
3m0
3m1
3m2
4m4



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
deamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
1m1
1m2
2m1
2m2
3m1
4m1



Frequency
Cellular fraction



Purity: 0.52 Tumor ploidy: 2.02
1
2
3
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.52 Tumor ploidy: 2.02 SNV log−likelihood: −803.05 GoF: 0% Mean coverage: 411
1 4 5 12 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: 1634.2
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
2m2
1m0
2m1
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.16 Tumor ploidy: 2.214
0
1
2
3
4
5
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio


Purity: 0.16 Tumor ploidy: 2.214 SNV log−likelihood: −911.05 GoF: 80.3% Mean coverage: 411
1 4 5 12 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30 35
SNV Index
SCNA−fit log−likelihood: 1926.75
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 2 5
0 5 10 15 20 25 30 35
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 5 10 15 20 25 30 35
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
0m1
3m3
1m1
0m0
2m1
1m0
2m0


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m2
1m2
Allelic fraction (somatic)
Copy Number log−ratio
0m1
1m1
2m1
3m1


Frequency
Cellular fraction