






Purity: 0.34 Tumor ploidy: 4.22
2
3
4
5
6
7
Fraction Genome
0.0
0.1
0.2
0.3
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.34 Tumor ploidy: 4.22 SNV log−likelihood: −635.18 GoF: 86.3% Mean coverage: 655
2
5
7
10
12
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0
5
10
15
20
25
30
SNV Index
SCNA−fit log−likelihood: 3367.63
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
4m4
5m3
2m1
4m2
5m2
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m4
2m1
4m1
5m1



Frequency
Cellular fraction



Purity: 0.26 Tumor ploidy: 2.219
0
1
2
3
4
5
6
0.0
0.1
0.2
0.3
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.26 Tumor ploidy: 2.219 SNV log−likelihood: −657.14 GoF: 81.2% Mean coverage: 655
2
5
7
10
12
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0
5
10
15
20
25
30
SNV Index
SCNA−fit log−likelihood: 3383.86
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
6
0
5
10
15
20
25
30
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m2
3m2
2m1
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
2m1
3m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.46 Tumor ploidy: 3.22
2
3
4
5
6
Fraction Genome
0.0
0.1
0.2
0.3
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.46 Tumor ploidy: 3.22 SNV log−likelihood: −689.31 GoF: 67.3% Mean coverage: 655
2
5
7
10
12
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index



SCNA−fit log−likelihood: 3300.79
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
0
5
10
15
20
25
30
35
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
5
10
15
20
25
30
35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
4m3
3m2
2m1
4m2
3m1
4m1
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
4m1



Frequency
Cellular fraction



Purity: 0.16 Tumor ploidy: 2.551
0
1
2
3
4
5
6
7
Fraction Genome
0.0
0.1
0.2
0.3
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.16 Tumor ploidy: 2.551 SNV log−likelihood: −732.93 GoF: 86.6% Mean coverage: 655
2
5
7
10
12
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: 3404.78
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m2
2m1
2m0
4m5
4m3
4m1
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
2m2
2m1
4m2
4m1



Frequency
Cellular fraction



Purity: 0.18 Tumor ploidy: 3.53
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.18 Tumor ploidy: 3.53 SNV log−likelihood: −685.7 GoF: 91.2% Mean coverage: 655
2
5
7
10
12
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: 3284.07
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0 1 3 5 7
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
5m4
1m1
3m2
5m3
5m2
1m0
5m1
3m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m3
5m3
3m2
1m1
3m1
5m1



Frequency
Cellular fraction



Purity: 0.68 Tumor ploidy: 4.22
3
4
5
6
7
0.0
0.1
0.2
0.3
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.68 Tumor ploidy: 4.22 SNV log−likelihood: −709.25 GoF: 59.3% Mean coverage: 655
1 2 5 7 10 12
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30
SNV Index



SCNA−fit log−likelihood: 3229.51
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
3 4 5 6 7
0 10 20 30
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m4
4m3
3m2
5m3
4m2
5m2
3m1
5m1
3m0
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m2
3m1
4m1
5m1



Frequency
Cellular fraction



Purity: 0.29 Tumor ploidy: 5.993
3
4
5
6
7
Fraction Genome
0.0
0.1
0.2
0.3
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.29 Tumor ploidy: 5.993 SNV log−likelihood: −682.51 GoF: 93.6% Mean coverage: 655
2
5
7
10
12
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0
5
10
15
20
25
30
SNV Index
SCNA−fit log−likelihood: 3053.36
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
3
4
5
7
0
5
10
15
20
25
30
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
7m7
6m6
5m5
7m5
3m2
7m4
6m3
7m3
3m1
7m2
5m0
6m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m6
3m2
3m1
5m1
6m1
7m1



Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 2.019
1
2
3
4
5
Fraction Genome
0.0
0.1
0.2
0.3
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.59 Tumor ploidy: 2.019 SNV log−likelihood: −1017.99 GoF: 0% Mean coverage: 655
2
5
7
10
12
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index



SCNA−fit log−likelihood: 2280.85
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
0
5
10
15
20
25
30
35
SNV Index


Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
0
5
10
15
20
25
30
35
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
2m2
1m1
2m1
1m0
2m0
0.2
0.4
0.6
0.8
−0.5
0.0
0.5


Coverage (log2)
Allelic fraction
5
6
7
8
9
10
11
0.2
0.4
0.6
0.8


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
0.1
0.2
0.3
0.4
0.5
−0.5
0.0
0.5


Power 0.8 at BQ 33
Frequency
Cellular fraction
0
5
10
15
0.0
0.2
0.4
0.6
0.8
1.0