






Purity: 0.57 Tumor ploidy: 4.983
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.57 Tumor ploidy: 4.983 SNV log−likelihood: −770.93 GoF: 80.5% Mean coverage: 431
2 3 4 6 10 14
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: 211.56
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5 7
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40 50 60
SNV Index



3m3
5m4
1m1
4m3
5m3
4m2
5m2
3m1
4m1
1m0
3m0
4m0
5m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
5m1
7m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.67 Tumor ploidy: 1.992
0
1
2
3
0.5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.67 Tumor ploidy: 1.992 SNV log−likelihood: −808.82 GoF: 33.9% Mean coverage: 431
2 3 4 5 7 12 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 245.57
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
0m0
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
1m1
2m1
3m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.5 Tumor ploidy: 3.983
0
2
3
4
5
6
0.5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.5 Tumor ploidy: 3.983 SNV log−likelihood: −784.69 GoF: 66.2% Mean coverage: 431
2 3 4 6 10 14
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: 208.52
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3 4 5
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m2
3m3
4m3
3m2
4m2
3m1
4m1
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
4m1
6m1



Frequency
Cellular fraction



Purity: 0.42 Tumor ploidy: 2.983
0
1
2
3
4
5
0.5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.42 Tumor ploidy: 2.983 SNV log−likelihood: −793.82 GoF: 77% Mean coverage: 431
2
3
4
5
6
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
50
SNV Index



SCNA−fit log−likelihood: 237.67
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
0
10
20
30
40
50
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
10
20
30
40
50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
1m1
2m0
2m1
2m2
3m0
3m1
3m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
2m2
3m1
5m1



Frequency
Cellular fraction



Purity: 0.44 Tumor ploidy: 4.926
0
1
2
3
4
5
6
7
0.5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.44 Tumor ploidy: 4.926 SNV log−likelihood: −787.88 GoF: 87.4% Mean coverage: 431
2 3 4 6 10 14
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: 145.79
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3 4 6
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
1m1
2m2
3m0
4m0
4m1
4m2
4m3
4m4
5m0
5m1
5m2
5m3
5m4



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
3m1
4m1
4m2
5m1
5m2
7m1



Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 2.992
1
2
3
4
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.95 Tumor ploidy: 2.992 SNV log−likelihood: −1004.59 GoF: 16.7% Mean coverage: 431
2 3 4 6 10 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: 232.47
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
2m1
3m1
1m0
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1



Frequency
Cellular fraction



Purity: 0.75 Tumor ploidy: 2.992
1
2
3
4
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.75 Tumor ploidy: 2.992 SNV log−likelihood: −884.17 GoF: 80% Mean coverage: 431
2 3 4 6 10 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60
SNV Index
SCNA−fit log−likelihood: −19.71
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4
0 20 40 60
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 20 40 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
3m2
2m1
3m1
1m0
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
3m2
2m1
3m1



Frequency
Cellular fraction



Purity: 0.52 Tumor ploidy: 5.962
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.52 Tumor ploidy: 5.962 SNV log−likelihood: −783.37 GoF: 82.4% Mean coverage: 431
2 3 4 5 7 12 14
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50 60 70
SNV Index



SCNA−fit log−likelihood: −619.55
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5 7
0 10 20 30 40 50 60 70
SNV Index


Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40 50 60 70
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
3m3
5m4
1m1
6m4
5m3
6m3
5m2
3m1
6m2
1m0
5m1
4m0
5m0
6m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
6m4
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
5m1
6m1


Frequency
Cellular fraction