






Purity: 0.2  Tumor ploidy: 3.98
0
2
3
4
5
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.2 Tumor ploidy: 3.98 SNV log−likelihood: −626.88 GoF: 93% Mean coverage: 530
3
5
6
10
11
12
14
17
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
0.8
0.9
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: 2152.22
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
0
2
4
6
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
4m3
5m3
2m1
4m2
5m2
4m1
2m0
5m1



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m2
2m1
4m1



Frequency
Cellular fraction



Purity: 0.19  Tumor ploidy: 5.994
0
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.19 Tumor ploidy: 5.994 SNV log−likelihood: −650.65 GoF: 94.1% Mean coverage: 530
3
5
6
10
11
12
14
17
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
0.8
0.9
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: 2175.62
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
3
5
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
3m3
6m4
3m2
7m4
4m2
6m3
7m3
7m2
3m0
6m1



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m3
3m2
3m1
6m1



Frequency
Cellular fraction



Purity: 0.27  Tumor ploidy: 4.722
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
0.8
log2 ratio



Purity: 0.27 Tumor ploidy: 4.722 SNV log−likelihood: −660.28 GoF: 93% Mean coverage: 530
3
5
6
10
11
12
14
17
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
0.8
0.9
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: 2182.56
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
3
5
7
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
4m3
3m2
5m3
6m3
5m2
3m1
5m1
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m2
3m1
5m1



Frequency
Cellular fraction



Purity: 0.18 Tumor ploidy: 2.999
0
1
2
3
4
5
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.18 Tumor ploidy: 2.999 SNV log−likelihood: −692.84 GoF: 82.9% Mean coverage: 530
3
5
6
10
11
12
14
17
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
0.8
0.9
0
5
10
15
20
25
30
35
SNV Index
SCNA−fit log−likelihood: 2192.08
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
0
5
10
15
20
25
30
35
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
0
5
10
15
20
25
30
35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
1m1
3m2
4m2
1m0
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
1m1
3m1



Frequency
Cellular fraction



Purity: 0.39  Tumor ploidy: 2.907
2
3
4
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
0.8
log2 ratio



Purity: 0.39 Tumor ploidy: 2.907 SNV log−likelihood: −627.21 GoF: 81% Mean coverage: 530
3
5
6
10
11
12
14
17
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
0.8
0.9
0
5
10
15
20
25
30
35
SNV Index



SCNA−fit log−likelihood: 1955.88
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
2
3
4
6
0
5
10
15
20
25
30
35
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
5
10
15
20
25
30
35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m2
2m1
3m1
2m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.65  Tumor ploidy: 5.933
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
0.8
log2 ratio



Purity: 0.65 Tumor ploidy: 5.933 SNV log−likelihood: −606.55 GoF: 88.6% Mean coverage: 530
3 5 6 11 12 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: 1920.55
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
5 6
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
5m4
6m4
5m3
6m3
5m2
6m2
5m1
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
5m2
5m1
6m1



Frequency
Cellular fraction



Purity: 0.79  Tumor ploidy: 3.881
4
5
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
0.8
log2 ratio



Purity: 0.79 Tumor ploidy: 3.881 SNV log−likelihood: −606.28 GoF: 88.4% Mean coverage: 530
3 5 6 11 12 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: 1913.09
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
3 4 5 6
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40 50
SNV Index



3m3
3m2
4m2
3m1
3m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
10
11
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m2
3m1
4m1
Allelic fraction (somatic)
Copy Number log−ratio
0.1
0.2
0.3
0.4
0.5
0.6
0.7
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2



Frequency
Cellular fraction
0
1
2
3
4
5
0.2
0.4
0.6
0.8
1.0



Purity: 0.5  Tumor ploidy: 3.921
3
4
5
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
0.8
log2 ratio



Purity: 0.5 Tumor ploidy: 3.921 SNV log−likelihood: −656.24 GoF: 78.9% Mean coverage: 530
3
5
6
10
11
12
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index



SCNA−fit log−likelihood: 1917.34
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
3
4
5
7
0
5
10
15
20
25
30
35
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
5
10
15
20
25
30
35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
4m3
3m2
4m2
3m1
4m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.67  Tumor ploidy: 3.899
4
5
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
0.8
log2 ratio



Purity: 0.67 Tumor ploidy: 3.899 SNV log−likelihood: −691.54 GoF: 66.9% Mean coverage: 530
3
5
6
10
11
12
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index



SCNA−fit log−likelihood: 1945.66
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
3
4
5
7
0
5
10
15
20
25
30
35
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
5
10
15
20
25
30
35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
4m2
3m1
4m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m2
3m1
4m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.37  Tumor ploidy: 5.268
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
0.8
log2 ratio



Purity: 0.37 Tumor ploidy: 5.268 SNV log−likelihood: −669.81 GoF: 91.1% Mean coverage: 530
3
5
6
10
11
12
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index



SCNA−fit log−likelihood: 1882.35
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
6
4
0
5
10
15
20
25
30
35
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
5
10
15
20
25
30
35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
5m3
4m2
6m3
5m2
6m2
4m1
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
4m3
4m2
4m1
5m1



Frequency
Cellular fraction



Purity: 0.94  Tumor ploidy: 3.881
3
4
5
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.94 Tumor ploidy: 3.881 SNV log−likelihood: −716.98 GoF: 54% Mean coverage: 530
3
5
6
10
12
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: 1791.81
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
6
5
4
3
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
4
3
2
1
0
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
4m2
3m1
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m1
4m1



Frequency
Cellular fraction



Purity: 0.5  Tumor ploidy: 5.999
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.5 Tumor ploidy: 5.999 SNV log−likelihood: −655.28 GoF: 86.6% Mean coverage: 530
3
5
6
10
11
12
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: 1556.72
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
6
4
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m4
4m3
6m4
5m3
7m4
4m2
6m3
7m3
6m2
4m1
7m2
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
4m1
6m1



Frequency
Cellular fraction



Purity: 0.64  Tumor ploidy: 2.881
2
3
4
5
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.64 Tumor ploidy: 2.881 SNV log−likelihood: −786.52 GoF: 40.5% Mean coverage: 530
3
5
6
10
11
12
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
SNV Index



SCNA−fit log−likelihood: 1771.16
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
2
3
4
5
0
10
20
30
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
10
20
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m2
2m1
3m1
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.79  Tumor ploidy: 2.002
2
3
4
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
0.8
log2 ratio



Purity: 0.79 Tumor ploidy: 2.002 SNV log−likelihood: −706.76 GoF: 72.7% Mean coverage: 530
3
5
6
11
12
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
50
SNV Index



SCNA−fit log−likelihood: 273.83
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
0
10
20
30
40
50
SNV Index


Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
0
10
20
30
40
50
SNV Index


2m2
2m1
2m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2


Coverage (log2)
Allelic fraction
4
5
6
7
8
9
10
11
0.0
0.2
0.4
0.6
0.8


2m2
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.1
0.2
0.3
0.4
0.5
0.6
0.7
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2


Power 0.8 at BQ 33
Frequency
Cellular fraction
0
1
2
3
0.0
0.2
0.4
0.6
0.8
1.0